



INDUSTRIAL = HIGH BAYS | LOW BAYS | STRIPLIGHTS | SPECIAL APPLICATIONS









[Home](#) | [Contact Us](#) | [Agent Request](#)

REPLACEMENT PARTS

FEM LED




LATCHES: <i>Wet Location Industrial</i>			
NOMENCLATURE	DESCRIPTION	PHOTOS/DRAWINGS	CI CODE
FEN/FEM LATCH PLCL J8	Polycarbonate Lens Latch (standard) Package of 8 latches (for 4' fixtures)		*215HY Y
FEN/FEM LATCH PLCL J14	Polycarbonate Lens Latch (standard) Package of 14 latches (for 8' fixtures)		*215J0 Y
FEN/FEM LATCH STSL J8	Stainless Steel Lens Latch (optional) Package of 8 latches (for 4' fixtures)		*215J11
FEN/FEM LATCH STSL J14	Stainless Steel Lens Latch (optional) Package of 14 latches (for 8' fixtures)		*215J13

MOUNTING HARDWARE: <i>Wet Location Industrial</i>			
NOMENCLATURE	DESCRIPTION	PHOTOS/DRAWINGS	CI CODE
	Stainless Steel mounting		

<p>FEMSMB</p>	<p>brackets standard (FEM and FEN bracket shown in photo. FEM is larger bracket, FEN is the smaller bracket. Both come standard with the bail option pictured below them)</p>		<p>ε *211LL7 ε Bail included</p>
<p>FEMDPMB</p>	<p>Dual pendant monopoint bracket for use with 3/8" threaded rod</p>		<p>ε Two brackets included ε Stems by others *221JWW</p>
<p>HC36</p>	<p>Hook and 36" chain</p>		<p>*408275</p>
<p>HC36 STS</p>	<p>Hook and 36" chain - stainless steel</p>		<p>*185J1P</p>
<p>MHHK120</p>	<p>Single leg hook cable</p>		<p>MHHK120 M50 *210HLR MHHK120 J5 *210HLV MHHK120 J50 *210HLX</p>
<p>MHHK120SS</p>	<p>Single leg hook cable - stainless steel</p>		<p>MHHK120SS J2 *216XJU</p>

SHIELDING: <i>Wet Location Industrial</i>			
NOMENCLATURE	DESCRIPTION	PHOTOS/DRAWINGS	CI CODE
DFEM4 IMAFL	4 Foot - Injection-molded impact-resistant Acrylic, lineal-ribbed - frosted replacement lens		*215CT3
DFEM4 IMACD	4 Foot - Injection-molded impact-resistant Clear Acrylic, deep (3.5") replacement lens		*212CMM
DFEM4 IMAFD	4 Foot - Injection-molded impact-resistant Acrylic, deep (3.5") - frosted replacement lens		*215CT4
DFEM8 IMAFL	8 Foot - Injection-molded impact-resistant Acrylic, lineal-ribbed - frosted replacement lens		*215CT6
DFEM8 IMACD	8 Foot - Injection-molded impact-resistant Clear Acrylic, deep (3.5") replacement lens ↳ Specification Sheet (coming soon)		*212CMN

DFEM8 IMAFD	8 Foot - Injection-molded impact-resistant Acrylic, deep (3.5") - frosted replacement lens		*215CT7
--------------------	--	--	----------------

LED BOARDS: <i>Wet Location Industrial</i>			
NOMENCLATURE	DESCRIPTION	PHOTO / DRAWING	CI CODE
RK2 FEMLED/41 BOARD	Board replacement for the 3L & 4L FEM ⌚ Order 4 boards		*219X6X
	Board replacement for the 6L & 9L FEM ⌚ Order 8 boards		
RK2 FEMLED/35 BOARD	Board replacement for the 3L & 4L FEM ⌚ Order 4 boards		*219T5H
	Board replacement for the 6L & 9L FEM ⌚ Order 8 boards		
RK2 FEMLED/57 BOARD	Board replacement for the 3L & 4L FEM ⌚ Order 4 boards		*227X0K
	Board replacement for the 6L & 9L FEM ⌚ Order 8 boards		