

## EMT

### Set Screw Fittings

CI5404 (-IT) /  
CI5408 (-IT)



CI5410 (-IT) /  
CI5432 (-IT)



Cat. No.		Trade Size (in.)
Regular	Insulated	
<b>EMT Set Screw Fittings (Steel)</b>		
CI5404	CI5404-IT	1/2
CI5406	CI5406-IT	3/4
CI5408	CI5408-IT	1
CI5410	CI5410-IT	1-1/4
CI5412	CI5412-IT	1-1/2
CI5416	CI5416-IT	2
CI5420	CI5420-IT	2-1/2
CI5424	CI5424-IT	3
CI5432	CI5432-IT	4

Concrete-tight

CI5004 (-IT) /  
CI5008 (-IT)



CI5010 (-IT) /  
CI5016 (-IT)




CI5020 (-IT) /  
CI5032 (-IT)



Cat. No.		Trade Size (in.)
Regular (Zinc)	Insulated (Steel)	
<b>EMT Set Screw Fittings (Zinc)</b>		
CI5004	CI5004-IT	1/2
CI5006	CI5006-IT	3/4
CI5008	CI5008-IT	1
CI5010	CI5010-IT	1-1/4
CI5012	CI5012-IT	1-1/2
CI5016	CI5016-IT	2
CI5020	CI5020-IT	2-1/2
CI5024	CI5024-IT	3
CI5032	CI5032-IT	4

Concrete-tight. Zinc Die Cast Locknut. IT: with insulated throat.

CI5054 / CI5058



Cat. No.	Trade Size (in.)	Offset (in.)
<b>EMT Set Screw Offset Body Fittings (Zinc Alloy)</b>		
CI5054	1/2	3/8
CI5056	3/4	3/4
CI5058	1	3/4

Concrete-tight.

TC121A-FA



Cat. No.		Trade Size (in.)	Std. Pkg. Qty
Regular	Insulated		
<b>EMT / Fire Alarm Set Screw Fittings (Red Steel)</b>			
TC121A-FA	TC721A-FA	1/2	50
TC122A-FA	TC722A-FA	3/4	50
TC123A-FA	TC723A-FA	1	25

## EMT

### Set Screw Couplings

CI5504 / CI5508



CI5120 / CI5132



CI5104 / CI5116



CI5510 / CI5532



Cat. No.		Trade Size (in.)
Steel	Zinc Alloy	
<b>EMT Set Screw Couplings</b>		
CI5504*	CI5104	1/2
CI5506*	CI5106	3/4
CI5508*	CI5108	1
CI5510*	CI5110	1-1/4
CI5512*	CI5112	1-1/2
CI5516*	CI5116	2
CI5520*	CI5120	2-1/2
CI5524*	CI5124	3
CI5532*	CI5132	4

\* cULus Listed only  
Concrete-tight

CI5164 / CI5168



Cat. No.	Trade Size (in.)	
	EMT	Rigid
<b>EMT / Rigid Couplings (Zinc Alloy)</b>		
CI5164	1/2	1/2
CI5166	3/4	3/4
CI5168	1	1

Concrete-tight

TK121A-FA



Cat. No.	Trade Size (in.)	Std. Pkg. Qty
<b>EMT / Fire Alarm Set Screw Couplings (Red Steel)</b>		
TK121A-FA	1/2	50
TK122A-FA	3/4	50
TK123A-FA	1	25

## EMT

### Compression Fittings and Couplings

- Models from 2-1/2 to 4 in. are also suitable for rigid and IMC conduit



TC111A



TC711A



Cat. No.		Trade Size (in.)
Regular	Insulated	
<b>EMT Compression Fittings (Zinc-plated steel)</b>		
TC111A	TC711A	1/2
TC112A	TC712A	3/4
TC113A	TC713A	1
TC114A*	TC714A	1-1/4
TC115A*	TC715A	1-1/2
TC116A*	TC716A	2
TC117A	TC717A	2-1/2
TC118A	TC718A	3
TC119A	TC719A	3-1/2
TC1110A	TC7110A	4

UL FILE NO. E-16592. \* O-rings are supplied.  
Concrete-tight.



TK111A



Cat. No.	Trade Size (in.)
<b>EMT Compression Couplings (Zinc-plated steel)</b>	
TK111A	1/2
TK112A	3/4
TK113A	1
TK114A	1-1/4
TK115A	1-1/2
TK116A	2
TK117A	2-1/2
TK118A	3
TK119A	3-1/2
TK1110A	4

UL FILE NO. E-16592.  
Concrete-tight.

CI5804 (-IT) / CI5832 (-IT)



Zinc Die Cast Locknut  
IT: with insulated throat



Cat. No.		Trade Size (in.)
Regular	Insulated	
<b>EMT Compression Fittings (Zinc Alloy)</b>		
CI5804	CI5804-IT	1/2
CI5806	CI5806-IT	3/4
CI5808	CI5808-IT	1
CI5810	CI5810-IT	1-1/4
CI5812	CI5812-IT	1-1/2
CI5816	CI5816-IT	2
CI5820	CI5820-IT	2-1/2
CI5824	CI5824-IT	3
CI5832	CI5832-IT	4

Concrete-tight.

CI5904 / CI5932



Cat. No.	Trade Size (in.)
<b>EMT Compression Couplings (Zinc Alloy)</b>	
CI5904	1/2
CI5906	3/4
CI5908	1
CI5910	1-1/4
CI5912	1-1/2
CI5916	2
CI5920	2-1/2
CI5924	3
CI5932	4

Concrete-tight.