



INSTALLATION TOOLS AND TESTERS

1-Punch XCELERATOR™ Jack Termination Tool

Patented Termination Tool Designed to Punch-Down all 4-pairs in “1-Punch” and Cut off the Excess Wire.

Reduces Termination Time by 75%.

Consistent, Reliable Termination Every Time.

FEATURES

- Interchangeable heads: provides ease-of-use with just 1 tool (jack, panel, block).
- Comfortable, ergonomic tool handle.
- Polarized tool head, eliminates confusion.

SPECIFICATIONS

- ◆ High impact handle with ergonomic grip.
- ◆ Common handle for XJ, 5-pair block and Cat 6/6e panel.
- ◆ Replaceable blade, cartridges.

OPERATION

The new 1-punch tool makes punching down a Hubbell XCELERATOR™ jack quick and easy. Five easy steps get the job done.



1
Lace the jack and place in a Hubbell termination aid. Always use this tool with a termination aid.



2
Align the head of the punch down tool over the target jack with the slots of the tool head ready to slide onto the shoulder of the jack nose.



3
Place the punch down head onto the Hubbell Xcelerator jack.



4
With one hand hold the termination aid. With the other hand depress the tool handle completely down until the tool cycles impact.



5
Remove the tool head from the jack and inspect the jack and install stuffer cap onto termination towers.

The “1-Punch” Tool is a new and unique punch-down tool for UTP cabling. It is designed to punch-down all 4-pairs consistently and cut off all conductors in “1-Punch”. This tool saves valuable installation time over traditional single-blade tools that require multiple cycles.

This tool should be used exclusively with XCELERATOR™ jacks. Additionally, it is necessary to use this with Hubbell Premise Wiring “Jack Knuckles” termination aid (Catalog No. HXTA).




ORDERING INFORMATION

1-Punch XCELERATOR™ Jack Termination Tool

The “1-Punch” XJ Tool and XCELERATOR™ Jacks are made for each other. This tool should be used exclusively with XCELERATOR™ jacks. Additionally, it is necessary to use this with the HXTA termination aid.

Description	Catalog No.
1-Punch XJ tool with head, blades and HXTA termination aid	TX4P
1-Punch XJ replacement head	TX4PH
1-Punch XJ replacement blades	TX4PHBL
Standard 110 tool	TPD110
1-Pair XJ 110 blade	TBLXJ
Punch down tool, 1-pair	TPDXJ
Hand termination aid "Jack Knuckles"	HXTA
Snap-X termination puck (Bag of 25)	HXTP25



1-Punch Panel Termination Tool



FEATURES

- Interchangeable heads: provides ease-of-use with just 1 tool (jack, panel, block).
- Comfortable, ergonomic tool handle.
- Polarized tool head, eliminates confusion.

SPECIFICATIONS

- ◆ High impact handle with ergonomic grip.
- ◆ Common handle for XJ, 5-pair block and Cat 6/6e panel.
- ◆ Replaceable blade, cartridges.

ORDER INFORMATION

The "1-Punch" tool is used exclusively with our Category 6 patch panels.

Description	Catalog No.
1-Punch panel tool with head and blades	TX4PP
1-Punch panel replacement head	TX4PPH
1-Punch panel replacement blades	TX4PPBL
1-pair punch-down tool blade	TBLP

Termination Tool, 6-110/4-pair, Category 6



This termination tool is designed to seat 6-110/4-pair connecting blocks and terminate/cut UTP cable on 6-110 wiring blocks.

FEATURES

- Cut designation on tool head aids proper orientation before termination.
- Ergonomic rubber handle.
- Head and blades remove easily for fast replacement.

ORDER INFORMATION

Description	Catalog No.
Termination tool, 4-pair, 6-110	6110MPPDT
Replacement tool head, 6-110	6110MPPDT1

Termination Tool, 110/5-pair, Category 5/5e



The 110 5-pair impact tool is designed to seat 110 connecting blocks and terminate and cut UTP cable on 110 wiring blocks. Saving time and money, it makes large termination jobs small by greatly reducing the number of punch cycles.

FEATURES

- High impact handle with ergonomic grip.
- Replaceable punch-down head and cartridge blades.
- Terminates 26-22 AWG solid and stranded wires with single insulation.
- Common handle for 5-pair/110, jack and panel 1-Punch.
- Twist and lock head.

ORDER INFORMATION

Punch-down tool, 5-pair head	T5PPD110
Replacement 110, 5-pair head	T5PPD110H
Replacement 110, 5-pair blades	T5PPD110B

110 Punch-Down Tool, Lighted



The lighted 110 punch-down tool has all the standard features and some big additions; it has a high-intensity light, and fold-out pick, hook and spludger. For the professional technician, it reduces the number of tools carried and has an integral beam to illuminate dark work areas.

FEATURES

- Comfortable, ergonomic grip.
- Sharp blades.
- High visibility colors.
- Lanyard holes in the handle end.

SPECIFICATIONS

- ◆ Terminates AWG 28-22 solid or stranded wire.
- ◆ Integral illuminating light.
- ◆ Built-in, fold-out pick, hook and spludger.

ORDER INFORMATION

Delivery: 1 Punch-down handle 1 Fold-out pick, hook & spludger
 1 Light and batteries 1 110 blade

Description	Catalog No.
Punch-Down Tool with Light	TPDL110
Replacement 110 blade	TBL110
Replacement 66 blade	TBL66
Replacement light and batteries	TPDLITE

110 Punch-Down Tool, Lighted



The standard punch-down tool is ergonomically designed for comfort, has easy to install twist and lock blades and has both 110 and 66 blades available.

FEATURES

- Terminates AWG 28-22 solid or stranded wire.
- Adjustable high and low impact settings.
- Insulated, rubber-embedded handle.

ORDER INFORMATION

Delivery: 1 Punch-down handle and 110 blade.

Description	Catalog No.
110 Punch-Down Tool	TPD110
Replacement 110 Blade	TBL110
Replacement 66 Blade	TBL66

Crimp Tools



This termination tool is designed to seat 6-110/4-pair connecting blocks and terminate/cut UTP cable on 6-110 wiring blocks.

FEATURES

- Universal frame accepts interchangeable dies to crimp different plugs.
- Complete ratchet cycle release assures no-fault crimps.

SPECIFICATIONS

- ◆ Terminates to FCC specs - no misalignment.
- ◆ The ECT's integral wire cutter/stripper cuts and strips cable without another tool.

ORDER INFORMATION

Description	Catalog No.
Complete tool kit in hard, plastic case includes crimp tool, 3 die-sets, UTP cable stripper. Die-sets include: RJ45, RJ22 and RJ11.	UCTKIT
Crimp Tool frame (die-sets sold separately)	UCT
RJ11 Die-Set	CTDSRJ11
RJ22 Die-Set	CTDSRJ22
RJ45 Die-Set (snagless or non-snagless)	CTDSRJ45
RG6 and RG59 Hex Crimp die-set	CTDSRG659
Economy Crimp Tool - includes non-replaceable RJ11, RJ22 and RJ45 Die-Sets	ECT
RG6 and RG59 Compression Tool	COMPTRG659

Tool Kits



FEATURES

- Punch-down tool with 110 and 66 blades and rubber-embedded handle.
- Durable, black nylon belt pouch.
- Belt pouch fits up to 3" belts (TK3) or 2½" belts (TK8 - slide on style).

SPECIFICATIONS

- ◆ Punch-down tool for 28-22 AWG solid or stranded wire; Twist and lock 110 and 66 blades.

TK8

- ◆ Screwdriver: #4 and #6 slotted; #2 and #3 Philips bits.
- ◆ Stripper works on UTP and STP cables.
- ◆ Snap-X has removable lanyard.

ORDER INFORMATION

Delivery: 1 Punch-down tool with 110 and 66 blade, 1 pair snips, and 1 belt pouch.

Description	Catalog No.
Tool Kit, 3-piece	TK3

Delivery: 1 Punch-down tool, 110 blade, 66 blade, Snips, 4-bit screwdriver, UTP/STP cable stripper/cutter, Maglite™, Belt pouch, and Snap-X termination aid.

Description	Catalog No.
Tool Kit, 8-piece	TK8

Maglite is a trademark of Mag Instruments, Inc.

Screwdriver, 4-Bit



FEATURES

- Ergonomic, insulated handle.
- Chrome, nut driving shaft.
- Hard, durable driving bits.
- High-visibility red dots for easy locating.

SPECIFICATIONS

- ◆ 2 slotted bits, #4 and #6.
- ◆ 2 Philips bits, #2 and #3.
- ◆ 1/4" nut driving shaft.

ORDER INFORMATION

Catalog No. **TSD4**

Nut Driver/Stripper



FEATURES

- Non-metallic handle.
- Easy-to-use strip notches.
- 2 nut drivers.
- Slim profile.

SPECIFICATIONS

- ◆ Nut driver sizes are 3/8" and 7/16".
- ◆ Strips outer jacket of AWG 22/4 and 24/4.
- ◆ Strips inner insulation of AWG 22 and AWG 24.
- ◆ Overall length: 7 7/8".

ORDER INFORMATION

Catalog No. **TW38716**

Communications Cable Stripper/Cutter



FEATURES

- Strips round Cat 5e and 6 UTP/STP.
- Cuts cable.
- Strips flat cables.
- Compact size.
- High-visibility for quick locating.

SPECIFICATIONS

- ◆ Strips round cables with diameters of 0.145" to 0.275".
- ◆ Cuts round UTP/STP cables up to 0.350".
- ◆ Non-metallic body.
- ◆ Adjusting screw for varied cable diameters to avoid scoring interior conductor insulation.
- ◆ Strips flat cordage.

ORDER INFORMATION

Catalog No. **TCS3**

Coax Cable Stripper



FEATURES

- Self-regulating tension.
- Pre-set for common strip lengths.
- Adjust cutting depth for varying cable thickness with the included hex key.

SPECIFICATIONS

- ◆ Non-metallic body.
- ◆ Pre-set strip length: .0236" outer jacket.
- ◆ RG59, RG6 and RG6 Quad CATV "F".

ORDER INFORMATION

Catalog No. **CSTRPR**

Continuity Tester



FEATURES

- Compact size.
- One button test results.
- Automatic shut off.
- 9 volt battery included.

SPECIFICATIONS

- ◆ Tests up to 320 feet.
- ◆ Built-in BNC connector with F connector.
- ◆ Coax cable types tested: 50-75Ohm RG58, RG59, RG6, RG6 quad, Belden 8281, RG8 AND RG11.

ORDER INFORMATION

Delivery: Main and remote continuity test units, 2 F-connector adapters, 2 RJ45 shielded patch cables, 2 belt clips.

Catalog No. **TCT2**

Value Cable Tester



FEATURES

- Use to test for continuity, crossed tip and ring, individual pair reversals and opens in 1, 2, 3, and 4-pair terminated cable.
- Cables are simply plugged into the appropriate jacks and the LEDs observed.

SPECIFICATIONS

- ◆ Can be used to test either local or remote locations as well as line cords.

ORDER INFORMATION

Catalog No. **BRCT2**



Hubbell Premise Wiring

HUBBELL INCORPORATED (Delaware)

14 Lord's Hill Road • Stonington, CT 06378-0901 • (860) 535-8326 • 800-626-0005

Fax: (860) 535-8328 • Internet site: <http://www.hubbell-premise.com>

Worldwide Locations

Hubbell Premise Wiring, Asia Pacific	852-2836-7131	Fax: 852-2836-7132
Hubbell Canada Inc.	905-839-1138	Fax: 905-839-9108
Hubbell Premise Wiring, Central America	506-309-4158	Fax: 506-260-1616
Hubbell Premise Wiring, China	8621-6309-0119	Fax: 8621-6309-0122
Hubbell Premise Wiring, Colombia	571-245-8940	Fax: 571-340-0925
Hubbell Premise Wiring, Europe	44-01283 500500	Fax: 44-01283 500400
Hubbell Int'l. Inc., Korea Branch	82-2-(0)2607-1363	Fax: 82-2-(0)2603-7386

Hubbell Premise Wiring, Latin America	305-408-4501	Fax: 305-408-8201
Hubbell de Mexico, S.A. de C.V.	(5255) 9151-9999	Fax: (5255) 9151-9989
Hubbell Premise Wiring, Middle East	971-4-393-4192	Fax: 971-4-393-4194
Hubbell-Taian Co., Ltd., Taiwan	886-2-2522-1862	Fax: 886-2-2522-1872
Hubbell Premise Wiring, Turkey	90-216-313-5016	Fax: 90-216-414-8148
Hubbell Premise Wiring, Venezuela	58-416-680-7453	Fax: 58-281-274-7900