




**IFP Face Plates, with Label Fields, 1- and 2-Gang**



Color	1-Gang					2-Gang		
	1-Port	2-Port	3-Port	4-Port	6-Port	6-Port	9-Port	12-Port
Almond	<b>IFP11AL</b>	<b>IFP12AL</b>	<b>IFP13AL</b>	<b>IFP14AL</b>	<b>IFP16AL</b>	<b>IFP26AL</b>	-	-
Black	<b>IFP11BK</b>	<b>IFP12BK</b>	<b>IFP13BK</b>	<b>IFP14BK</b>	<b>IFP16BK</b>	<b>IFP26BK</b>	<b>IFP29BK</b>	<b>IFP212BK</b>
Gray	<b>IFP11GY</b>	<b>IFP12GY</b>	<b>IFP13GY</b>	<b>IFP14GY</b>	<b>IFP16GY</b>	<b>IFP26GY</b>	<b>IFP29GY</b>	<b>IFP212GY</b>
Ivory	<b>IFP11EI</b>	<b>IFP12EI</b>	<b>IFP13EI</b>	<b>IFP14EI</b>	<b>IFP16EI</b>	<b>IFP26EI</b>	<b>IFP29EI</b>	<b>IFP212EI</b>
Light Almond*	<b>IFP11LA</b>	<b>IFP12LA</b>	<b>IFP13LA</b>	<b>IFP14LA</b>	<b>IFP16LA</b>	<b>IFP26LA</b>	<b>IFP29LA</b>	<b>IFP212LA</b>
Office White	<b>IFP11OW</b>	<b>IFP12OW</b>	<b>IFP13OW</b>	<b>IFP14OW</b>	<b>IFP16OW</b>	<b>IFP26OW</b>	<b>IFP29OW</b>	<b>IFP212OW</b>
White	<b>IFP11W</b>	<b>IFP12W</b>	<b>IFP13W</b>	<b>IFP14W</b>	<b>IFP16W</b>	<b>IFP26W</b>	<b>IFP29W</b>	<b>IFP212W</b>

Note: \*Light Almond plates match Office White non-metallic raceway, boxes, jacks and connectors.

**Stainless Steel Face Plates without Label Fields, 1- and 2-Gang**



Catalog No.	1-Gang					2-Gang			
	1-Port	2-Port	3-Port	4-Port	6-Port	4-Port	6-Port	9-Port	12-Port
	<b>SSF11</b>	<b>SSF12</b>	<b>SSF13</b>	<b>SSF14</b>	<b>SSF16</b>	<b>SSF204</b>	<b>SSF206</b>	<b>SSF209</b>	<b>SSF212</b>

**Stainless Steel Face Plates with Label Fields**

1-Gang	Catalog Number
1-Port	<b>SSFL11</b>
2-Port	<b>SSFL12</b>
3-Port	<b>SSFL13</b>
4-Port	<b>SSFL14</b>
6-Port	<b>SSFL16</b>

**Duplex and Decorator Plates with Label Fields**

	Color	Duplex Plate	Decorator Plate
	Almond	<b>IFP18AL</b>	<b>IFP126AL</b>
	Office White	<b>IFP18OW</b>	<b>IFP126OW</b>

**Standard Duplex and Decorator Plates with No Label Fields, 1- and 2-Gang**

	Color	1-Gang Duplex Plate	1-Gang Decorator Plate	2-Gang Decorator Plate
	Almond	<b>NP8AL</b>	<b>NP26AL</b>	<b>NP262AL</b>
	Black	<b>NP8BK</b>	<b>NP26BK</b>	<b>NP262BK</b>
	Ivory	<b>NP8I</b>	<b>NP26I</b>	<b>NP262I</b>
	Gray	<b>NP8GY</b>	<b>NP26GY</b>	<b>NP262GY</b>
	Light Almond*	<b>NP8LA</b>	<b>NP26LA</b>	<b>NP262LA</b>
	White	<b>NP8W</b>	<b>NP26W</b>	<b>NP262W</b>

Note: \*Light Almond plates match Office White non-metallic raceway, boxes, jacks and connectors.

**630 Wall Phone Plates, 1-Gang**


Stainless Steel, 1-Gang wall phone plate.



**P630S1GJ6**    **P630SR1GJ6**

Jack Format	Includes Gray Jack	Catalog Number
Flush	6-position USOC, RJ25	<b>P630S1GJ6</b>
Flush	8-position Cat. 5e, RJ45	<b>P630S1GJ8</b>
Recessed	6-position USOC, RJ25	<b>P630SR1GJ6</b>
Recessed	8-position Cat. 5e, RJ45	<b>P630SR1GJ8</b>

**Keystone Opening**  
 Hole size for mounting  
 all Hubbell Jacks.





### HDMI\*\* Decorator Frames



Color	1-Port	2-Port
Black	<b>NS801BK</b>	<b>NS802BK</b>
Gray	<b>NS801GY</b>	<b>NS802GY</b>
Ivory	<b>NS801I</b>	<b>NS802I</b>
Light Almond	<b>NS801LA</b>	<b>NS802LA</b>
White	<b>NS801W</b>	<b>NS802W</b>

Note: \*\*HDMI (High Definition Media Interface).

### Blank Duplex Outlet Frames, 1-Gang



Color	Keystone 2-Port	Keystone 4-Port
Almond	<b>BR106AL</b>	<b>Q106AL</b>
Black	<b>BR106B</b>	<b>Q106B</b>
Gray	<b>BR106G</b>	<b>Q106G</b>
Ivory	<b>BR106E</b>	<b>Q106E</b>
Light Almond*	<b>BR106LA</b>	<b>Q106LA</b>
Office White	<b>BR106C</b>	<b>Q106O</b>
White	<b>BR106W</b>	<b>Q106W</b>

Note: \*Light Almond frames match Office White non-metallic raceway, boxes, jacks and connectors.

### Blank Decorator Outlet Frames, 1-Gang



Color	Keystone 2-Port	Keystone 3-Port	Keystone 4-Port	Keystone 6-Port	HD15/9 or HDMI	(2) HD15/9 or HDMI	(1) Recessed HD15/9 or HDMI	.406 in. (10.3) hole	Blank
Almond	<b>ISF2AL</b>	<b>ISF3AL</b>	<b>ISF4AL</b>	<b>ISF6AL</b>	<b>ISFB15AL</b>	—	—	<b>NS621AL</b>	<b>NS620AL</b>
Black	<b>ISF2BK</b>	<b>ISF3BK</b>	<b>ISF4BK</b>	<b>ISF6BK</b>	<b>ISFB15BK</b>	<b>ISFB215BK</b>	<b>ISFBR15BK</b>	—	—
Gray	<b>ISF2GY</b>	<b>ISF3GY</b>	<b>ISF4GY</b>	<b>ISF6GY</b>	<b>ISFB15GY</b>	<b>ISFB215GY</b>	<b>ISFBR15GY</b>	—	—
Ivory	<b>ISF2EI</b>	<b>ISF3EI</b>	<b>ISF4EI</b>	<b>ISF6EI</b>	<b>ISFB15EI</b>	<b>ISFB215EI</b>	<b>ISFBR15EI</b>	<b>NS621I</b>	<b>NS620I</b>
Light Almond*	—	—	—	—	<b>ISFB15LA</b>	—	—	<b>NS621LA</b>	<b>NS620LA</b>
Office White	<b>ISF2OW</b>	<b>ISF3OW</b>	<b>ISF4OW</b>	<b>ISF6OW</b>	<b>ISFB15OW</b>	<b>ISFB215OW</b>	<b>ISFBR15OW</b>	—	—
White	<b>ISF2W</b>	<b>ISF3W</b>	<b>ISF4W</b>	<b>ISF6W</b>	<b>ISFB15W</b>	<b>ISFB215W</b>	<b>ISFBR15W</b>	<b>NS621W</b>	<b>NS620W</b>

Note: \*Light Almond frames match Office White non-metallic raceway, boxes, jacks and connectors.

### Secure-IT Plates



Secure-IT Plates protect mated and unmated connections from physical damage and unauthorized tampering. Available in Tamper-Resistant and Weatherproof versions.



TPF1W

#### Tamper-Resistant Plates

Color	1-Gang/4-Port Catalog Number
Black	<b>TPF1BK</b>
Gray	<b>TPF1GY</b>
Office White	<b>TPF1OW</b>
White	<b>TPF1W</b>



TWPF1GY

#### NEMA 3R Weatherproof Plates

Color	1-Gang/4-Port Catalog Number
Gray	<b>TWPF1GY</b>



**HDMI Connectors**



**HDMI Feed Thru Coupler**

Description	Catalog Number
Single	<b>HDMIC14</b>



**Keystone HDMI Feed Thru**

Description	Color	Catalog Number
Single	Black	<b>SFHC14BK</b>
Single	White	<b>SFHC14W</b>



**HDMI Feed Thru 3-Inch Tail**

Description	Catalog Number
Single	<b>HDMIT14</b>

**DVI Adapters/Couplers**



**DVI-I Coupler**

Description	Catalog Number
Single	<b>DVI1</b>



**DVI to VGA Adapter**

Description	Catalog Number
Single	<b>DVI151</b>



**DVI to HDMI Adapter**

Description	Catalog Number
Single	<b>DVIHDMI1</b>



**DVI to HDMI Adapter**

Description	Catalog Number
Single	<b>HDMIC1</b>

**110 Audio Video Modules\***

Description	Housing Color	Catalog Number
RCA Component, Video to 110 Termination, 1 Unit, 75 ft. max. HD Cat 5, 5e, 6 UTP	Almond	<b>IMCR1101AL</b>
	Black	<b>IMCR1101BK</b>
	Ivory	<b>IMCR1101EI</b>
	Gray	<b>IMCR1101GY</b>
	Office White	<b>IMCR1101OW</b>
	White	<b>IMCR1101W</b>
S-Video, Stereo RCA Audio to 110 Termination, 1 Unit, 100 ft. max. Cat 5, 5e, 6 UTP	Almond	<b>IMSR1101AL</b>
	Black	<b>IMSR1101BK</b>
	Ivory	<b>IMSR1101EI</b>
	Gray	<b>IMSR1101GY</b>
	Office White	<b>IMSR1101OW</b>
	White	<b>IMSR1101W</b>
S-Video, 3.5mm Stereo Jack to 110 Termination, 1 Unit, 100 ft. max. Cat 5, 5e, 6	Almond	<b>IMSV351101AL</b>
	Black	<b>IMSV351101BK</b>
	Ivory	<b>IMSV351101EI</b>
	Gray	<b>IMSV351101GY</b>
	Office White	<b>IMSV351101OW</b>
	White	<b>IMSV351101W</b>
RCA Composite, Video, Stereo Audio to 110 Termination, 1 Unit, 100 ft. max. Cat 5, 5e, 6	Almond	<b>IMR1101AL</b>
	Black	<b>IMR1101BK</b>
	Ivory	<b>IMR1101EI</b>
	Gray	<b>IMR1101GY</b>
	Office White	<b>IMR1101OW</b>
	White	<b>IMR1101W</b>
Stereo RCA, Audio 110 Termination, 1 Unit, 100 ft. max. Cat 5, 5e, 6	Almond	<b>IMAR1101AL</b>
	Black	<b>IMAR1101BK</b>
	Ivory	<b>IMAR1101EI</b>
	Gray	<b>IMAR1101GY</b>
	Office White	<b>IMAR1101OW</b>
	White	<b>IMAR1101W</b>



**IMCR1101W**



**IMSR1101W**



**IMSV351101W**



**IMR1101W**



**IMAR1101W**

Note: \*Not UL Listed.



**IMCRS15OW**



**IMCRS10W**



**IM3RS10W**



**IMRSJ10W**



**IMCRF10W**



**IM3RF10W**



**IMSP10W**



**SPPBK10**

**SPPR10**

### 110 Audio Video Modules

Description	Housing Color	Catalog Number
RCA Component Video,* Audio 110 Termination, 1.5 Unit	Almond	<b>IMCRS15AL</b>
	Black	<b>IMCRS15BK</b>
	Ivory	<b>IMCRS15EI</b>
	Gray	<b>IMCRS15GY</b>
	Office White	<b>IMCRS15OW</b>
	White	<b>IMCRS15W</b>
RCA Component* Video, Solder, 1 Unit	Almond	<b>IMCRS1AL</b>
	Black	<b>IMCRS1BK</b>
	Ivory	<b>IMCRS1EI</b>
	Gray	<b>IMCRS1GY</b>
	Office White	<b>IMCRS1OW</b>
	White	<b>IMCRS1W</b>
RCA Composite, Video Audio, Solder, 1 Unit	Almond	<b>IM3RS1AL</b>
	Black	<b>IM3RS1BK</b>
	Ivory	<b>IM3RS1EI</b>
	Gray	<b>IM3RS1GY</b>
	Office White	<b>IM3RS1OW</b>
	White	<b>IM3RS1W</b>
RCA Composite, Video, 3.5mm Stereo Jack, Solder, 1 Unit	Almond	<b>IMRSJ1AL</b>
	Black	<b>IMRSJ1BK</b>
	Ivory	<b>IMRSJ1EI</b>
	Gray	<b>IMRSJ1GY</b>
	Office White	<b>IMRSJ1OW</b>
	White	<b>IMRSJ1W</b>

### Gold Feed-Through Audio Video RCA Couplers

Description	Housing Color	Catalog Number
RCA Component* Video, Gold, Pass-Through, F/F Coupler, 1 Unit	Almond	<b>IMCRF1AL</b>
	Black	<b>IMCRF1BK</b>
	Ivory	<b>IMCRF1EI</b>
	Gray	<b>IMCRF1GY</b>
	Office White	<b>IMCRF1OW</b>
	White	<b>IMCRF1W</b>
RCA Composite, Video Audio, Gold, Pass-Through, F/F Coupler, 1 Unit	Almond	<b>IM3RF1AL</b>
	Black	<b>IM3RF1BK</b>
	Ivory	<b>IM3RF1EI</b>
	Gray	<b>IM3RF1GY</b>
	Office White	<b>IM3RF1OW</b>
	White	<b>IM3RF1W</b>

### Gold Speaker Posts and Banana Plugs


Description	Housing Color	Catalog Number
Speaker Post, Gold, Black and Red, Screw Termination	Almond	<b>IMSP1AL</b>
	Black	<b>IMSP1BK</b>
	Ivory	<b>IMSP1EI</b>
	Gray	<b>IMSP1GY</b>
	Office White	<b>IMSP1OW</b>
	White	<b>IMSP1W</b>
Speaker Banana Plugs*, Gold, Screw Termination, 10-Packs	Black	<b>SPPBK10</b>
	Red	<b>SPPR10</b>

Note: \*Not UL Listed.



**Modular Face Plate Frames**

Color	1-Gang	2-Gang
Almond	<b>IMF1AL</b>	<b>IMF2AL</b>
Black	<b>IMF1BK</b>	<b>IMF2BK</b>
Gray	<b>IMF1GY</b>	<b>IMF2GY</b>
Ivory	<b>IMF1EI</b>	<b>IMF2EI</b>
Office White	<b>IMF1OW</b>	<b>IMF2OW</b>
White	<b>IMF1W</b>	<b>IMF2W</b>



**Raceway Bezel Frames\***

Color	1-Gang
Almond	<b>KPIMBZAL</b>
Gray	<b>KPIMBZGY</b>
Office White	<b>KPIMBZOW</b>



**Unloaded Keystone Modules**

Color	1-Port, Flat 1 Unit	2-Port, Flat 1 Unit	1-Port, Angled 1.5 Unit	2-Port, Angled 1.5 Unit	Recessed Angle 1-Port, 1.5 Unit	Recessed Angle 2-Port, 1.5 Unit
Almond	<b>IM1K1AL</b>	<b>IM2K1AL</b>	<b>IM1KA15AL</b>	<b>IM2KA15AL</b>	-	-
Black	<b>IM1K1BK</b>	<b>IM2K1BK</b>	<b>IM1KA15BK</b>	<b>IM2KA15BK</b>	<b>IM1IA15BK</b>	<b>IM2IA15BK</b>
Ivory	<b>IM1K1EI</b>	<b>IM2K1EI</b>	<b>IM1KA15EI</b>	<b>IM2KA15EI</b>	<b>IM1IA15EI</b>	<b>IM2IA15EI</b>
Gray	<b>IM1K1GY</b>	<b>IM2K1GY</b>	<b>IM1KA15GY</b>	<b>IM2KA15GY</b>	<b>IM1IA15GY</b>	<b>IM2IA15GY</b>
Office White	<b>IM1K1OW</b>	<b>IM2K1OW</b>	<b>IM1KA15OW</b>	<b>IM2KA15OW</b>	<b>IM1IA15OW</b>	<b>IM2IA15OW</b>
White	<b>IM1K1W</b>	<b>IM2K1W</b>	<b>IM1KA15W</b>	<b>IM2KA15W</b>	<b>IM1IA15W</b>	<b>IM2IA15W</b>

Color	Blank 0.5 Unit	Blank 1 Unit	Blank 1.5 Unit	SC Angled 1-Port, 1.5 Unit	SC Angled 2-Port, 1.5 Unit
Almond	<b>IMB05AL</b>	<b>IMB1AL</b>	<b>IMB15AL</b>	-	-
Black	<b>IMB05BK</b>	<b>IMB1BK</b>	<b>IMB15BK</b>	<b>IM1SCA15BK</b>	<b>IM2SCA2BK</b>
Ivory	<b>IMB05EI</b>	<b>IMB1EI</b>	<b>IMB15EI</b>	<b>IM1SCA15EI</b>	<b>IM2SCA2EI</b>
Gray	<b>IMB05GY</b>	<b>IMB1GY</b>	<b>IMB15GY</b>	<b>IM1SCA15GY</b>	<b>IM2SCA2GY</b>
Office White	<b>IMB05OW</b>	<b>IMB1OW</b>	<b>IMB15OW</b>	<b>IM1SCA15OW</b>	<b>IM2SCA2OW</b>
White	<b>IMB05W</b>	<b>IMB1W</b>	<b>IMB15W</b>	<b>IM1SCA15W</b>	<b>IM2SCA2W</b>

**HD (High Definition) 15-Pin/9-Pin Modules**

	Blank HD15/9 or HDMI Module, 1 Unit	<b>IMBDS1xx</b>	10-Pack
	Blank HD15/9 or HDMI Module, 1.5 Unit	<b>IMBDSA15xx</b>	1-Pack

**DVI Modules**

	DVI Blank, Unloaded, 1.5 Unit	<b>IMBDVI15xx</b>	1-Pack
		<b>IMBDVI1015xx</b>	10-Pack

Note: xx = Color: **AL** (Almond), **BK** (Black), **EI** (Ivory), **GY** (Gray), **LA** (Light Almond), **OW** (Office White), and **W** (White).

**Hubbell iSTATION Audio/Video Modules**

XLR, speakON® and ¼ inch modules applications include video distribution, desktop and laptop computers, monitors, cameras, microphones and projectors, home theater and entertainment. Note: Order IMAVB15 series blank modules with AV connectors for Hubbell iSTATION applications.

	AV Blank 1.5 Unit	<b>IMAVB15xx*</b>	10-Pack
	XLR Screw Terminal	<b>XLRST10</b>	
	XLR Solder-Type	<b>XLR10</b>	
	speakON® Conn. Solder-Type	<b>SC10</b>	
	USB Feed-Thru A-to-B	<b>USB10</b>	
	¼" Stereo Jack Solder-Type	<b>14S10</b>	

Note: xx = Color: **AL** (Almond), **BK** (Black), **EI** (Ivory), **GY** (Gray), **LA** (Light Almond), **OW** (Office White), and **W** (White).


\*Not UL Listed.

speakON® is a registered trademark of Neutrik® AG.



### Specifications

- Low-profile design.
- Accepts XJ jacks, audio video and fiber connectors.
- Provided with double-sided tape and mounting screws for easy installation.
- UL and cUL listed.
- Constructed with a high-impact resistant, flame-retardant polymer.
- ANSI/TIA-606B compliant.



**ISB120W**



**ISB10W**



**ISB20W**



**ISB40W**



**ISB60W**



**ISB120W**

### ISB Surface Mount Boxes, 1- and 2-Port

Ideal for open office, compact surface mount environments, and retrofits to support data, voice, and multimedia applications. Can be mounted with supplied surface mounting screws or double-sided adhesive tape.

Color	1-Port Catalog Number	2-Port Catalog Number
Ivory	<b>ISB1EI</b>	<b>ISB2EI</b>
Office White	<b>ISB10W</b>	<b>ISB20W</b>
White	<b>ISB1W</b>	<b>ISB2W</b>

### ISB Surface Mount Boxes, 4- and 6-Port

Ideal for open office MUTOA cabling, compact surface mount environments, and retrofits to support data, voice, and multimedia applications. Features adjustable furniture latches to provide an additional mounting option to common ANSI/TIA/EIA standard furniture openings, and solutions requiring fiber. Box bases feature fiber storage posts that can store one meter fiber cable after termination.

Color	4-Port Catalog Number	6-Port Catalog Number
Ivory	<b>ISB4EI</b>	<b>ISB6EI</b>
Office White	<b>ISB40W</b>	<b>ISB60W</b>
White	<b>ISB4W</b>	<b>ISB6W</b>

### ISB Surface Mount Boxes, 12-Port

Ideal for open office MUTOA cabling, large capacity surface mount applications and retrofits to support data, voice, and multimedia installations. Can be mounted with supplied surface mounting screws or double-sided adhesive tape and mounted to NEMA electric boxes or relay racks.

Color	12-Port Catalog Number
Ivory	<b>ISB12EI</b>
Office White	<b>ISB120W</b>
White	<b>ISB12W</b>