

## 2-Gang Rectangular Floor Boxes, Covers and Plates



### AFB2G Series – Rectangular Box

- Designed for wood and tile applications
- 5 in. deep box allows for 2 in. conduits - ideal for furniture feed applications
- 2 ½ in. provides a solution for floors using short pedestals

Catalog Number	Box Type	Knockouts	Box Depth	Max Tile Thickness	Plate Depth	Device Volume	Cover Series
<b>AFB2G50</b>	Standard	½ in. to 2 in.	5 in.	2 in.	2 ½ in.	60 cu. in.	<b>2GAFB</b>
<b>AFB2G50CHI</b>	Chicago	None					
<b>AFB2G25</b>	Standard	½ in. and ¾ in.	2 ½ in.	2 in.	2 ½ in.	30 cu. in.	<b>2GAFB</b>
<b>AFB2G25CHI</b>	Chicago	None					



### Rectangular Covers (for use with raised access tiles and wood floors)

- Die cast construction available in five finishes
- UL 514A listed
- Furniture feed includes one 2 in. conduit hub and one 1 in. conduit hub with reducer to ¾ in.
- Maximum static load of 800 lbs with 2x safety factor\*

Finish	Surface Style Cover	Surface Style Cover with Insert	Furniture Feed Cover
Aluminum Powder Coated	<b>2GAFBCVRLU</b>	<b>2GAFBCVRLUC</b>	<b>2GAFBFFCVRALU</b>
Black Powder Coated	<b>2GAFBCVRBK</b>	<b>2GAFBCVRBK C</b>	<b>2GAFBFFCVRBK</b>
Brass Powder Coated	<b>2GAFBCVRBRS</b>	<b>2GAFBCVRBRS C</b>	<b>2GAFBFFCVRBRS</b>
Bronze Powder Coated	<b>2GAFBCVRBRZ</b>	<b>2GAFBCVRBRZ C</b>	<b>2GAFBFFCVRBRZ</b>
Satin Nickel Powder Coated	<b>2GAFBCVRNK</b>	<b>2GAFBCVRNK C</b>	<b>2GAFBFFCVRNK</b>

\* Load applied through a 3 in. (76mm) mandrel in center of the cover.



### Plates - for use in 2, 4 and 6-Gang Floor Boxes

- UL 514A listed

Plate Style	(1) Decorator Opening	(1) Duplex Opening	(2) Extron® MAAP Openings	(2) Extron® Openings
Cat. No.	<b>FBMPREC</b>	<b>FBMPDUP</b>	<b>FBMPMAAP</b>	<b>FBMPAAP</b>



Plate Style	(2) 1U Hubbell iStation Openings	(1) 1.5U Hubbell iStation Opening	(1) Simplex Opening 1.40 in. Diameter	(1) Twist-Lock® Opening 1.60 in. Diameter
Cat. No.	<b>FBMP2IM</b>	<b>FBMP15IM</b>	<b>FBMP139</b>	<b>FBMP156</b>



Plate Style	1-Gang Blank	Cable Feed Through with Bushing	(1) Opening for TracJack® or Series II®	(1) Opening w/ Hubbell ISF6 Frame for Keystone Jacks
Cat. No.	<b>FBMPBNK</b>	<b>FBMPFT</b>	<b>FBMPTRAC</b>	<b>FBMP6KS</b>



Extron® is a registered trademark of Extron Electronics.  
 Crestron® is a registered trademark of Crestron Electronics, Inc.  
 FSR® is a registered trademark of FSR Inc.  
 TracJack®, Series II® and Ortronics® are registered trademarks of Ortronics/Legrand.



## Hubbell SystemOne 4-Gang Rectangular Raised Access Floor Box

The Hubbell SystemOne 4-Gang Recessed Raised Access Floor Box delivers AV plus power. Similar to the 2-Gang recessed raised access floor box, the 4-Gang 2 ½ inch box depth provides a solution for floors using short pedestals. The 5 inch depth is ideal for applications with a lot of requirements. Rectangular covers in a variety of finishes will match any existing or new style.

### Cover

- 180° cover opening
- Two large cable egress doors
- Listed to UL 514A and UL scrub water compliant
- Die cast aluminum cover construction
- All covers are ADA compliant



### Box

- 16 gauge galvanized sheet metal construction
- 6 in. solid conductor ground pigtail in each gang
- 2 ½ in. or 5 in. box depths
- 5.0 in. deep box allows for 2 in. conduits
- Mounts in tiles ¾ in. to 2 in. thick
- Fits in 11 in. x 11 in. opening
- Patent Pending, labor saving, easy mount device plates

## 4-Gang Floor Rectangular Boxes, Covers and Plates



### AFB4G Series – Rectangular Box

- Designed for wood and tile applications
- 2 ½ in. provides a solution for floors using short pedestals
- 5 in. deep box allows for 2 in. conduits - ideal for furniture feed applications

Catalog Number	Box Type	Knockouts	Box Depth	Max Tile Thickness	Plate Depth	Device Volume	Cover Series
<b>AFB4G50</b>	Standard	½ in. to 2 in.	5 in.	2 in.	2 ½ in.	57.5 cu. in.	<b>4GAFB</b>
<b>AFB4G50CHI</b>	Chicago	None					
<b>AFB4G25</b>	Standard	½ in. and ¾ in.	2 ½ in.	2 in.	2 ½ in.	26.5 cu. in.	<b>4GAFB</b>
<b>AFB4G25CHI</b>	Chicago	None					



### Rectangular Covers (for use with raised access tiles and wood floors)

- Die cast construction available in five finishes
- UL 514A listed
- Maximum static load of 1500 lbs with 2x safety factor\*

Finish	Surface Style Cover	Surface Style Cover with Insert
Aluminum Powder Coated	<b>4GAFBCVRLU</b>	<b>4GAFBCVRLUC</b>
Black Powder Coated	<b>4GAFBCVRBK</b>	<b>4GAFBCVRBKC</b>
Brass Powder Coated	<b>4GAFBCVRBRS</b>	<b>4GAFBCVRBRSC</b>
Bronze Powder Coated	<b>4GAFBCVRBRZ</b>	<b>4GAFBCVRBRZC</b>
Satin Nickel Powder Coated	<b>4GAFBCVRNK</b>	<b>4GAFBCVRNKC</b>

\* Load applied through a 3 in. (76mm) mandrel in center of the cover.



### Plates for use in 2, 4 and 6-Gang Floor Boxes

- UL 514A listed


Plate Style	(1) Decorator Opening	(1) Duplex Opening	(2) Extron® MAAP Openings	(2) Extron® Openings
Cat. No.	<b>FBMPREC</b>	<b>FBMPDUP</b>	<b>FBMPMAAP</b>	<b>FBMPAAP</b>



Plate Style	(2) 1U Hubbell iStation Openings	(1) 1.5U Hubbell iStation Opening	(1) Simplex Opening 1.40 in. Diameter	(1) Twist-Lock® Opening 1.60 in. Diameter
Cat. No.	<b>FBMP2IM</b>	<b>FBMP15IM</b>	<b>FBMP139</b>	<b>FBMP156</b>



Plate Style	1-Gang Blank	Cable Feed Through with Bushing	(1) Opening for TracJack® or Series II®	(1) Opening w/ Hubbell ISF6 Frame for Keystone Jacks
Cat. No.	<b>FBMPBNK</b>	<b>FBMPFT</b>	<b>FBMPTRAC</b>	<b>FBMP6KS</b>



Extron® is a registered trademark of Extron Electronics.  
 Crestron® is a registered trademark of Crestron Electronics, Inc.  
 FSR® is a registered trademark of FSR Inc.  
 TracJack®, Series II® and Ortronics® are registered trademarks of Ortronics/Legrand.


## Hubbell SystemOne 4-Gang Round Raised Access Floor Box

With an 8 in. diameter, the Hubbell SystemOne 4-Gang Round Recessed Floor Box is ideal for use in raised access floors with pre-cut tile or wood floor coverings. With a variety of finish selections, the round covers blend in with the flooring and overall design of the building. Deep, 2 ¾ in. wiring compartments are ready to accommodate today's most advanced, high-performance power, data, and AV needs to supply reliable connectivity.



*Incorporates four equally sized device mounting plates that accommodate NEMA devices and an array of 3rd party modules.*

### Cover

- 180° cover opening
- Two large cable egress doors
- UL scrub water compliant
- Die cast aluminum cover construction
- All covers are ADA compliant 



### Box

- Fits in 8 in. diameter air diffuser holes
- 16 gauge galvanized sheet metal construction
- Individual grounding screws for each gang
- 2 in. knock-out on the bottom allows for large amounts of data and/or AV devices
- Mounts in tiles ¾ in. to 2 in. thick

## 4-Gang Round Floor Boxes, Covers and Plates



### RAFB4 Series – Round Floor Box

Includes:

- Base box shipped with temporary install cover

Catalog Number	Cover Series	Depth	Tile Thickness	Plate Depth	Knockouts	Diameter
<b>RAFB4BASE</b>	<b>CFBS1R8</b>	6 ¼ in.	¼ in. - 2 in.	2 ¼ in.	¼ in. - 2 in.	8 in.

### RAFB4 Series – Round Floor Box with Cover

Includes:

- **RAFB4BASE** and 8 in. cover

Cover Finish	Catalog Number
Brushed Aluminum	<b>RAFB4ALU</b>
Black Powder Coated	<b>RAFB4BLK</b>
Brass Plated	<b>RAFB4BRS</b>
Bronze Plated	<b>RAFB4BRZ</b>
Satin Nickel Plated	<b>RAFB4NKL</b>

### RAFB4 Series – Plates

- All **RAFB4SP** series plates are powder coated white

Plate Style	(1) Decorator	(1) Duplex	Blank
Cat. No.	<b>RAFB4SPDECO</b>	<b>RAFB4SPDUPLEX</b>	<b>RAFB4SPBLANK</b>
Plate Style	(1) Simplex Opening 1.40 in. Dia.	(1) Twist-Lock® Opening 1.60 in. Diameter	(1) Hubbell iStation Opening for 3 Units
Cat. No.	<b>RAFB4SPTL14</b>	<b>RAFB4SPTL16</b>	<b>RAFB4SP3UIS</b>
Plate Style	Opening to Accept Bezels for Ortronics TracJack®	(3) Extron® MAAP Modules	(2) Extron® AAP Modules
Cat. No.	<b>RAFB4SPORT</b>	<b>RAFB4SP3MAAP</b>	<b>RAFB4SP2AAP</b>



Extron® is a registered trademark of Extron Electronics.  
 Crestron® is a registered trademark of Crestron Electronics, Inc.  
 FSR® is a registered trademark of FSR Inc.  
 TracJack®, Series II® and Ortronics® are registered trademarks of Ortronics/Legrand.

