



Residential and Commercial Grade Decora Wallplates




Standard Size Single-Gang



Midway Size Single-Gang

Midway wallplates can be mounted onto larger-volume outlet boxes and/or used to hide wall irregularities. Midway wallplates are a full 0.375" higher and wider than standard size wallplates.



Oversized Single-Gang

Oversized wallplates are used to conceal greater wall irregularities than those hidden by Midway wallplates. Oversized wallplates are a full 0.75" higher and wider than standard size wallplates.

NOTE: Add 1.81" (46.0mm) for each additional gang.

All Decora Wallplates

- Accent any wall covering with a wide selection of colors and finishes
- Smooth face and rounded edges resist dust accumulation
- Individual plastic wrapping to protect wallplate's surface
- Color-matched metal mounting screws supplied

Residential Grade Thermoset Wallplates

- Photoelectrically color-matched to Leviton Decora devices
- Designed for high dielectric strength and arc resistance
- Meet or surpass UL 514 testing requirements
- Resistant to fading, discoloration, grease, oils, organic solvents and moisture scratches
- Backed by a Limited Two-Year Warranty

Commercial Grade Thermoplastic Wallplates

- Molded thermoplastic for maximum resistance to impact, abrasion, fading and discoloration
- Resistant to mechanical stress associated with high abuse applications
- Backed by a Limited Ten-Year Warranty

Commercial Grade Metal Wallplates


- Rounded edges to prevent injury and wall damage
- Deluxe stainless steel is non-magnetic Type 302, .032" thick
- Standard magnetic stainless steel Type 430, .032" thick, also available
- Brass is 70/30 alloy 260, .040" thick
- Aluminum is 3004 alloy, .040" thick
- Backed by a Limited Ten-Year Warranty

TESTING AND CODE COMPLIANCE

- Thermoplastic and Thermoset: UL Listed (File #E-13397)
- Metal: UL Listed (File #E-16347)
- Meets NEMA Standards WD-1, WD-6
- CSA Certified (File #LR-16347)
- NOM Certified (File #057)

MATERIAL CHARACTERISTICS

Environmental: Flammability UL-94, V2 Rating  
Operating Temperature: -40°C to 120°C



# WALLPLATES

## Residential and Commercial Grade Decora Wallplates

### Decora


DESCRIPTION 1-Gang 1-Decora	Thermoset			Thermoplastic		Screwless Snap-On Polycarbonate		Assorted Metals		
	STANDARD P26	MIDWAY SPJ26	OVERSIZE PO26	STANDARD N26	MIDWAY PJ26	STANDARD	MIDWAY	MATERIAL	STANDARD	OVERSIZE
Ivory	80401-I	80601-I	86601	80401-NI	PJ26-I	80301-SI	SJ26-SI	Chrome	*	---
Black	80401-E	---	---	80401-NE	PJ26-E	80301-SE	SJ26-SE	Aluminum	<b>A26</b> 83401	---
Gray	80401-GY	---	---	80401-NGY	PJ26-GY	80301-SGY	SJ26-SGY	Brass	<b>B26</b> 81401	---
White	80401-W	80601-W	88601	80401-NW	PJ26-W	80301-SW	SJ26-SW	Polished Brass	81401-PB	---
Brown	80401	80601	---	80401-N	PJ26	80301-S	SJ26-S	430 S/S	*	*
Almond	80401-A	80601-A	82601	80401-NA	PJ26-A	80301-SA	SJ26-SA	302 S/S	<b>SN26-N</b> 84401-40	<b>S026</b> S026
Light Almond	80401-T	80601-T	---	80401-NT	PJ26-T	80301-ST	SJ26-ST			
Red	---	---	---	80401-NR	---	---	---			
Blue	---	---	---	80401-NB	PJ26-BU	---	---			

DESCRIPTION 2-Gang 2-Decora	Thermoset			Thermoplastic		Screwless Snap-On Polycarbonate		Assorted Metals		
	STANDARD P262	MIDWAY SPJ262	OVERSIZE PO262	STANDARD N262	MIDWAY PJ262	STANDARD	MIDWAY	MATERIAL	STANDARD	OVERSIZE
Ivory	80409-I	80609-I	86602	80409-NI	PJ262-I	80309-SI	SJ262-SI	Chrome	*	---
Black	80409-E	---	---	80409-NE	PJ262-E	80309-SE	SJ262-SE	Aluminum	<b>A262</b> 83409	---
Gray	80409-GY	---	---	80409-NGY	PJ262-GY	80309-SGY	SJ262-SGY	Brass	<b>B262</b> 81409	---
White	80409-W	80609-W	88602	80409-NW	PJ262-W	80309-SW	SJ262-SW	Polished Brass	81409-PB	---
Brown	80409	80609	---	80409-N	PJ262	80309-S	SJ262-S	430 S/S	*	*
Almond	80409-A	80609-A	82602	80409-NA	PJ262-A	80309-SA	SJ262-SA	302 S/S	<b>S262-N</b> 84409-40	<b>S0262</b> S0262
Light Almond	80409-T	80609-T	---	80409-NT	PJ262-T	80309-ST	SJ262-ST			
Red	---	---	---	80409-NR	---	---	---			
Blue	---	---	---	80409-NB	---	---	---			

DESCRIPTION 3-Gang 3-Decora	Thermoset			Thermoplastic		Screwless Snap-On Polycarbonate		Assorted Metals		
	STANDARD P263	MIDWAY SPJ263	OVERSIZE	STANDARD N263	MIDWAY PJ263	STANDARD	MIDWAY	MATERIAL	STANDARD	OVERSIZE
Ivory	80411-I	80611-I	---	80411-NI	PJ263-I	80311-SI	SJ263-SI	Chrome	*	---
Black	80411-E	---	---	---	---	80311-SE	SJ263-SE	Aluminum	<b>A263</b> 83411	---
Gray	80411-GY	---	---	80411-NGY	PJ263-GY	---	---	Brass	<b>B263</b> 81411	---
White	80411-W	80611-W	---	80411-NW	PJ263-W	80311-SW	SJ263-SW	Polished Brass	81411-PB	---
Brown	80411	80611	---	80411-N	---	---	---	430 S/S	*	*
Almond	80411-A	80611-A	---	80411-NA	PJ263-A	80311-SA	SJ263-SA	302 S/S	<b>S263-N</b> 84411-40	<b>S0263</b> S0263
Light Almond	80411-T	80611-T	---	80411-NT	PJ263-T	80311-ST	SJ263-ST			

\*Consult your Leviton representative for ordering details: allow 3-4 weeks for delivery.

**NOTE: Where applicable, Industry Number indicated in BOLD FACE. For some wallplates, Industry Number and Leviton Catalog Number are identical.**



Residential and Commercial Grade Decora Wallplates

Decora

	Thermoset			Thermoplastic		Screwless Snap-On Polycarbonate		Assorted Metals		
<b>DESCRIPTION</b> 4-Gang 4-Decora										
<b>COLOR</b>	<b>STANDARD P264</b>	<b>MIDWAY SPJ264</b>	<b>OVERSIZE</b>	<b>STANDARD N264</b>	<b>MIDWAY PJ264</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>MATERIAL</b>	<b>STANDARD</b>	<b>OVERSIZE</b>
Ivory	80412-I	80612-I	—	80412-NI	PJ264-I	80312-SI	SJ264-SI	Chrome	*	—
Black	80412-E	—	—	—	—	80312-SE	SJ264-SE	Brass	<b>B264</b> 81412	—
Gray	80412-GY	—	—	—	PJ264-GY	—	—	430 S/S	*	—
White	80412-W	80612-W	—	80412-NW	PJ264-W	80312-SW	SJ264-SW	302 S/S	<b>S264-N</b> 84412-40	—
Brown	80412	—	—	80412-N	—	—	—			
Almond	80412-A	80612-A	—	80412-NA	PJ264-A	80312-SA	SJ264-SA			
Light Almond	80412-T	80612-T	—	80412-NT	PJ264-T	80312-ST	SJ264-ST			
<b>DESCRIPTION</b> 5-Gang 5-Decora										
<b>COLOR</b>	<b>STANDARD P265</b>	<b>MIDWAY</b>	<b>OVERSIZE</b>	<b>STANDARD N265</b>	<b>MIDWAY</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>MATERIAL</b>	<b>STANDARD</b>	<b>OVERSIZE</b>
Ivory	80423-I	—	—	—	—	80321-SI	SJ265-SI	Brass	<b>B265</b> 81423	—
Black	80423-E	—	—	—	—	—	—	430 S/S	*	—
Gray	80423-GY	—	—	—	—	—	—	302 S/S	<b>S265</b> 84423-40	—
White	80423-W	—	—	—	—	80321-SW	SJ265-SW			
Brown	80423	—	—	—	—	—	—			
Almond	80423-A	—	—	—	—	80321-SA	SJ265-SA			
Light Almond	80423-T	—	—	80423-NT	—	80321-ST	SJ265-ST			
<b>DESCRIPTION</b> 6-Gang 6-Decora										
<b>COLOR</b>	<b>STANDARD P266</b>	<b>MIDWAY</b>	<b>OVERSIZE</b>	<b>STANDARD N266</b>	<b>MIDWAY</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>MATERIAL</b>	<b>STANDARD</b>	<b>OVERSIZE</b>
Ivory	80436-I	—	—	—	—	80326-SI	SJ266-SI	Brass	<b>B266</b> *	—
Black	80436-E	—	—	—	—	—	—	430 S/S	—	—
Gray	80436-GY	—	—	—	—	—	—	302 S/S	<b>S266-N</b> 84436-40	—
White	80436-W	—	—	—	—	80326-SW	SJ266-SW			
Brown	80436	—	—	—	—	—	—			
Almond	80436-A	—	—	80436-NA	—	80326-SA	SJ266-SA			
Light Almond	80436-T	—	—	—	—	80326-ST	SJ266-ST			
<b>DESCRIPTION</b> 7-Gang 7-Decora										
<b>COLOR</b>	<b>STANDARD S607</b>	<b>MIDWAY</b>	<b>OVERSIZE</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>MATERIAL</b>	<b>STANDARD</b>	<b>OVERSIZE</b>
Ivory	80407-I†	—	—	—	—	—	—	Brass	<b>B607</b> *	—
White	80407-W†	—	—	—	—	—	—	430 S/S	*	—
								302 S/S	<b>S607-N</b> *	—
<b>DESCRIPTION</b> 8-Gang 8-Decora										
<b>COLOR</b>	<b>STANDARD S609</b>	<b>MIDWAY</b>	<b>OVERSIZE</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>STANDARD</b>	<b>MIDWAY</b>	<b>MATERIAL</b>	<b>STANDARD</b>	<b>OVERSIZE</b>
Ivory	80408-I†	—	—	—	—	—	—	Brass	<b>B609</b> *	—
White	80408-W†	—	—	—	—	—	—	430 S/S	*	—
								302 S/S	<b>S609-N</b> *	—

\*Consult your Leviton representative for ordering details: allow 3-4 weeks for delivery. †Painted metal