

Traditional Wallplates

Familiar and functional, Leviton Traditional Wallplates are designed for use with Traditional Leviton devices. They represent styles and form factors that have stood the test of time. Their clean lines work in virtually any location, whether in new or retrofit construction, and they install quickly and easily. Leviton offers Traditional Wallplates in a vast array of colors and configurations.



Features and Benefits

All Leviton Wallplates

- Easy to clean, smooth finish
- Non-combustible
- Color-matched metal mounting screws supplied
- UL Listed and CSA Certified
- Conforms to NEMA and ANSI Standards

Thermoset (Plastic) Wallplates (Residential Grade)

- Designed for high dielectric strength and arc resistance
- Meets or exceeds UL514 testing requirements
- Resistant to fading, discoloration, grease, oil, organic solvents and moisture scratches
- Limited Two-Year Warranty

Thermoplastic (Nylon) Wallplates (Commercial Grade)

- Molded thermoplastic for maximum resistance to impact, abrasion, fading and discoloration
- Resistant to mechanical stress associated with high abuse applications
- Limited Ten-Year Warranty

Metal Wallplates (Commercial Grade)

- Rounded edges to prevent injury and wall damage
- Deluxe stainless steel is non-magnetic Type 302, .032" thick.
- Standard stainless steel Type 430, .032" thick, also available
- Brass is 70/30 alloy 260, .040" thick
- Limited Ten-Year Warranty

Residential and Commercial Grade

Toggle Standard

Specifications and Features

- Accent any wall covering with a wide selection of colors and finishes
- Color-matched mounting screws supplied
- Mounting screws on one-gang Thermoplastic (Nylon) are preinstalled and captive

TOGGLE STANDARD SIZE

Description	Color	Thermoset	Thermoplastic (Nylon)	Metal			
Industry Standard		P1	N1	Industry Standard			
		Cat. No.	Cat. No.			Cat. No.	
	1-Gang	White	88001	80701-W	Chrome	C1	1901
		Ivory	86001	80701-I	Aluminum	A1	83001
		Almond	82001	80701-A	Brass	B1	81001
		Lt. Almond	78001	80701-T	Polished Brass		81001-PB
		Grey	87001	80701-GY	Stainless Steel	S1	84001
		Black	—	80701-E	Non-Magnetic S/S	S1-N	84001-40
		Brown	85001	80701			
		Red	—	80701-R			
Industry Standard		P2	N2	Industry Standard			
	2-Gang	White	88009	80709-W	Chrome	C2	1909
		Ivory	86009	80709-I	Aluminum	A2	83009
		Almond	82009	80709-A	Brass	B2	81009
		Lt. Almond	78009	80709-T	Polished Brass		81009-PB
		Grey	87009	80709-GY	Stainless Steel	S2	84009
		Black	—	80709-E	Non-Magnetic S/S	S2-N	84009-40
		Brown	85009	80709			
		Red	—	80709-R			
Industry Standard		P3	N3	Industry Standard			
	3-Gang	White	88011	80711-W	Aluminum	A3	83011
		Ivory	86011	80711-I	Brass	B3	81011
		Almond	82011	80711-A	Polished Brass		81011-PB
		Lt. Almond	78011	80711-T	Stainless Steel	S3	84011
		Grey	87011	80711-GY	Non-Magnetic S/S	S3-N	84011-40
		Black	—	80711-E			
		Brown	85011	80711			
		Red	—	80711-R			
Industry Standard		P4	N4	Industry Standard			
	4-Gang	White	88012	80712-W	Aluminum	A4	83012
		Ivory	86012	80712-I	Brass	B4	81012
		Almond	82012	80712-A	Polished Brass		81012-PB
		Lt. Almond	78012-T	80712-T	Stainless Steel	S4	84012
		Grey	87012-GY	—	Non-Magnetic S/S	S4-N	84012-40
		Black	—	80712-E			
		Brown	85012	—			


TOGGLE STANDARD SIZE

	Description	Color	Thermoset (Nylon)	Thermoplastic	Metal		
	Industry Standard		P5	N5	Industry Standard		
			Cat. No.	Cat. No.			Cat. No.
	5-Gang	White Ivory Almond Lt. Almond Brown	88023-W 86023-I 82023-A 78023-T 85023	80723-W 80723-I — — —	Brass Polished Brass Non-Magnetic S/S	B5 S5-N	81023 81023-PB 84023-40
	Industry Standard		P6	N6			
	6-Gang	White Ivory Almond Lt. Almond Brown	88036-W 86036-I 82036-A 78036-T 85036	80736-W 80736-I — — —	Brass Non-Magnetic S/S	B6 S6-N	81036 84036-40
	Industry Standard		S601				
	7-Gang	White Ivory	S601-W± S601-I±	—	Non-Magnetic S/S	S601-N	84070-40
	Industry Standard		S602				
	8-Gang	White Ivory	S602-W± S602-I±	— —	Non-Magnetic S/S	S602-N	84048-40
	Industry Standard		S603				
	9-Gang	White Ivory	S603-W± S603-I±	— —	Non-Magnetic S/S	S603-N	84049-40
	Industry Standard		S604				
	10-Gang	White Ivory	S604-W± S604-I±	— —	Non-Magnetic S/S	S604-N	84050-40

± Painted Metal Wallplates

DIMENSIONS

Standard Size Single-Gang



NOTE: Add 1.81" (46.0mm) for each additional gang