


4716-CWP





UPC Code: 07847702465







*May include one or more globally sourced components.



Brand Features

Leviton's industry leading locking devices, such as our Black & White line of industrial grade plugs and connectors and our V-0-Max line of industrial grade flush receptacles, offer superior performance, long lasting reliability and other features that are backed by a lifetime warranty.

Item Description

15 Amp, 125 Volt, NEMA L5-15P, 2P, 3W, Power Inlet Receptacle, Locking Blade, Industrial Grade, Self Grounding, Standard Wire Wells Wired, Nylon Strap - GRAY

Technical Information

AC Horsepower Ratings At Rated Voltage: 1/2 HP

Electrical Specifications

Grounding: Self-Grounding Amperage: 15 Amp Voltage: 125 Volt NEMA: L5-15P Pole: 2 Wire: 3 Dielectric Voltage: Withstands 1500V per UL498 Current Limiting: Full Rated Current Temperature Rise: Max 30C after 250 cycles OL at 200 percent rated current

Environmental Specifications Flammability: Rated V-2 per UL94

Operating Temperature: -40C to 60C

Material Specifications

Face Material: Nylon Body Material: Nylon Cover and Plate Material: Glass-Filled Thermoplastic Line Contacts: Brass Terminal Screws: Brass 10-32 Grounding Screw: Brass 8-32 Strap Material: Nylon Color: Gray Mechanical Specifications

Terminal ID: Brass-Hot, Green-Ground, White-Neutral

Product ID: Ratings are permanently marked on device


Terminal ID: Brass-Hot, Green-Ground, Silver-Neutral

Terminal Accom.: 18-10 AWG Product ID: Ratings and NEMA I.D. permanently marked on device Termination: Standard Wire Wells

Product Features

Grounding: Self Grounding NEMA: L5-15P Color: Gray

Standards and Certifications NEMA: WD-6 ANSI: C-73 UL498: File E13393 CSA C22.2 No. 42: File LR-16347 NOM: 057 Warranty: 2 Year Limited



SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc. 201 North Service Road, Melville, NY 11747 Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd. 165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 · FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2012-2015 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

*Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.

