

Ordering Data for Variant Dependent Options (continued)

Mains operating voltage	Rated output kW	Inverter without filter	Order No. of the options Line commutating choke	Output choke	Brake resistor
200 V to 240 V 1 AC	0.12	6SE6440-2UC11-2AA1	6SE6400-3CC00-4AB0	6SE6400-3TC00-4AD0	6SE6400-4BC05-0AA0
	0.25	6SE6440-2UC12-5AA1			
	0.37	6SE6440-2UC13-7AA1	6SE6400-3CC01-0AB0		
	0.55	6SE6440-2UC15-5AA1			
	0.75	6SE6440-2UC17-5AA1			
	1.1	6SE6440-2UC21-1BA1	6SE6400-3CC02-6BB0	6SE6400-3TC01-0BD0	6SE6400-4BC11-2BA0
	1.5	6SE6440-2UC21-5BA1			
200 V to 240 V 3 AC	2.2	6SE6440-2UC22-2BA1			
	3.0	6SE6440-2UC23-0CA1	6SE6400-3CC03-5CB0	6SE6400-3TC03-2CD0	6SE6400-4BC12-5CA0
	0.12	6SE6440-2UC11-2AA1	6SE6400-3CC00-3AC0	6SE6400-3TC00-4AD0	6SE6400-4BC05-0AA0
	0.25	6SE6440-2UC12-5AA1			
	0.37	6SE6440-2UC13-7AA1	6SE6400-3CC00-5AC0		
	0.55	6SE6440-2UC15-5AA1			
	0.75	6SE6440-2UC17-5AA1			
	1.1	6SE6440-2UC21-1BA1	6SE6400-3CC00-8BC0	6SE6400-3TC01-0BD0	6SE6400-4BC11-2BA0
	1.5	6SE6440-2UC21-5BA1	6SE6400-3CC01-4BD0		
	2.2	6SE6440-2UC22-2BA1			
	3.0	6SE6440-2UC23-0CA1	6SE6400-3CC01-7CC0	6SE6400-3TC03-2CD0	6SE6400-4BC12-5CA0
	4.0	6SE6440-2UC24-0CA1	6SE6400-3CC03-5CD0		6SE6400-4BC13-0CA0
	5.5	6SE6440-2UC25-5CA1			
	7.5	6SE6440-2UC27-5DA1	6SE6400-3CC05-2DD0	6SE6400-3TC02-8DC0	6SE6400-4BC18-0DA0
	11.0	6SE6440-2UC31-1DA1		6SE6400-3TC05-4DD0	
	15.0	6SE6440-2UC31-5DA1			
	18.5	6SE6440-2UC31-8EA1	6SE6400-3CC08-8EC0	6SE6400-3TC08-0ED0	6SE6400-4BC21-2EA0
22	6SE6440-2UC32-2EA1				
30	6SE6440-2UC33-0FA1	6SE6400-3CC11-7FD0	6SE6400-3TC15-4FD0	6SE6400-4BC22-5FA0	
37	6SE6440-2UC33-7FA1				
45	6SE6440-2UC34-5FA1				
380 V to 480 V 3 AC	0.37	6SE6440-2UD13-7AA1	6SE6400-3CC00-2AD0	6SE6400-3TC00-4AD0	6SE6400-4BD11-0AA0
	0.55	6SE6440-2UD15-5AA1			
	0.75	6SE6440-2UD17-5AA1	6SE6400-3CC00-4AD0		
	1.1	6SE6440-2UD21-1AA1			
	1.5	6SE6440-2UD21-5AA1	6SE6400-3CC00-6AD0		
	2.2	6SE6440-2UD22-2BA1	6SE6400-3CC01-0BD0	6SE6400-3TC01-0BD0	6SE6400-4BD12-0BA0
	3.0	6SE6440-2UD23-0BA1			
	4.0	6SE6440-2UD24-0BA1	6SE6400-3CC01-4BD0		
	5.5	6SE6440-2UD25-5CA1	6SE6400-3CC02-2CD0	6SE6400-3TC03-2CD0	6SE6400-4BD16-5CA0
	7.5	6SE6440-2UD27-5CA1			
	11.0	6SE6440-2UD31-1CA1	6SE6400-3CC03-5CD0		
	15.0	6SE6440-2UD31-5DA1	6SE6400-3CC04-4DD0	6SE6400-3TC05-4DD0	6SE6400-4BD21-2DA0
	18.5	6SE6440-2UD31-8DA1		6SE6400-3TC03-8DD0	
	22	6SE6440-2UD32-2DA1	6SE6400-3CC05-2DD0	6SE6400-3TC05-4DD0	
	30	6SE6440-2UD33-0EA1	6SE6400-3CC08-3ED0	6SE6400-3TC08-0ED0	6SE6400-4BD22-2EA0
	37	6SE6440-2UD33-7EA1		6SE6400-3TC07-5ED0	
	45	6SE6440-2UD34-5FA1	6SE6400-3CC11-2FD0	6SE6400-3TC14-5FD0	6SE6400-4BD24-0FA0
	55	6SE6440-2UD35-5FA1		6SE6400-3TC15-4FD0	
	75	6SE6440-2UD37-5FA1	6SE6400-3CC11-7FD0	6SE6400-3TC14-5FD0	
	90	6SE6440-2UD38-8FA0	6SL3000-0CE32-3AA0	in preparation	-
110	6SE6440-2UD41-1FA0	6SL3000-0CE32-8AA0		-	
132	6SE6440-2UD41-3GA0	6SL3000-0CE33-3AA0		-	
160	6SE6440-2UD41-6GA0	6SL3000-0CE35-1AA0		-	
200	6SE6440-2UD42-0GA0			-	
500 V to 600 V 3 AC	0.75	6SE6440-2UE17-5CA1	-	6SE6400-3TC03-2CD0	6SE6400-4BE14-5CA0
	1.5	6SE6440-2UE21-5CA1	-		
	2.2	6SE6440-2UE22-2CA1	-		
	4.0	6SE6440-2UE24-0CA1	-		
	5.5	6SE6440-2UE25-5CA1	-		
	7.5	6SE6440-2UE27-5CA1	-		6SE6400-4BE16-5CA0
	11.0	6SE6440-2UE31-1CA1	-		
	15.0	6SE6440-2UE31-5DA1	6SE6400-3CC04-4DD0	6SE6400-3TC02-2DE0	6SE6400-4BE21-3DA0
	18.5	6SE6440-2UE31-8DA1		6SE6400-3TC02-7DE0	
	22	6SE6440-2UE32-2DA1		6SE6400-3TC03-2DE0	
	30	6SE6440-2UE33-0EA1	6SE6400-3CC08-3ED0	6SE6400-3TC05-2EE0	6SE6400-4BE21-8EA0
	37	6SE6440-2UE33-7EA1			
	45	6SE6440-2UE34-5FA1	6SE6400-3CC11-2FD0	6SE6400-3TC06-2FE0	6SE6400-4BE24-2FA0
	55	6SE6440-2UE35-5FA1		6SE6400-3TC08-8FE0	
75	6SE6440-2UE37-5FA1				

MICROMASTER 440

Options

Ordering Data for Variant Dependent Options (continued)

● Use in America requires Ⓜ-listed fuses such as e.g. the Class NON range from Bussmann.

Mains operating voltage	Rated output kW	Inverter without filter	Order No. of the options Gland plate	Fuse (see Catalog NS K)		Circuit-breakers (see Catalog NS K)			
				3NA3	3NE1 (Ⓜ)				
200 V to 240 V 1 AC	0.12	6SE6440-2UC11-2AA1	6SE6400-0GP00-0AA0	3NA3803	●	3RV1021-1DA10			
	0.25	6SE6440-2UC12-5AA1				3RV1021-1GA10			
	0.37	6SE6440-2UC13-7AA1				3RV1021-1HA10			
	0.55	6SE6440-2UC15-5AA1	6SE6400-0GP00-0BA0	3NA3805		3RV1021-1KA10			
	0.75	6SE6440-2UC17-5AA1				3RV1021-4AA10			
	1.1	6SE6440-2UC21-1BA1				3RV1021-4BA10			
	1.5	6SE6440-2UC21-5BA1	6SE6400-0GP00-0CA0	3NA3807		3RV1031-4EA10			
	2.2	6SE6440-2UC22-2BA1				3RV1031-4FA10			
	3.0	6SE6440-2UC23-0CA1				3RV1031-4HA10			
	200 V to 240 V 3 AC	0.12	6SE6440-2UC11-2AA1	6SE6400-0GP00-0AA0	3NA3803	●	3RV1021-1BA10		
0.25		6SE6440-2UC12-5AA1	3RV1021-1DA10						
0.37		6SE6440-2UC13-7AA1	3RV1021-1FA10						
0.55		6SE6440-2UC15-5AA1	6SE6400-0GP00-0BA0	3NA3805		3RV1021-1GA10			
0.75		6SE6440-2UC17-5AA1				3RV1021-1HA10			
1.1		6SE6440-2UC21-1BA1				3RV1021-1KA10			
1.5		6SE6440-2UC21-5BA1	6SE6400-0GP00-0CA0	3NA3807		3RV1021-4AA10			
2.2		6SE6440-2UC22-2BA1				3RV1021-4CA10			
3.0		6SE6440-2UC23-0CA1				3RV1031-4EA10			
4.0		6SE6440-2UC24-0CA1	6SE6400-0GP00-0CA0	3NA3810		3RV1031-4FA10			
5.5		6SE6440-2UC25-5CA1				3RV1031-4HA10			
7.5		6SE6440-2UC27-5DA1				Integrated as standard	3NA3820	3NE1817-0	3RV1042-4JA10
11.0		6SE6440-2UC31-1DA1	Integrated as standard	3NA3824		3NE1820-0	3RV1042-4LA10		
15.0		6SE6440-2UC31-5DA1				3V1712-. DD33-....			
18.5		6SE6440-2UC31-8EA1				3NA3830	3NE1021-0		
22		6SE6440-2UC32-2EA1	6SE6400-0GP00-0BA0	3NA3836		3NE1022-0	3V1716-. DD33-....		
30		6SE6440-2UC33-0FA1				3NE1224-0	3V1712-. DD33-....		
37		6SE6440-2UC33-7FA1				3NE1225-0	3V1725-. DC36-....		
45		6SE6440-2UC34-5FA1	6SE6400-0GP00-0CA0	3NA3140			3V14731-. DC36-....		
380 V to 480 V 3 AC		0.37				6SE6440-2UD13-7AA1	6SE6400-0GP00-0AA0	3NA3003	●
	0.55	6SE6440-2UD15-5AA1				3RV1021-1DA10			
	0.75	6SE6440-2UD17-5AA1	3RV1021-1FA10						
	1.1	6SE6440-2UD21-1AA1	6SE6400-0GP00-0BA0	3NA3005		3RV1021-1GA10			
	1.5	6SE6440-2UD21-5AA1				3RV1021-1JA10			
	2.2	6SE6440-2UD22-2BA1				3RV1021-1KA10			
	3.0	6SE6440-2UD23-0BA1	6SE6400-0GP00-0CA0	3NA3007		3RV1021-4AA10			
	4.0	6SE6440-2UD24-0BA1				3RV1021-4BA10			
	5.5	6SE6440-2UD25-5CA1				3RV1031-4EA10			
	7.5	6SE6440-2UD27-5CA1	6SE6400-0GP00-0CA0	3NA3012		3RV1031-4FA10			
11.0	6SE6440-2UD31-1CA1	3RV1031-4HA10							
15.0	6SE6440-2UD31-5DA1	Integrated as standard				3NA3020	3NE1817-0	3RV1042-4KA10	
18.5	6SE6440-2UD31-8DA1	6SE6400-0GP00-0BA0	3NA3022		3NE1818-0				
22	6SE6440-2UD32-2DA1				3NA3024	3NE1820-0	3RV1042-4MA10		
30	6SE6440-2UD33-0EA1				3NA3030	3NE1021-0	3V1712-. DD33-....		
37	6SE6440-2UD33-7EA1	6SE6400-0GP00-0CA0	3NA3032		3NE1022-0	3V1716-. DD33-....			
45	6SE6440-2UD34-5FA1				3NE1224-0	3V1720-. DC36-....			
55	6SE6440-2UD35-5FA1				3NE1225-0	3V1725-. DC36-....			
75	6SE6440-2UD37-5FA1	6SE6400-0GP00-0CA0	3NA3140			3V14731-. DC36-....			
90	6SE6440-2UD38-8FA0				-	3NE1227-0	On request		
110	6SE6440-2UD41-1FA0				-	3NE1230-0			
132	6SE6440-2UD41-3GA0	6SE6400-0GP00-0CA0	3NA3036		3NE1332-0				
160	6SE6440-2UD41-6GA0				3NE1333-0				
200	6SE6440-2UD42-0GA0				-	3NE1435-0			
500 V to 600 V 3 AC	0.75	6SE6440-2UE17-5CA1	6SE6400-0GP00-0CA0	3NA3803-6	●	3RV1021-1DA10			
	1.5	6SE6440-2UE21-5CA1				3RV1021-1GA10			
	2.2	6SE6440-2UE22-2CA1				3RV1021-1JA10			
	4.0	6SE6440-2UE24-0CA1	6SE6400-0GP00-0CA0	3NA3805-6		3RV1021-4AA10			
	5.5	6SE6440-2UE25-5CA1				3RV1021-4BA10			
	7.5	6SE6440-2UE27-5CA1				3RV1021-4DA10			
	11.0	6SE6440-2UE31-1CA1	6SE6400-0GP00-0CA0	3NA3812-6		3RV1031-4FA10			
	15.0	6SE6440-2UE31-5DA1				Integrated as standard	3NA3814-6	3NE1803-0	3RV1031-4HA10
	18.5	6SE6440-2UE31-8DA1				3NA3820-6	3NE1817-0	3RV1042-4JA10	
	22	6SE6440-2UE32-2DA1	6SE6400-0GP00-0CA0	3NA3822-6		3NE1818-0	3RV1042-4KA10		
	30	6SE6440-2UE33-0EA1				3NA3824-6	3NE1820-0	3RV1042-4MA10	
	37	6SE6440-2UE33-7EA1				3V1712-. DD33-....			
	45	6SE6440-2UE34-5FA1	6SE6400-0GP00-0CA0	3NA3132-6		3NE1022-0	3V1716-. DD33-....		
	55	6SE6440-2UE35-5FA1				3V1720-. DC36-....			
75	6SE6440-2UE37-5FA1	3NA3136-6				3NE1224-0	3V1725-. DC36-....		

Ordering Data for Variant Dependent Options (continued)

Mains operating voltage	Rated output kW	Inverter with internal filter Class A	Order No. of the options Supplementary EMC filter Class B	Line commutating choke	Output choke
200 V to 240 V 1 AC	0.12	6SE6440-2AB11-2AA1	6SE6400-2FS01-0AB0	6SE6400-3CC00-4AB0	6SE6400-3TC00-4AD0
	0.25	6SE6440-2AB12-5AA1			
	0.37	6SE6440-2AB13-7AA1		6SE6400-3CC01-0AB0	
	0.55	6SE6440-2AB15-5AA1			
	0.75	6SE6440-2AB17-5AA1			
	1.1	6SE6440-2AB21-1BA1	6SE6400-2FS02-6BB0	6SE6400-3CC02-6BB0	6SE6400-3TC01-0BD0
	1.5	6SE6440-2AB21-5BA1			
	2.2	6SE6440-2AB22-2BA1			
3.0	6SE6440-2AB23-0CA1	6SE6400-2FS03-5CB0	6SE6400-3CC03-5CB0	6SE6400-3TC03-2CD0	
200 V to 240 V 3 AC	3.0	6SE6440-2AC23-0CA1	6SE6400-2FS03-8CD0	6SE6400-3CC01-7CC0	6SE6400-3TC03-2CD0
	4.0	6SE6440-2AC24-0CA1		6SE6400-3CC03-5CD0	
	5.5	6SE6440-2AC25-5CA1			
380 V to 480 V 3 AC	2.2	6SE6440-2AD22-2BA1	6SE6400-2FS01-6BD0	6SE6400-3CC01-0BD0	6SE6400-3TC01-0BD0
	3.0	6SE6440-2AD23-0BA1			
	4.0	6SE6440-2AD24-0BA1		6SE6400-3CC01-4BD0	
	5.5	6SE6440-2AD25-5CA1	6SE6400-2FS03-8CD0	6SE6400-3CC02-2CD0	6SE6400-3TC03-2CD0
	7.5	6SE6440-2AD27-5CA1			
	11.0	6SE6440-2AD31-1CA1		6SE6400-3CC03-5CD0	
	15.0	6SE6440-2AD31-5DA1	–	6SE6400-3CC04-4DD0	6SE6400-3TC05-4DD0
	18.5	6SE6440-2AD31-8DA1	–		6SE6400-3TC03-8DD0
	22	6SE6440-2AD32-2DA1	–	6SE6400-3CC05-2DD0	6SE6400-3TC05-4DD0
	30	6SE6440-2AD33-0EA1	–	6SE6400-3CC08-3ED0	6SE6400-3TC08-0ED0
	37	6SE6440-2AD33-7EA1	–		6SE6400-3TC07-5ED0
	45	6SE6440-2AD34-5FA1	–	6SE6400-3CC11-2FD0	6SE6400-3TC14-5FD0
	55	6SE6440-2AD35-5FA1	–		6SE6400-3TC15-4FD0
	75	6SE6440-2AD37-5FA1	–	6SE6400-3CC11-7FD0	6SE6400-3TC14-5FD0

Mains operating voltage	Rated output kW	Inverter with internal filter Class A	Order No. of the options Brake resistor	Gland plate
200 V to 240 V 1 AC	0.12	6SE6440-2AB11-2AA1	6SE6400-4BC05-0AA0	6SE6400-0GP00-0AA0
	0.25	6SE6440-2AB12-5AA1		
	0.37	6SE6440-2AB13-7AA1		
	0.55	6SE6440-2AB15-5AA1		
	0.75	6SE6440-2AB17-5AA1		
	1.1	6SE6440-2AB21-1BA1	6SE6400-4BC11-2BA0	6SE6400-0GP00-0BA0
	1.5	6SE6440-2AB21-5BA1		
	2.2	6SE6440-2AB22-2BA1		
3.0	6SE6440-2AB23-0CA1	6SE6400-4BC12-5CA0	6SE6400-0GP00-0CA0	
200 V to 240 V 3 AC	3.0	6SE6440-2AC23-0CA1	6SE6400-4BC12-5CA0	6SE6400-0GP00-0CA0
	4.0	6SE6440-2AC24-0CA1	6SE6400-4BC13-0CA0	
	5.5	6SE6440-2AC25-5CA1		
380 V to 480 V 3 AC	2.2	6SE6440-2AD22-2BA1	6SE6400-4BD12-0BA0	6SE6400-0GP00-0BA0
	3.0	6SE6440-2AD23-0BA1		
	4.0	6SE6440-2AD24-0BA1		
	5.5	6SE6440-2AD25-5CA1	6SE6400-4BD16-5CA0	6SE6400-0GP00-0CA0
	7.5	6SE6440-2AD27-5CA1		
	11.0	6SE6440-2AD31-1CA1		
	15.0	6SE6440-2AD31-5DA1	6SE6400-4BD21-2DA0	Integrated as standard
	18.5	6SE6440-2AD31-8DA1		
	22	6SE6440-2AD32-2DA1		
	30	6SE6440-2AD33-0EA1	6SE6400-4BD22-2EA0	
	37	6SE6440-2AD33-7EA1		
	45	6SE6440-2AD34-5FA1	6SE6400-4BD24-0FA0	
	55	6SE6440-2AD35-5FA1		
	75	6SE6440-2AD37-5FA1		