

BUILT-IN LUMINAIRE FLASHLIGHT, 115V, RED







Figure similar

General technical data:		
Product designation		flash lamp
Type of voltage		AC
<ul style="list-style-type: none"> <li>of the operating voltage</li> </ul>		
Operating voltage		
<ul style="list-style-type: none"> <li>1 at AC at 50 Hz Rated value</li> </ul>	V	115
<ul style="list-style-type: none"> <li>1 at AC at 60 Hz Rated value</li> </ul>	V	115
Mechanical data:		
Product component Light source		Yes
Mounting type		Bayonet
Outer diameter of the signal column element	mm	75
Lamp:		
Design of the optical signal		flash light
Type of light source		LED
Flash frequency	Hz	1
Ambient conditions:		
Ambient temperature during operation	°C	-20 ... +50
Protection class IP		IP65

Depth	mm	31
Height	mm	66
Width	mm	75

#### Certificates/ approvals:

General Product Approval	EMC	Declaration of Conformity
 UL	 EAC	 C-TICK
		 EG-Konf.

#### Further information

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

##### Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

##### Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=8WD53400CB>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WD53400CB>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=8WD53400CB&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=8WD53400CB&lang=en)



SIEMENS

last modified:

17.07.2015