

# Rittal – The System.

Faster – better – everywhere.

## **Wallmounted enclosure – WM 8017.579**

Date : Oct 29, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wallmounted enclosure – WM 8017.579 - WM363012NC

created : 29.10.2015 build on www.rittal.com/us-en



## Product description

|  |  |
|--|--|
| <b>Material:</b>                                 | Door: Carbon steel, all-round foamed-in PU seal<br>Housing: Carbon steel   |
| <b>Surface finish:</b>                           | Housing and door: Dipcoat primed, powder-coated on the outside, textured paint<br>Mounting plate: Zinc-plated                        |
| <b>Color:</b>                                    | RAL 7035   |
| <b>Protection category<br/>IP to IEC 60 529:</b> | IP 66  |
| <b>Protection category<br/>NEMA:</b>             | NEMA 4   |
| <b>Supply includes:</b>                          | Housing with door(s)<br>Left hand hinge<br>Mounting plate<br>Rear wall mounting holes<br>Quarter turn latch with slotted head insert |
| <b>Packaging unit:</b>                           | 1 pc(s).   |

## Product features

|                        |   |
|------------------------|---|
| <b>Dimensions:</b>     | Height: 900 mm ( 35 " )<br>Width: 760 mm ( 30 " )<br>Depth: 300 mm ( 12 " ) |
| <b>Mounting plate:</b> | Height: 870 mm ( 34 " )<br>Width: 704 mm ( 28 " )                           |

**Weight/pack:** 55 kg ( 121.3 lb. )

## Approvals

**Approvals:**  [UL \(EN\)](#)

## Downloads

**Data sheets:** [Graphics \(US\)](#)

**Documentation:**  [Info sheet \(US\)](#)  
 [Load brochure \(US\)](#)

**CAD drawings:** [Request](#)