9-in-1 Ratch-a-Nut™ **Screwdriver**

- Ratcheting Wire-Nut® Wire Connector Wrench prevents finger fatigue
- Pro-quality screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip-free Santoprene® grip
- Accepts Twist-a-Nut™ replacement bits
- Includes: 1/4 in. and 3/16 in. Slotted, #1 & #2 Phillips, 1/4 in., 5/16 in., 7/16 in. nutdrivers, ratcheting screwdriver end, ratcheting wire connector wrench and wire-looping hole in handle





excludes bits)

Description	Cat. No.
9-in-1 Ratch-a-Nut™ Screwdriver	35-988

Twist-a-Nut™ Pro **Electrician's Screwdrivers**

- Patented Wire-Nut® Wire Connector Wrench prevents finger fatigue
- Includes wire-looping hole in handle
- Vapor-blasted tip improves screw grip
- Tough, chrome vanadium steel shank




		IDEAL CHARANTE
Description	10	Cat. No.
#2 x 6 in. Square		30-330
1/4 in. x 4 in. Slotted		30-331
#2 x 4 in. Phillips		30-332
1/4 in. x 6 in. Slotted Cabinet Tip		30-333

7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver

- Patented Wire-Nut® Wire Connector Wrench in handle prevents finger fatigue
- Includes wire-looping hole in handle
- Includes #1 & #2 Phillips, 1/4 in. & 3/16 in. Slotted, 1/4 in. & 5/16 in. Nutdriver





Handle is interchangeable with conduit deburrer head (#35-096) and 6-in-1 Tap Tool (#35-922)

Description	Cat. No.
7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver	35-908
7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver with Square tip	35-909

Replacement Tips (for both Ratch-a-Nut™ and Twist-a-Nut™)


Description	Cat. No.
1/4 in. slotted – #2 Phillips	35-911
3/16 in. slotted – #1 Phillips	35-912
1/4 in. slotted – #2 Square	 35-913







SETIMA



Description	Cat. No.
3/16 in. slotted – #1 Square	35-914
#15 & #10 Star	35-915

6-in-1 Twist-a-Nut™ **Tap Tool**

- · Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (#35-908) and Conduit Deburrer (#35-083)

PLARANTE (Lifetime warranty excludes taps)

IDEAL



3-in-1 Twist-a-Nut™ **Tap Tool**


- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (#35-908) and Conduit Deburrer (#35-083)
- Patented Wire-Nut® Wire Connector wrench in handle helps install twist-on wire connectors






Twist-a-Nut™ Conduit **Deburring Tools**

- · Deburrs inside and outside edges of 1/2 in., 3/4 in. and 1 in. thin wall conduit
- Hooded tip tightens EMT fitting set screws without slipping
- Square tip "seats" much more quickly on fitting screws than slotted version
- Head removes and is interchangeable with IDEAL 7-in-1 Twist-a-Nut™ Screwdriver shaft (#35-908)









Description	Cat. No.
Conduit Deburring Tool, Slotted tip	35-083
Conduit Deburring Tool - #2 Square tip	35-075
Conduit Deburring Tool - head only, Slotted tip	35-096
Conduit Deburring Tool - head only, #2 Square tip	35-098
Replacement Blades (2/pack)	35-097

Description	Cat. No.
3-in-1 Tap Tool includes handle and three taps	35-412

Twist-a-Nut™ Conduit Wiring Kit

- Includes
 - Twist-a-Nut™ Screwdriver (35-908)
 - Twist-a-Nut™ Deburring Head Square Tip (35-098)
 - Twist-a-Nut™ Tap Tool Shaft (35-923)
 - Three Spare Bits (1/4 in. Slotted & #2 Square, 3/16 in. Slotted & #1 Square, #10 & #15 Star)
 - 8-Pocket Carrying Pouch (35-927)
- Nylon carrying pouch holds all three Twist-a-Nut™ tools plus room for four replacement bits or taps
- Strong easy-slide metal belt clip

Description	Cat. No.
Twist-a-Nut™ Combo Pack	35-926
Twist-a-Nut™ Carrying Pouch only	35-927





6-in-1 Screwdriver/ Nutdriver

- Includes: 5/16 in. Nutdriver, #1 Phillips, #2 Phillips, 9/32 in. Slotted and 3/16 in. Slotted
- Cushioned grip for performance and comfort
- Accu-Loop™ Wire looping holes

Wire-Nut® Wire Connector Wrench in handle

Description	Cat. No.
6-in-1 Screwdriver/Nutdriver	35-905

Re	nlacement	Rits	(for 6-in-1	Screwdriver)	1
16	piuociiiciii	סונס	(101 0 111 1	OUICWUIIVCI	,

Description	Cat. No.
#1 Phillips - 3/16 in. Slotted	LA-4123
#2 Phillips - 9/32 in. Slotted	LA-4124



Accu-Loop™ Wire Looping Holes make perfect loops every time!

excludes bits)

11-in-1 Screwdriver/ Nutdriver

 Includes: 1/4 in. Slotted, #2 Phillips, 3/16 in. Slotted, #1 Phillips, #1 & #2 Square, #15 and #10 Star and 5/16 in. & 1/4 in. Nutdriver

Wire-Nut® Wire Connector Wrench in handle

- Cushioned grip for comfort and performance
- Accu-Loop™ Wire looping holes

Description	Cat. No.
11-in-1 Screwdriver/Nutdriver	35-910
Replacement Bits (for 11-in-1 Screwdriver)	
Description	Cat. No.
1/4 in. Slotted - #2 Phillips (2/pack)	35-940
3/16 in. Slotted - #1 Phillips (2/pack)	35-941
#1 & #2 Square (2/pack)	35-942
#15 & #10 Star (2/pack)	35-943







FastFinder™ handle shows tip type on end of handle

5-Piece Screwdriver Set



Description	Cat. No.			
5-Piece Screwdriver Set	35-297			
35-297 Includes	Blade Length	Handle Length	Overall Length	Cat. No.
Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-154
Cabinet	6 in.	3-3/4 in.	9-3/4 in.	35-186
Heavy-Duty Cabinet	6 in.	4-5/16 in.	10-5/16 in.	35-151
Heavy-Duty Keystone	6 in.	5-11/32 in.	11-11/32 in.	35-166

7-Piece Screwdriver Set



Description	Cat. No.			
7-Piece Screwdriver Set				35-1298
35-1298 Includes	Blade Length	Handle Length	Overall Length	Cat. No.
#1 Phillips	3 in.	3-3/4 in.	6-3/4 in.	35-193
1/4 in. Heavy-Duty Cabinet	4 in.	4-5/16 in.	8-5/16 in.	35-150
#2 Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
1/4 in.Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-154
3/16 in. Slotted Cabinet	3 in.	3-3/4 in.	6-3/4 in.	35-183
5/16 in. Keystone	6 in.	5-11/32 in.	11-11/32 in.	35-156
3/16 in. Cabinet	6 in.	3-3/4 in.	9-3/4 in.	35-186

8-Piece Screwdriver Set



Description	Cat. No.			
8-Piece Screwdriver Set	35-298			
35-298 Includes	Cat. No.			
#1 Phillips	3 in.	3-3/4 in.	6-3/4 in.	35-193
3/16 in. Slotted	3 in.	3-3/4 in.	6-3/4 in.	35-183
#2 Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
1/4 in. Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-164
1/4 in. Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-154
3/16 in. Cabinet	6 in.	3-3/4 in.	9-3/4 in.	35-186
1/4 in. Heavy-Duty Cabinet	6 in.	4-5/16 in.	10-5/16 in.	35-151
5/16 in. Keystone	6 in.	5-11/32 in.	11-11/32 in.	35-166







Phillips











- · Vapor-blasted tip prevents plate chipping
- · Identification mark on ends
- · Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



- · Vapor-blasted tip prevents plate chipping
- · Identification mark on ends
- · Precision ground tip provides secure fit in screw slot
- Nickel Chrome plating for corrosion resistance
- Tough, vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
#1 Phillips	3 in.	3-3/4 in.	6-3/4 in.	35-193
#2 Phillips	1-1/2 in.	1-15/16 in.	3-7/16 in.	35-191
#2 Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
#2 Phillips	6 in.	4-5/16 in.	10-5/16 in.	35-195
#3 Phillips	6 in.	5-23/64 in.	11-23/64 in.	35-196

Description	Blade Length	Handle Length	Overall Length	Cat. No.
3/16 in. shank and tip	3 in.	3-3/4 in.	6-3/4 in.	35-183
3/16 in. shank and tip	4 in.	3-3/4 in.	7-3/4 in.	35-184
3/16 in. shank and tip	6 in.	3-3/4 in.	9-3/4 in.	35-186
3/16 in. shank and tip	8 in.	3-3/4 in.	11-3/4 in.	35-188
3/16 in. shank and tip	10 in.	3-3/4 in.	13-3/4 in.	35-190

Square





- Precise tip for square-recess screws
- · Identification mark on ends
- · Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
#0 Square	4 in.	4-5/16 in.	8-5/16 in.	35-690
#1 Square	4 in.	4-5/16 in.	8-5/16 in.	35-691
#1 Square	8 in.	4-5/16 in.	12-5/16 in.	35-692
#2 Square	4 in.	4-5/16 in.	8-5/16 in.	35-693
#2 Square	8 in.	4-5/16 in.	12-5/16 in.	35-694
#3 Square	4 in.	4-5/16 in.	8-5/16 in.	35-695
#3 Square	8 in.	4-5/16 in.	12-5/16 in.	35-696

Heavy-Duty Cabinet





- · Large diameter shank for tough applications
- · Identification mark on ends
- Vapor-blasted tip prevents plate chipping
- Precision ground tip provides secure fit in screw slot
- Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle




Description	Blade Length	Handle Length	Overall Length	Cat. No.
1/4 in. shank and tip	4 in.	4-5/16 in.	8-3/8 in.	35-150
1/4 in. shank and tip	6 in.	4-5/16 in.	10-3/8 in.	35-151
1/4 in. shank and tip	8 in.	4-5/16 in.	12-3/8 in.	35-152



Heavy-Duty Round Shaft Keystone





- Identification mark on ends
- Vapor-blasted tip prevents plate chipping
- Precision ground tip provides secure fit in screw slot
- Large diameter shank for tough applications
- Tough, chrome vanadium steel shank with cushioned-grip handle



Round Shank	Blade Length	Handle Length	Overall Length	Cat. No.
1/4 in. shank and tip	1-1/2 in.	1-15/16 in.	3-7/16 in.	35-161
1/4 in. shank and tip	4 in.	4-5/16 in.	8-5/16 in.	35-164
5/16 in. shank and tip	6 in.	5-11/32 in.	11-11/32 in.	35-166
3/8 in. shank and tip	8 in.	5-11/32 in.	13-11/32 in.	35-168

Heavy-Duty Square Shaft Keystone



- Larger shank for heavy-duty applications
- Identification mark on ends
 - Vapor-blasted tip prevents plate chipping
 - Precision ground tip provides secure fit in screw slot
- Square-shank models offer wrench-assisted turning



Tough, chrome vanadium steel shank with cushioned-grip handle

Square Shank	Blade Length	Handle Length	Overall Length	Cat. No.
1/4 in. shank and tip	4 in.	4-5/16 in.	8-5/16 in.	35-154
5/16 in. shank and tip	6 in.	5-11/32 in.	11-11/32 in.	35-156
3/8 in. shank and tip	8 in.	5-11/32 in.	13-11/32 in.	35-158



Combo Head™



- Designed to accurately and securely fit most **Combination Fasteners**
- Identification mark on ends
- Patented design
- Cushioned-Grip Cellulose Acetate handle provides maximum comfort and grip



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Combo Head™ Cushioned-Grip Screwdriver	4 in.	4-5/16 in.	8-5/16 in.	35-204



Recessed Light Kit






- · All the tools needed to install recessed lights
- · Long spring tool easily installs and removes spring
- · Compact Nutdriver is 2-1/4 in. providing added clearance in recess lighting
- Cushioned-grip handle for added comfort

Description	Cat. No.
Recessed Light Kit	35-698

Quick-Rotating





- · Identification mark on ends
- One-handed crank action for quick and easy use
- · Tip blasted to improve screw grip
- Precision-ground tip provides secure fit in screw slot
- Nickel Chrome plating for corrosion resistance



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Cabinet	5-9/16 in.	3-3/4 in.	9-3/8 in.	35-200
Phillips	5-5/8 in.	4-5/16 in.	9-15/16 in.	35-203

Grip-n-Screw[™] Screwdriver



- · Holds screw when collar is extended
- · Non-magnetic screw-holding screwdriver
- Tough, chrome vanadium steel shank and cushioned-grip handle



Description	Blade Length	Handle Length	Total Length	Cat. No.
3/16 Slotted	5-7/8 in.	3-3/4 in.	9-5/8 in.	35-406
#2 Phillips	6-7/8 in.	4-15/16 in.	11-1/4 in.	35-404

Off-Set Screwdriver Set



Awi



- Heavy-duty construction for piercing, punching and scribing
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- Cushioned-grip handle

Description		Handle Length		Cat. No.
Awl	3 in.	3-3/4 in.	6-3/4 in.	35-202

- · 4 in. length
- 1/4 in. x 1/4 in. Slotted tips
- #1 Phillips x #2 Phillips tips
- Designed to tighten fasteners in hard to reach places



Description	Overall Length	Cat. No.
Off-Set Screwdriver Set — 1/4 in. x 1/4 in. Slotted and #1 & #2 Phillips	4 in.	35-219

Quick Change Screwdriver

Patented Sure-Loc™ Quick Change chuck eliminates debris pick up as well as dropped bits

Built-in bit storage container in handle holds up to five extra insert bits

Bits fit all standard multi-bit screwdrivers


E-Z Spin™ high torque rotating flip cap

Patented design



(Lifetime warranty excludes bits)







4-Piece Mini **Cushioned-Grip Screwdriver Set**





SOLD ONLY AS A SET

Description	Blade Length	Handle Length	Overall Length	Cat. No.
Phillips, #0	2-31/32 in.	2-3/4 in.	5-23/32 in.	-
Keystone, 1/16 in.	1-31/32 in.	2-3/4 in.	4-23/32 in.	-
Cabinet, 3/32 in.	2-31/32 in.	2-3/4 in.	5-23/32 in.	-
Cabinet, 1/8 in.	2-31/32 in.	2-3/4 in.	5-23/32 in.	-
4-Piece Set				35-1301

Slim Electronics

- Designed for maximum handling comfort when working in tight areas
- Tough, chrome vanadium steel shank
- Phosphate tip for longer wear life
- Rotating cap for optimum control for precise centering
- Color-coded cap for easy identification



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Cabinet, 3/32 in.	2-1/2 in.	3-9/16 in.	6-1/16 in.	36-240
Cabinet, 3/32 in.	3 in.	3-9/16 in.	6-9/16 in.	36-241
Cabinet, 1/8 in.	4 in.	3-9/16 in.	7-9/16 in.	36-242
Cabinet, 1/8 in.	6 in.	3-9/16 in.	9-9/16 in.	36-243
Cabinet, 5/32 in.	4 in.	3-9/16 in.	7-9/16 in.	36-244
Cabinet, 5/32 in.	6 in.	3-9/16 in.	9-9/16 in.	36-245
Phillips, #0	2-1/2 in.	3-9/16 in.	6-1/16 in.	36-246
7-Piece Set includes one each of 36-240 thru 36-246 4-Piece Set includes one each of 36-240, -241, -242, & -246			36-248	
			36-249	