

MECHANICAL CONNECTOR, INTERLOCKING AT THE SIDE FOR 3RT2.1 CONTACTOR CONSISTS OF 2 CONNECTORS AND 1 ANCHOR FOR 1 COMBINATION



Figure similar

General technical data		
product brandname		SIRIUS
Product designation		Mounting kit
Design of the product		Reversing contactor assembly S00
Size of contactor		S00
Certificates/approvals		

General Product Approval				Declaration of Conformity	Shipping Approval
 CSA	 UR	 UL		 EG-Konf.	 ABS

Shipping Approval				other	
 BUREAU VERITAS	 GL	 PRS	 RINA	<a href="#">Umweltbestätigung</a>	<a href="#">Bestätigungen</a>

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA2912-2H>

**Cax online generator**




<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA2912-2H>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RA2912-2H>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RA2912-2H&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA2912-2H&lang=en)



last modified:

02/20/2017