

K-Spec® Economy Terminals

Butt Connectors with Vinyl (PVC) Insulation – Economy **NEW**

300V Rating, 75°C, Brass

Pkg	GA	Red	Blue	Yellow
	22-18 GA	16-14 GA	12-10 GA	12-10 GA
100 pk		561231	561232	561233
500 pk		561231D	561232D	561233D




NEW K-Spec Economy Terminals are packaged in re-sealable bags

Butt Connectors with Heat Shrink Tubing – Economy **NEW**

600V Rating, 105°C, Copper

Pkg	GA	Red	Blue	Yellow
	22-18 GA	16-14 GA	12-10 GA	12-10 GA
100 pk		561244	561245	561246
500 pk		561244D	561245D	561246D



Ring Terminals with Vinyl (PVC) Insulation – Economy **NEW**

600V Rating, 75°C, Copper

100 pcs/pk

Stud	GA	Red	Blue	Yellow
	22-18 GA	16-14 GA	12-10 GA	12-10 GA
#6		561000	561016	561032
#8		561002	561018	561033
#10		561003	561019	561034
1/4"		561004	561020	561035
5/16"		561005	561021	561036
3/8"		561006	561022	561037
1/2"			561038	

500 pcs/pk

Stud	GA	Red	Blue	Yellow
	22-18 GA	16-14 GA	12-10 GA	12-10 GA
#6		561000D	561016D	561032D
#8		561002D	561018D	561033D
#10		561003D	561019D	561034D
1/4"		561004D	561020D	561035D
5/16"		561005D	561021D	561036D
3/8"		561006D	561022D	561037D
1/2"			561038D	



Spade Terminals with Vinyl (PVC) Insulation – Economy **NEW**


600V Rating, 75°C, Copper

100 pcs/pk

Stud	GA	Red	Blue	Yellow
	22-18 GA	16-14 GA	12-10 GA	12-10 GA
#6		561048	561061	561074
#8		561049	561062	561075
#10		561050	561063	561076
1/4"			561064	561077

500 pcs/pk

Stud	GA	Red	Blue	Yellow
	22-18 GA	16-14 GA	12-10 GA	12-10 GA
#6		561048D	561061D	561074D
#8		561049D	561062D	561075D
#10		561050D	561063D	561076D
1/4"			561064D	561077D



Tap Splice Connectors with Vinyl (PVC) Insulation – Economy **NEW**

600V Rating, 75°C, Copper

Pkg	GA	Red	Blue	Yellow	Brown
	22-18 GA	16-14 GA	12-10 GA	12-10 GA	18-10 GA
100 pk		561370	561371	561372	561373
500 pk		561370D	561371D	561372D	561373D



A

K-Spec® Economy Terminals

A



Male Slide Connectors with Vinyl (PVC) Insulation – Economy **NEW**

300V Rating, 75°C, Brass

100 pcs/pk

GA	Red	Blue	Yellow
22-18 GA	16-14 GA	12-10 GA	
.110" x .020"	561378	561391	
.110" x .032"	561380		
.187" x .020"	561382	561388	
.187" x .032"	561384	561390	
.250" x .032"	561351	561356	562115

500 pcs/pk

GA	Red	Blue	Yellow
22-18 GA	16-14 GA	12-10 GA	
.110" x .020"	561378D	561391D	
.110" x .032"	561380D		
.187" x .020"	561382D	561388D	
.187" x .032"	561384D	561390D	
.250" x .032"	561351D	561356D	562115D



Female Slide Connectors with Vinyl (PVC) Insulation – Economy **NEW**

300V Rating, 75°C, Brass

100 pcs/pk

GA	Red	Blue	Yellow
22-18 GA	16-14 GA	12-10 GA	
.110" x .020"	561377	561396	
.110" x .032"	561379	561397	
.187" x .020"	561381	561387	
.187" x .032"	561383	561389	
.205" x .020"	561395	561398	
.250" x .032"	561352	561355	562093
.312" x .032"		561399	
.375" x .047"		561400	561401

500 pcs/pk

GA	Red	Blue	Yellow
22-18 GA	16-14 GA	12-10 GA	
.110" x .020"	561377D	561396D	
.110" x .032"	561379D	561397D	
.187" x .020"	561381D	561387D	
.187" x .032"	561383D	561389D	
.205" x .020"	561395D	561398D	
.250" x .032"	561352D	561355D	562093D
.312" x .032"		561399D	
.375" x .047"		561400D	561401D



Slide Connectors, Fully Insulated – Economy **NEW**

300V Rating, Brass

100 pcs/pk

GA	Insulation	22-18 GA	16-14 GA	12-10 GA
Male .250" x .032"	Nylon	561353	561358	561621
Female .250" x .032"	105°C	561354	561357	561623
Female .250" x .032"	PVC 75°C	561345	561346	561347

500 pcs/pk

GA	Insulation	22-18 GA	16-14 GA	12-10 GA
Male .250" x .032"	Nylon	561353D	561358D	561621D
Female .250" x .032"	105°C	561354D	561357D	561623D
Female .250" x .032"	PVC 75°C	561345D	561346D	561347D

Piggy Back Connectors with Vinyl (PVC) Insulation – Economy **NEW**

300V Rating, 75°C, Brass

GA	Red	Blue	Yellow
22-18 GA	16-14 GA	12-10 GA	
100 pk	562415	562416	562399
500 pk	562415D	562416D	562399D



Closed End Connectors with Nylon Insulation – Economy **NEW**

300V Rating, 105°C, Copper

GA	22-18 GA	22-14 GA	22-10 GA
100 pk	561293	561294	561295
500 pk	561293D	561294D	561295D



K-Spec® Economy Terminals

Bullet Connectors with Vinyl (PVC) Insulation – Economy **NEW**

300V Rating, 75°C, Brass
100 pcs/pk

GA	Red	Blue	2 Way (Clear)	Yellow
Tab	22-18 GA	16-14 GA	16-14 GA	12-10 GA
Male .156"	561247	561251		
Female .156"	561248	561289	*561261	
Male .197"		561257		561259
Female .197"		561258		561260

* Mates with two .156" Males

500 pcs/pk

GA	Red	Blue	2 Way (Clear)	Yellow
Tab	22-18 GA	16-14 GA	16-14 GA	12-10 GA
Male .156"	561247D	561251D		
Female .156"	561248D	561289D	*561261D	
Male .197"		561257D		561259D
Female .197"		561258D		561260D



A

Female Flag Disconnects with Nylon Insulation – Economy **NEW**

300V Rating, 105°C, Copper

GA	Red	Blue
Pkg	22-18 GA	16-14 GA
100 pk	562407	562408
500 pk	562407D	562408D



Pin Terminals with Vinyl (PVC) Insulation – Economy **NEW**

600V Rating, 75°C, Copper

GA	Red	Blue	Yellow
Pkg	22-18 GA	16-14 GA	12-10 GA
100 pk	562418	562419	562417
500 pk	562418D	562419D	562417D



K-SPEC® TERMINALS ASSORTMENT KITS

Economy Terminal Assortment in a Metal Kit ***NEW**

***560500** This convenient assortment kit contains 500 popular K-Spec Terminals in a metal carrying case. Case has space for a Crimp Tool.

Kit Contents:

Part No.	Qty	Part No.	Qty	Part No.	Qty
561003	25 pcs	561250	25 pcs	561352	25 pcs
561016	25 pcs	561251	25 pcs	561353	25 pcs
561019	25 pcs	561261	25 pcs	561355	25 pcs
561231	25 pcs	561289	25 pcs	561356	25 pcs
561232	25 pcs	561345	25 pcs	561358	25 pcs
561233	25 pcs	561346	25 pcs	562093	25 pcs
561247	25 pcs	561351	25 pcs		



***560500** Economy Terminal Assortment Kit in a Metal Case

Economy Terminal Assortments in Plastic Kits ***NEW**

These compact assortment kits each contain 175 popular K-Spec Terminals in a plastic case. Kits are available with a Crimp Tool or without under the following part numbers:

***560175** (with tool)

***560175NT** (without tool)

Both Kits' Contents:

Part No.	Qty	Part No.	Qty	Part No.	Qty
561003	10 pcs	561247	10 pcs	561346	10 pcs
561016	10 pcs	561250	10 pcs	561351	10 pcs
561019	10 pcs	561251	10 pcs	561352	10 pcs
561231	10 pcs	561261	10 pcs	561355	10 pcs
561232	10 pcs	561289	10 pcs	561356	10 pcs
561233	10 pcs	561345	10 pcs	562093	10 pcs

Available with or without a crimp tool... your choice!



***560175** Economy Terminal Assortment Kit – with Tool

Crimp 'N' Shrink

A

Advantages of using "Crimp 'N' Shrink" Heat Shrinkable Terminals and Connectors

- Translucent, adhesive lined polyolefin tubing allows visual inspection, prevents corrosion, and provides a waterproof seal.
- Colour coded tubing with wire gauge imprint provides easy identification of the correct part for the job.



1. Strip Connector Wire



2. Insert



3. Crimp



4. Heat



5. Completed Waterproof Connection

See Pages 15-17 for our full line of Crimp 'N' Shrink Terminals and Connectors



763002 120 Piece Crimp 'N' Shrink Terminal Assortment in Plastic Storage Box.



763005 115 Piece Crimp 'N' Shrink Terminal Assortment in Plastic Storage Box.



***761802 'RAT' Tool - Heat Shrinkable Terminals and Connectors**

Crimp 'N' Shrink Terminal Assortments in Plastic Kits

120 Piece Heat Shrinkable Terminal Kit with Torch

763002 This convenient assortment kit contains 12 widely used sizes of heat shrinkable terminals and connectors. Assortment comes complete with **762100** micro torch to seal heat shrink.

Kit Contents:

Part No.	Qty	Part No.	Qty	Part No.	Qty
761244	10 pcs	761652	10 pcs	761660	10 pcs
761245	10 pcs	761654	10 pcs	761701	10 pcs
761246	10 pcs	761655	10 pcs	762100	1 ea
761649	10 pcs	761656	10 pcs		
761650	10 pcs	761659	10 pcs		

115 Piece Heat Shrinkable Terminal Kit without Torch

763005 Kit contains 12 popular sizes of heat shrinkable terminals and connectors.

Kit Contents:

Part No.	Qty	Part No.	Qty	Part No.	Qty
761241	5 pcs	761649	5 pcs	761653	5 pcs
761244	20 pcs	761650	5 pcs	761655	5 pcs
761245	30 pcs	761651	5 pcs	761656	5 pcs
761246	20 pcs	761652	5 pcs	761701	5 pcs

Crimp 'N' Shrink Terminal Crimp Tool

***761802** This tool crimps all crimpable heat shrinkable terminals and connectors with a single crimp. The triple nested die allows crimping of wire sizes 22-18 ga., 16-14 ga. and 12-10 ga. 'RAT' Ratchet tool ensures a sure crimp every time.

Crimp 'N' Shrink Heat Shrinkable Terminals and Connectors

Provides an easy and highly effective means of insulating and protecting terminal connections and splices against moisture, dirt and corrosion.

Just crimp then heat and seal

A

Butt Connectors (Crimp 'N' Shrink)

24-22 GA



761241 25 pk
761241B 500 pk

20-18 GA



691244 5 pk
761244 25 pk
*761244J 300pcs/Jar ***NEW**
761244B 500 pk

16-14 GA



691245 5 pk
761245 25 pk
*761245J 250pcs/Jar ***NEW**
761245B 500 pk

12-10 GA



691246 5 pk
761246 25 pk
*761246J 200pcs/Jar ***NEW**
761246B 500 pk

Ring Terminals (Crimp 'N' Shrink)

20-18 GA



Stud Size #8
761700 25 pk
761700B 500 pk



Stud Size #10
761701 25 pk
761701B 500 pk



Stud Size 1/4"
761702 25 pk
761702B 500 pk



***NEW**

*761244J 300pcs/Jar
*761245J 250pcs/Jar
*761246J 200pcs/Jar

Jar packs...
Easy-to-store
& dust-free



Stud Size 5/16"
761703 25 pk
761703B 500 pk



Stud Size 3/8"
761704 25 pk
761704B 500 pk

16-14 GA



Stud Size #8
761648 25 pk
761648B 500 pk



Stud Size #10
761649 25 pk
761649B 500 pk



Stud Size 1/4"
761650 25 pk
761650B 500 pk



Stud Size 5/16"
761705 25 pk
761705B 500 pk



Stud Size 3/8"
761651 25 pk
761651B 500 pk

12-10 GA



Stud Size #8
761706 25 pk
761706B 500 pk



Stud Size #10
761652 25 pk
761652B 500 pk



Stud Size 1/4"
761653 25 pk
761653B 500 pk



Stud Size 5/16"
761707 25 pk
761707B 500 pk



Stud Size 3/8"
761654 25 pk
761654B 500 pk



Stud Size 1/2"
*761716 25 pk ***NEW**
*761716B 500 pk

For convenient assortment kits of the most popular Crimp 'N' Shrink terminals and connectors, see page 14

Use with crimp tool **761802** found on pages 14 & 32.
See page 61 for heating tools.

Crimp 'N' Shrink Heat Shrinkable Terminals and Connectors

Spade Terminals (Crimp 'N' Shrink)

A

20-18 GA



Stud Size #8
761708 25 pk
761708B 500 pk



Stud Size #10
761709 25 pk
761709B 500 pk

16-14 GA



Stud Size #8
761710 25 pk
761710B 500 pk



Stud Size #10
761711 25 pk
761711B 500 pk

12-10 GA



Stud Size #8
761712 25 pk
761712B 500 pk



Stud Size #10
761713 25 pk
761713B 500 pk

Slide Connectors and Quick Disconnects (Crimp 'N' Shrink)

20-18 GA



Female quick disconnect
Fully Insulated, Tab Size 0.25"
761714 25 pk
761714B 500 pk



Male quick disconnect
Fully Insulated, Tab Size 0.25"
761715 25 pk
761715B 500 pk

16-14 GA



Female quick disconnect
Fully Insulated, Tab Size 0.25"
761655 25 pk
761655B 500 pk



Male quick disconnect
Fully Insulated, Tab Size 0.25"
761656 25 pk
761656B 500 pk

12-10 GA



Female quick disconnect
Fully Insulated, Tab Size 0.25"
761658 25 pk
761658B 500 pk



Male quick disconnect
Fully Insulated, Tab Size 0.25"
761657 25 pk
761657B 500 pk

Bullet Connectors (Crimp 'N' Shrink)

16-14 GA



.156" (4.0mm)
Male snap plug
761659 25 pk
761659B 500 pk



.156" (4.0mm)
Female snap plug receptacle
761660 25 pk
761660B 500 pk

For convenient assortment kits of the most popular Crimp 'N' Shrink terminals and connectors, see page 14

Step Down Butt Connectors (Crimp 'N' Shrink)

24-22 GA ⇒ 20-18 GA



***761717** 25 pk
***761717B** 500 pk ***NEW**

20-18 GA ⇒ 16-14 GA



***761718** 25 pk
***761718B** 500 pk ***NEW**

16-14 GA ⇒ 12-10 GA



***761719** 25 pk
***761719B** 500 pk ***NEW**

12-10 GA ⇒ 8 GA



***761720** 25 pk
***761720B** 500 pk ***NEW**


Use with crimp tool **761802** found on pages 14 & 32.
See page 61 for heating tools.

Crimp 'N' Shrink Heat Shrinkable Terminals and Connectors

Multi-Wire Butt Connectors (Crimp 'N' Shrink)

The best way to join 2 wires to 1 wire. Provides a seal for a longer lasting connection between multiple wire connections. These connectors can be used in place of tying wires to each other, 3-Way connectors and Tap Splices. See for yourself! Use crimp tool **761802** found on pages 14 & 32. See page 61 for heating tools!

Advantages of using our NEW Multi-Wire Crimp



Replaces...



Easy to Install:



1. Strip Wires & Insert



2. Crimp Connector with Inserted Wires



3. Heat



4. Completed Waterproof Splice

24-22 GA



*761721 25 pk ***NEW**
*761721B 500 pk

20-18 GA



*761722 25 pk ***NEW**
*761722B 500 pk

16-14 GA



*761723 25 pk ***NEW**
*761723B 500 pk

12-10 GA



*761724 25 pk ***NEW**
*761724B 500 pk

Multi-Wire Butt Connectors


25 pk	500 pk	Wire Gauge	Colour of Tubing	Accepts Wire(s)	Colour Stripe on Connector	Crimp with:
*761721	*761721B	24-22 ga.	Clear with White dashes	Side 1: 1 x 24-22 ga. Side 2: 2 x 24-22 ga.	White Red	White (24-22 ga.) Red (20-18 ga.)
*761722	*761722B	20-18 ga.	Clear with Red dashes	Side 1: 1 x 20-18 ga. Side 2: 2 x 20-18 ga.	Red Blue	Red (20-18 ga.) Blue (16-14 ga.)
*761723	*761723B	16-14 ga.	Clear with Blue dashes	Side 1: 1 x 16-14 ga. Side 2: 2 x 16-14 ga.	Blue Yellow	Blue (16-14 ga.) Yellow (12-10 ga.)
*761724	*761724B	12-10 ga.	Clear with Yellow dashes	Side 1: 1 x 12-10 ga. Side 2: 2 x 12-10 ga.	Yellow Red	Yellow (12-10 ga.) Red (8 ga.)

***NEW**

Closed-End Connectors (Crimp 'N' Shrink)

The best way to join two to four wires together. In addition to the crimp giving a more secure connection, the seal in the heat shrink tubing gives added protection for a longer lasting connection. These connectors can be used in place of Wire Nuts and traditional Closed End Connectors.

Replaces...



22-14 GA



Tubing Colour: Clear/Blue Dashes
*761725 25 pk ***NEW**
*761725B 500 pk

18-10 GA



Tubing Colour: Clear/Yellow Dashes
*761726 25 pk ***NEW**
*761726B 500 pk

Solder/Shrink

A

Advantages of using "Solder/Shrink" Terminals and Connectors

- Translucent, adhesive lined polyolefin tubing allows visual inspection, prevents corrosion, and provides a waterproof seal.
- Colour coded tubing with wire gauge imprint provides easy identification of the correct part for the job.
- A soldered connection provides superior electrical current flow and tensile strength.
- Easy installation with pre-measured solder—eliminates the crimping process.




1. Join Connecting Wires



2. Insert



3. Heat



4. Superior Electrical Connection with Waterproof Seal

See Page 19 for our full line of Solder/Shrink Terminals and Connectors

Crimp/Solder/Shrink Terminals & Connectors

Provides the ultimate electrical connection in three easy steps.

Meets or exceeds the most stringent OEM standards.

Here's how...

Crimp

- Mechanically Reliable
- Easy to Install

Solder

- Additional Strength
- Better Conductivity

Shrink

- Durable Insulation
- Watertight Connection
- Transparent Tubing for Visual Inspection
- Provides a Seal Against Corrosion

The Ultimate Connection




1. Insert



2. Crimp



3. Heat



4. Ultimate Electrical Connection with Waterproof Seal

See Pages 20-21 for our full line of Crimp/Solder/Shrink Terminals and Connectors

Solder/Shrink Terminals and Connectors

The solder splice connectors consist of a fluxed solder ring with a heat shrinkable insulation sleeve which, when heated, provides a completely soldered, strain relieved, and encapsulated termination. See page 61 for heating tools!

Butt Connectors (Solder/Shrink)

24-22 GA



761670 25 pk
761670B 500 pk

20-18 GA



691671 5 pk
761671 25 pk
761671B 500 pk

16-14 GA



691672 5 pk
761672 25 pk
761672B 500 pk

12-10 GA



691673 5 pk
761673 25 pk
761673B 500 pk

Ring Terminals (Solder/Shrink)

20-18 GA



Stud Size #6
761674 25 pk
761674B 500 pk



Stud Size #8
761675 25 pk
761675B 500 pk



Stud Size #10
761676 25 pk
761676B 500 pk



Stud Size 12-1/4"
761677 25 pk
761677B 500 pk

16-14 GA



Stud Size #8
761678 25 pk
761678B 500 pk



Stud Size #10
761679 25 pk
761679B 500 pk



Stud Size 12-1/4"
761680 25 pk
761680B 500 pk



Stud Size 3/8"
761681 25 pk
761681B 500 pk

12-10 GA



Stud Size #10
761682 25 pk
761682B 500 pk



Stud Size 12-1/4"
761683 25 pk
761683B 500 pk



Stud Size 3/8"
761684 25 pk
761684B 500 pk



Stud Size 1/2"
761685 25 pk
761685B 500 pk

Spade Terminals (Solder/Shrink)

20-18 GA



Stud Size #10
761686 25 pk
761686B 500 pk

16-14 GA



Stud Size #10
761687 25 pk
761687B 500 pk

12-10 GA



Stud Size #10
761688 25 pk
761688B 500 pk

Slide Connectors and Quick Disconnects (Solder/Shrink)

20-18 GA



Tab Size 0.25" Female
761689 25 pk
761689B 500 pk

16-14 GA



Tab Size 0.25" Female
761691 25 pk
761691B 500 pk

12-10 GA



Tab Size 0.25" Female
761693 25 pk
761693B 500 pk

20-18 GA



Tab Size 0.25" Male
761690 25 pk
761690B 500 pk

16-14 GA



Tab Size 0.25" Male
761692 25 pk
761692B 500 pk

12-10 GA



Tab Size 0.25" Male
761694 25 pk
761694B 500 pk

A

Crimp/Solder/Shrink Terminals & Connectors

The ultimate Electrical Connection. Crimp for maximum reliability, solder for strength and conductivity and seal for superior durability. Meets or exceeds the most stringent OEM standards.

"Hands Free" Soldering

A

Butt Connectors (Crimp/Solder/Shrink)

24-22 GA



*761753 25 pk
*761753B 500 pk ***NEW**

20-18 GA



761750 25 pk
761750B 500 pk

16-14 GA



761751 25 pk
761751B 500 pk

12-10 GA



761752 25 pk
761752B 500 pk

Ring Terminals (Crimp/Solder/Shrink)

20-18 GA



Stud Size #6
*761767 25 pk
*761767B 500 pk ***NEW**



Stud Size #8
*761768 25 pk
*761768B 500 pk ***NEW**



Stud Size #10
*761769 25 pk
*761769B 500 pk ***NEW**



Stud Size 1/4"
*761770 25 pk
*761770B 500 pk ***NEW**



Stud Size 5/16"
*761771 25 pk
*761771B 500 pk ***NEW**



Stud Size 3/8"
*761772 25 pk
*761772B 500 pk ***NEW**

16-14 GA



Stud Size #6
*761764 25 pk
*761764B 500 pk ***NEW**



Stud Size #8
*761762 25 pk
*761762B 500 pk ***NEW**



Stud Size #10
*761754 25 pk
*761754B 500 pk ***NEW**



Stud Size 1/4"
*761755 25 pk
*761755B 500 pk ***NEW**



Stud Size 5/16"
*761760 25 pk
*761760B 500 pk ***NEW**



Stud Size 3/8"
*761758 25 pk
*761758B 500 pk ***NEW**

12-10 GA



Stud Size #6
*761765 25 pk
*761765B 500 pk ***NEW**



Stud Size #8
*761763 25 pk
*761763B 500 pk ***NEW**



Stud Size #10
*761756 25 pk
*761756B 500 pk ***NEW**



Stud Size 1/4"
*761757 25 pk
*761757B 500 pk ***NEW**



Stud Size 5/16"
*761761 25 pk
*761761B 500 pk ***NEW**



Stud Size 3/8"
*761759 25 pk
*761759B 500 pk ***NEW**



Stud Size 1/2"
*761766 25 pk
*761766B 500 pk ***NEW**