








CABLE STRIPPING TOOLS


Product name	Order reference	Description
Sheathmaster 	GL	Hand-type stripping tool to strip the sheath of copper-sheathed MI cable. For use with MI cable sizes up to and including 250 kcmil.
	GLB	Replacement blade for Sheathmaster GL tool.
Ratchet stripper head 	RSTRIPASY	Ratchet sheath stripper head for stripping the sheath of copper-sheathed MI cables with diameters of 0.684 inches and greater. The ratchet stripper head must be inserted into a conduit threading tool (not supplied) such as RIDGID® Model 00-R or equivalent, or RIDGID® Model 770 power drive tool with 00-R adapter or equivalent. A cable guide bushing (not included) is required for each cable diameter to be stripped (see below)
	PSTRIPB	Replacement blade for ratchet stripper head.
Cable guide bushing 	PSBUSH1000	Bushing for 1" diameter cable
	PSBUSH975	Bushing for 0.975" diameter cable
	PSBUSH865	Bushing for 0.865" diameter cable
	PSBUSH834	Bushing for 0.834" diameter cable
	PSBUSH768	Bushing for 0.768" diameter cable
	PSBUSH746	Bushing for 0.746" diameter cable
	PSBUSH730	Bushing for 0.730" diameter cable
	PSBUSH710	Bushing for 0.710" diameter cable
PSBUSH684	Bushing for 0.684" diameter cable	

PYROPOTTER, CRIMPING AND COMPRESSION TOOLS





Product name	Order reference	Description
Pyropotter pot threading tool 	PYROPOT12	Tool to install 1/2 in pot
	PYROPOT34	Tool to install 3/4 in pot
	PYROPOT1	Tool to install 1 in pot
	PYROPOT114	Tool to install 1-1/4 in pot
Handle type crimping and compression tool 	MIC1/2	1/2" crimping and compression tool
	MIC3/4	3/4" crimping and compression tool

TOOLS



PYROPOTTER, CRIMPING AND COMPRESSION TOOLS

Product name	Order reference	Description
Screw type crimping and compression tool		Screw type crimping and compression tool easily completes the MI cable termination. For use with termination kits using fiber caps and mastic compound seal.
	CC1/2	1/2" crimping and compression tool
	CC3/4	3/4" crimping and compression tool
	CC1	1" crimping and compression tool
	CC11/4	1-1/4" crimping and compression tool


CABLE HANDLING TOOLS

Product name	Order reference	Description
Handvise	HANDVISE	Vise-grip-type tool used to support cable while installing termination.
		
Bending hickey		Bending tool assists in making bends in MI cable.
	HICMED	Medium size 0.39" – 0.63" OD cable
	HICLGE	Large size 0.63" – 0.75" OD cable
	HIC114	Extra large size 0.75" – 1.25" OD cable
Pyrohickey		Heavy duty bending tool specially modified to prevent damage to the MI cable sheath when making bends in the cable. Fits a standard conduit bending tool handle with 1" threads (handle not supplied).
	PYROHICKEY3834	Bends 3/8" to 3/4" MI cable
	PYROHICKEY341	Bends 3/4" to 1" MI cable
Cable Straightener	STRSM	Manual tool to straighten MI cables up to 1/2" in diameter
		

BANDING TOOLS

Product name	Order reference	Description
Tensioner	T34P	Ratchet-type tensioning tool tightens stainless-steel banding used to support MI cables.
		
Crimper	S12P	Crimping tool used to crimp clip onto stainless steel banding.
		

TWISTED PAIR DRAIN WIRE TOOL

Product name	Order reference	Description
Twisted pair drain wire tool	TWISTPRTOOL	Drain wire tool used to fix drain wire ring to shield of shielded twisted-pair copper-sheathed MI cable.
		



WWW.PENTAIRTHERMAL.COM

NORTH AMERICA

Tel: +1.800.545.6258
Fax: +1.800.527.5703
Tel: +1.650.216.1526
Fax: +1.650.474.7711
thermal.info@pentair.com

EUROPE, MIDDLE EAST, AFRICA

Tel: +32.16.213.511
Fax: +32.16.213.603
thermal.info@pentair.com

ASIA PACIFIC

Tel: +86.21.2412.1688
Fax: +86.21.5426.2917
cn.thermal.info@pentair.com

LATIN AMERICA

Tel: +1.713.868.4800
Fax: +1.713.868.2333
thermal.info@pentair.com

Pentair, Pyrotenax, Sheathmaster, and Handvise are owned by Pentair or its global affiliates. All other trademarks are the property of their respective owners. Pentair reserves the right to change specifications without prior notice.

© 2005–2013 Pentair.