





















Lamp Chart

	LAMP TYPE	CODE	VOLTAGE												
				CAMRAY		MQM-NC		SAF-T-RAY		PHANTOM		MT/MQ/MQM		RS10/RS20/RS30T	
				A	B	A	B	A	B	A	B	A	B	A	B
MR16 HALOGEN LAMPS 		580.0074-L	6V - 6W			7'	1'					8'	3'		
		580.0079-L	6V - 10W (flood)			21'	20'	X	X			23'	22'		
		580.0080-L	12V - 12W (flood)			25'	17'	16'	-	31'	19'	31'	19'		
		580.0075-L	12V - 20W*									54'	41'		
		580.0064-L	12V - 20W (flood)			50'	36'	36'	-	53'	39'	53'	39'		
		580.0068-L	12V - 20WH (flood)			65'	50'			70'	54'	70'	54'		
		580.0090-L	12V - 35WH (flood)							130'	110'	130'	110'		
		580.0089-L	12V - 50WH (flood)							160'	171'	160'	171'		
		580.0083-L	12V - 35W (flood)							96'	86'	96'	86'		
		580.0076-L	12V - 50W (flood)							126'	100'	126'	100'		
		580.0077-L	24V - 20W (flood)			46'	37'	X	X	48'	38'				
		580.0070-L	24V - 12W (flood)			22'	13'	X	X	25'	15'	25'	15'		
		580.0084-L	24V - 35W (flood)							76'	60'				
		580.0078-L	24V - 50W (flood)							139'	12'				
		580.0065-L	120V - 20W (flood)			26'	17'								
	580.0066-L	120V - 35W (flood)													
	580.0067-L	120V - 50W (flood)													
LED LAMPS 		580.0097-L	6V - 4W			35'	23'	X	X	X	X	38'	25'		
		580.0093-L	12V - 4W			39'	23'	28'	-	41'	25'	41'	25'		
		580.0104-L	12V - 5W			71'	56'	71'	56'	71'	56'	71'	56'		
		580.0106-L	12V - 6W			100'	85'	100'	85'	100'	85'	100'	85'		
		580.0098-L	24V - 4W			41'	52'	X	X	52'	41'	52'	41'		
		580.0095-L	120V - 4W												
SEALED BEAM HALOGEN LAMPS 		550.0036-L	6V - 8W											X	X
		550.0037-L	6V - 10W											X	X
		550.0021-L	6V - 20W											68'	55'
		550.0024-L	12V - 8W											25'	18'
		550.0025-L	12V - 12W											45'	37'
		550.0030-L	6V - 12W											X	X
SEALED BEAM INCANDESCENT LAMPS 		550.0018-L	6V - 8W											17'	14'
		550.0016-L	6V - 18W											29'	18'
		550.0017-L	6V - 25W											75'	48'
		550.0026-L	12V - 12W											31'	23'
		550.0027-L	12V - 18W											31'	19'
		550.0023-L	12V - 25W											68'	43'
XENON LAMPS 		570.0213-L	6V - 6W	17'	-										
		570.0214-L	6V - 10W	25'	18'										
		570.0215-L	12V - 6W	X	X										
		570.0216-L	12V - 10W	X	X										
		570.0211-L	24V - 12W											X	X

A= TYPICAL SPACING 7' MOUNTING 6" WIDE
B= TYPICAL SPACING 15' MOUNTING 6" WIDE

TYPICAL SPACING ARE BASED ON A 6" WIDE PATH AND 80.50.20 REFLECTANCES.

																	
A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B
X	X	8'	3'	X	X			X	X			X	X	X	X		
X	X	23'	22'	X	X			X	X			160'	171'	21'	20'	21'	20'
X	X	31'	19'	31'	19'			X	X			31'	19'	25'	17'	25'	17'
								X	X								
		53'	39'	53'	39'							53'	39'	50'	36'	X	X
X	X	70'	54'	70'	54'							70'	54'	65'	50'		
X	X	130'	110'	130'	110'							130'	110'	X	X		
X	X	160'	171'	160'	171'							160'	171'	X	X		
		96'	86'	96'	86'							96'	86'	X	X		
		126'	100'	126'	100'							126'	100'	X	X	X	X
X		48'	38'	X	X							48'	38'	46'	37'	X	X
		25'	15'	X	X			X	X			25'	15'	22'	13'		
X	X	76'	60'	X	X							76'	60'	X	X		
X	X	139'	12'	X	X							139'	112'	X	X		
		28'	19'	X	X									26'	17'	21'	20'
		42'	38'	X	X									X	X		
		65'	58'	X	X									X	X		
X	X	38'	25'	38'	25'									X	X		
X	X	41'	25'	41'	25'									X	X		
71'	56'	71'	56'	71'	56'									71'	56'		
100'	85'	100'	85'	100'	85'									100'	85'		
X	X	52'	41'	52'	41'									X	X		
						X	X	X	X								
						X	X	X	X								
						68'	55'	68'	55'	68'	55'						
						25'	18'	25'	18'	25'	18'						
						45'	37'	45'	37'	45'	37'						
						X	X	X	X								
						17'	14'	17'	14'	17'	14'						
						29'	18'	29'	18'	29'	18'						
						75'	48'	75'	48'	75'	48'						
						31'	23'	31'	23'	31'	23'						
						X	X	X	X								
						68'	43'	68'	43'	68'	43'						

A= TYPICAL SPACING 7' MOUNTING 6" WIDE
B= TYPICAL SPACING 15' MOUNTING 6" WIDE

TYPICAL SPACING ARE BASED ON A 6" WIDE PATH AND 80.50.20 REFLECTANCES.

Lamp Chart

	LAMP TYPE	CODE	VOLTAGE	DIVIDER®		MT/MQ/ MQM		RS10/RS20/ RS30T		RSQB/RSQBD/ RSQB2		RS22		RS*WP		RS*WPRB		RS10XP		
				A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	
HIGH INTENSITY TUNGSTEN LAMPS DOUBLE CONTACT BAYONET BASE		570.0040-L	24V - 18W					X	X			X	X	X	X					
		570.0037-L	6V - 18W					10'	-			10'	-	10'	-					
		570.0031-L	12V - 25W					X	X			X	X	X	X					
		570.0061-L	24V - 25W					X	X			X	X	X	X					
		570.0120-L	120V - 15W					X	X	x	x	16'	5'	X	X					
	570.0025-L	32V - 25W					X	X			X		X	X						
		570.0020-L	6V - 13W																	
		570.0011-L	12V - 9W																	
		570.0038-L	6V - 25W					X	X			X	X	X	X					
		570.0022-L	12V - 13W					X	X			X	X	X	X					
570.0030-L		12V - 18W					X	X			X	X	X	X						
BI-PIN HALOGEN LAMPS		580.0012-L	6V - 6W			X	X	X	X			X	X	X	X					
		580.0017-L	6V - 10W			X	X	X	X			X	X	X	X					
		580.0013-L	6V - 8W			23'	14'	17'	14'	17'	14'	17'	14'	17'	14'					
		580.0011-L	6V - 12W			23'	16'	15'	12'	15'	12'	15'	12'	15'	12'			X	X	
		580.0022-L	6V - 20W					23'	17'			23'	17'	23'	17'			X	X	
		580.0014-L	12V - 8W			24'	17'	16'	13'	16'	13'	16'	13'	16'	13'					
		580.0015-L	12V - 12W			X	X	20'	15'	20'	15'	20'	15'	20'	15'			X	X	
	580.0023-L	24V - 20W					21'	15'	21'	15'	21'	15'	21'	15'			X	X		
		580.0016-L	12V - 14W					X	X			X	X	X	X					
		580.0027-L	12V - 20W					34'	26'	34'	26'	34'	26'	34'	26'			X	X	
580.0030-L		12V - 50W					X	X	108'	78'	108'	78'	108'	78'						
580.0031-L		124V - 20W					104'	74'			104'	74'	104'	74'			X	X		
INCANDESCENT LAMPS WEDGE BASE		580.0030-L	12V - 55W					108'	78'					X		104'	74'			
		580.0031-L	24V - 70W					104'	74'					X		108'	74'			
		570.0026-L	6V - 7.2W	X	X			X	X	X	X	X	X	X	X					
		570.0016-L	6V - 9W	X	X	12'	5'	12'	-	12'	-	12'	-	12'	-					
		570.0025-L	12V - 9W	X	X	14'	8'	18'	13'	18'	13'	18'	13'	18'	13'					
		570.0028-L	12V - 8W					x	x			X	X	X	X					
		570.0029-L	12V - 18W			24'	14'	18'	12'	18'	12'	18'	12'	18'	12'					
		570.0045-L	24V - 9W	X	X	12'	2'	15	9'	15'	9'	15'	9'	15'	9'					
		570.0046-L	24V - 18W			21'	10'	21'	15'	21'	15'	21'	15'	21'	15'					
570.0012-L	6V - 5.4W	X	X			X	X			X	X	X	X							

A= TYPICAL SPACING 7" MOUNTING 6" WIDE
 B= TYPICAL SPACING 15" MOUNTING 6" WIDE

TYPICAL SPACING ARE BASED ON A 6" WIDE PATH AND 80.50.20 REFLECTANCES.