



Quick Selection Guide (refer to page indicated for complete information and detailed pricing)

sprecher+ schuh

Terminal	Description	Туре	Overall Term. Width	Cross- sec. [mm²]	Catalog Number	See Page
IGIIIIIIIII	nesouhnon	Through Terminals	widui	firm 1	IAMILINGI	ı ayc
		Color: gray (other colors available)	F	2.5	V7-W3	N5
-		Color: gray (other colors available)	5		V7-W3	
			6	4	1	N5
	Standard Feed-Through Blocks		7	6	V7-W6	N5
	Provides one straight-through circuit for wire sizes up to 70 mm ² .		8	10	V7-W10	N6
			11	16	V7-W16S	N6
4 1			14	35	V7-W35	N7
			23	70	V7-W70	N7
	Specialty Feed-Through Blocks Provides one straight-through circuit with 3 wire terminals.	Color: gray (other colors available)	5	2.5	V7-W3TW	N9
	Return Terminals Single circuit terminal block with terminals on common side.	Color: gray	5	2.5	V7-WR3	N9
/n: · n\			5	2.5	V7-WD3	N8
	Two Level Terminals	Color: gray	6	4	V7-WD3	N8
	I wo Level Terrilliais	Color: gray	7	6	V7-WD4	N8
		Ground Terminals	1	0	V7-WD0	IVO
	ı	diodila leminais	6	4	V7-WG4	N10
	Grounding Terminals	Color: green / yellow	7	6	V7-WG6	N10
		Goldi. groon / youlow	8	10	V7-WG10S	N10
			13	16	V7-WG16	N11
			18	35	V7-WG35	N11
			22	70	V7-WG33	N11
			6	2.5	V7-WG70	N12
	Isolatio	on and Plug-in Style Blocks	0	2.0	V7 WBQ40	NIZ
		dia i lug ili otylo blooko				
	Knife Style Isolation Blocks		5	2.5	V7-WKD3	N16
	Used to isolate a circuit after	Color: gray	5	2.5	V7-WKD3 V7-WKD3TP	N16
	power has been removed by an appropriate disconnect switch.	Joseph Gray	9	6	V7-WKD6	N16
	appropriate disconnect switch.					
	Handle Style Isolation Block Used to isolate a circuit after power has been removed by an appropriate disconnect switch.	Color: black	9	4	V7-H7	N17
	Plug-in Style Block Accepts plugs listed on opposite page.	without insert without insert, with test plug screws	6 6	2.5 2.5	V7-W4P V7-W4PTP	N20 N20
	Two & Three Level Plug-in Style Terminal Blocks - Accepts plugs listed on opposite page.	two level, without insert three level, without insert, with ground	6 6	2.5 2.5	V7-WD4P V7-WDG4P	N21 N21



Quick Selection Guide (refer to page indicated for complete information and detailed pricing)

Quick Scicotion a	UICK Selection Guide (refer to page indicated for complete information and detailed pricing) Overall Cross-									
Terminal	Description	Tuno	Term.	sec.	Catalog Number	See				
Terminal	Description	Type Plug-in Style Blocks (contin	Width	[mm²]	Number	Page				
Isolation and Plug-in Style Blocks (continued) Inserts for V7-W4P— Order Separately										
		oraci copanaci,								
A	Disconnect Plug				V7-DP4	N28				
()										
	Component Plug				V7-CP4	N28				
Bookin V7-FP4 New Patrick		5 x 20 mm; without indication			V7-FP4					
(B)	Fuse Plug	5 x 20 mm; with LED 5 x 20 mm; with LED			V7-FP424 V7-FP4250	N28				
П		·			V7-11-4250					
	Two Le	vel Component Terminals	ĺ	İ	ı	ĺ				
		the first same the			W7 WD40					
	Diode Terminals	with a fixed connection with a diode in forward bias	6	4	V7-WD4C V7-WD4DF	N22				
		with a diode in reverse bias	6	4	V7-WD4DR					
21										
		Fusible Terminals 5 x 20 mm, without indication	8	4	V7-WFB4	N13				
A	Fuse Terminals	5 x 20 mm, without indication	8	4	V7-WFB10V	N15				
	(fuses not supplied)	5 x 20 mm, with LED	8	4	V7-WFB424	N13				
900		5 x 20 mm, with neon lamp 6.3 x 32 mm, without indication	8 9	4	V7-WFB4250 V7-H6	N13 N14				
		6.3 x 32 mm, without indication	9	4	V7-WFB10VA	N15				
1 ce 1 s		6.3 x 32 mm, with LED 6.3 x 32 mm, with neon lamp	9	4	V7-H5 V7-H4	N14 N14				
		Sensor Terminals	9	4	V7-114	1114				
	Sensor Supply Terminal	without LED	5	2.5	V7-WTF3	N18				
/u	(Initiator)	with LED PNP with LED NPN	5 5	2.5 2.5	V7-WTF3LP V7-WTF3LN	N18 N18				
				2.0						
iu_ux.										
	Sensor Terminal	no indicator with LED PNP	5 5	2.5 2.5	V7-WTS3 V7-WTS3LP	N19 N19				
	(Initiator)	with LED NPN	5	2.5	V7-WTS3LN	N19				
Thermocouple Terminals										
		Chromel / Constantan	10	2.5	V7-WTC3E	N23				
	Thermocouple Terminals	Iron / Constantan	10	2.5	V7-WTC3J	N23				
		Copper / Constantan	10	2.5	V7-WTC3T	N23				
	l		1	1	1	1				

