

(FOR D.O.T. AIR BRAKE TUBE: SEE PAGE 166)

D.O.T. RECOGNIZED FOR ALL AIR BRAKE APPLICATIONS EXCEPT THOSE FOR USE BETWEEN FRAME AND AXLE OR BETWEEN TOWED AND TOWING VEHICLES.

A



**45° ELBOW**  
Tube To Male Pipe Swivel

PART No.	Tube	Pipe
PC1474SW-4A	1/4	1/8
PC1474SW-4B	1/4	1/4
PC1474SW-6A	3/8	1/8
PC1474SW-6B	3/8	1/4
PC1474SW-6C	3/8	3/8
PC1474SW-8B	1/2	1/4
PC1474SW-8C	1/2	3/8
PC1474SW-8D	1/2	1/2
PC1474SW-10D	5/8	1/2



**TEE**  
Ends Tube and Male Pipe Swivel Centre Tube

PART No.	Tube	Pipe
PC1471SW-4A	1/4	1/8
PC1471SW-4B	1/4	1/4
PC1471SW-6B	3/8	1/4
PC1471SW-6C	3/8	3/8
PC1471SW-8C	1/2	3/8
PC1471SW-8D	1/2	1/2



**TEE**  
Tube Centre Male Pipe Swivel

PART No.	Tube	Pipe
PC1472SW-3A	3/16	1/8
PC1472SW-4A	1/4	1/8
PC1472SW-4B	1/4	1/4
PC1472SW-6B	3/8	1/4
PC1472SW-6C	3/8	3/8
PC1472SW-8B	1/2	1/4
PC1472SW-8C	1/2	3/8
PC1472SW-8D	1/2	1/2



**UNION TEE**  
Tube Each End

PART No.	Tube
PC1464-4	1/4
PC1464-6	3/8
PC1464-8	1/2
PC1464-10	5/8
PC1464-12	3/4



**TEE**  
Ends Tube Centre Male Pipe

PART No.	Tube	Pipe
PC1472-4A	1/4	1/8
PC1472-4B	1/4	1/4
PC1472-6B	3/8	1/4
PC1472-6C	3/8	3/8
PC1472-8B	1/2	1/4
PC1472-8C	1/2	3/8



**TEE**  
Ends Tube Centre Female Pipe

PART No.	Tube	Pipe
PC1478-4A	1/4	1/8
PC1478-4B	1/4	1/4
PC1478-6B	3/8	1/4



**TEE**  
Ends Tube and Male Pipe Centre Tube

PART No.	Tube	Pipe
PC1471-4A	1/4	1/8
PC1471-4B	1/4	1/4
PC1471-6B	3/8	1/4
PC1471-6C	3/8	3/8
PC1471-8C	1/2	3/8

**Low Temperature (-60°F, -51°C)  
D.O.T. Push-To-Connect Fittings  
Available On Request.**



**TEE**  
Ends Tube Centre Female Pipe Swivel

PART No.	Tube	Pipe
PC1478SW-4A	1/4	1/8
PC1478SW-4B	1/4	1/4
PC1478SW-6B	3/8	1/4

**PUSH-TO-CONNECT FITTINGS FEATURE A LABOUR SAVING FULL FLOW DESIGN THAT REQUIRES NO TOOLS.**



**TO CONNECT TUBE:**

Cut tube as squarely as possible. Insert tube end into fitting, slide the I.D. of the tube over the tube support until friction is felt as tube slides past the O-ring. Using a slight twisting motion while inserting the tube is often helpful. After this initial friction is felt, continue to push in the tube until it bottoms firmly against the internal tube support.



**TO DISCONNECT TUBE:**

With thumb and forefinger, hold down the top of the insert against the fitting body and then, with the other hand, pull out the tube. No tools are needed.

## AIR BRAKE REPAIR KIT

### Repair Kit Selection:

**PART No. ABFR-KIT-1-PC**

Designed for use in the field, this kit includes a selection of Push-To-Connect fittings and tube to complete many temporary air brake tube repairs. **Single sided carry case, with handle.**

### Kit Contains

PART No.	Qty	PART No.	Qty
1485-4-CUT	24 In.	PC1468-6C	2
1485-6-CUT	24 In.	PC1468-8C	1
1485-8-CUT	24 In.	PC1469-4A	2
PC1462-4	2	PC1469-6B	2
PC1462-6	2	PC1469-8C	1
PC1462-8	2	TK-1	1
PC1468-4A	2	ABFR-BOX-1	1
PC1468-6B	2		



**No Tools  
Required**

### Overall:

Height	12 inches
Width	14-1/2 inches
Depth	2-3/8 inches

## AIR BRAKE SERVICE KIT

### Service Kit Selection:

**PART No. ABFR-KIT-2**

Designed for use in the field or shop, this kit includes a selection of items to complete many general repairs. **Double sided carry case, with handle.**

### Kit Contains

PART No.	Qty	PART No.	Qty
103-A	2	1462-4	2
103-B	2	1462-6	2
103-C	2	1462-8	2
103-D	1	1462-10	1
110-BA	3	1468-4A	2
110-CB	2	1468-4B	2
110-DC	2	1468-6B	2
121-B	3	1468-6C	2
121-C	2	1468-8C	2
121-D	2	1469-4A	2
122-B	3	1469-4B	2
122-C	2	1469-6B	2
122-D	2	1469-6C	2
1460-4	3	1469-8C	2
1460-6	3	1481-4	3
1460-8	3	1481-6	3
1460-10	2	1481-8	3
1461-4	3	1481-10	3
1461-6	3	X115-B	2
1461-8	3	X115-C	2
1461-10	2	ABFR-BOX-2	1



### Overall:

Height	12 inches
Width	14-1/2 inches
Depth	4-3/4 inches



# BRASS D.O.T. AIR BRAKE COUPLINGS AND STEEL TERMINAL BOLTS



## SLEEVE

PART No.	For Hose I.D.
1490-6	3/8
1490-8	1/2



## NUT

PART No.	For Hose I.D.
1491-6	3/8
1491-8	1/2



## COUPLER ASSEMBLY

(NUT, SLEEVE AND COUPLER)

PART No.	For Hose I.D.	Pipe
1492-6B	3/8	1/4
1492-6C	3/8	3/8
1492-6D	3/8	1/2
1492-8C	1/2	3/8
1492-8D	1/2	1/2



## SWIVEL COUPLER ASSEMBLY

(NUT, SLEEVE AND COUPLER)

PART No.	Hose I.D.	Pipe
1492SW-6	3/8	
1492SW-8	1/2	
1492SW-6B *	3/8	1/4
1492SW-6C *	3/8	3/8
1492SW-6D *	3/8	1/2
1492SW-8C *	1/2	3/8

\* Complete with 4134 series adapter.



## HOSE SPLICER

PART No.	For Hose I.D.
1492-6S	3/8
1492-8S	1/2



## COUPLER ASSEMBLY WITH SPRING GUARD

(NUT, SLEEVE, COUPLER AND SPRING)

PART No.	For Hose I.D.	Pipe
1493-6B	3/8	1/4
1493-6C	3/8	3/8
1493-6D	3/8	1/2
1493-8C	1/2	3/8
1493-8D	1/2	1/2



## SWIVEL COUPLER ASSEMBLY WITH SPRING GUARD

(NUT, SLEEVE, COUPLER AND SPRING)

PART No.	For Hose I.D.	Pipe
1493SW-6	3/8	
1493SW-8	1/2	
1493SW-6B *	3/8	1/4
1493SW-6C *	3/8	3/8
1493SW-8C *	1/2	3/8

\* Complete with 4134 series adapter.



## NUT WITH SPRING HOSE GUARD

PART No.	For Hose I.D.
1494-6	Nut and Spring 3/8
1494-8	Nut and Spring 1/2
1494-6N	Nut 3/8
1494-8N	Nut 1/2
1494-6S	Spring 3/8
1494-8S	Spring 1/2



## TERMINAL BOLT (STEEL)

PART No.	Female Pipe	Length (IN.)
1495-C	3/8 X 3/8	1-3/8
1495-L	1/4 X 1/4	1-1/2
1495-S	1/4 X 1/4	31/32



## TERMINAL BOLT (BRASS)

PART No.	Female Pipe	Length (IN.)
1495B-A	1/8 X 1/8	1-1/2
1495B-C	3/8 X 3/8	1-1/4
1495B-D	1/2 X 1/2	1-1/2
1495B-L	1/4 X 1/4	1-1/2
1495B-S	1/4 X 1/4	31/32



## TERMINAL BOLT (STEEL)

PART No.	Pipe	Length (IN.)
1496-DC	1/2M X 3/8F	2



## TERMINAL BOLT (STEEL)

PART No.	Pipe	Length (IN.)
1497-DB	1/2M X 1/4F	2-3/4
1497-DBS	1/2M X 1/4F	1-5/8

A



**TERMINAL  
BOLT  
(STEEL)**

**PART No.**    **Copper Tube**    **Pipe**  
1498-6D    3/8 O.D.    1/2M X 1/4F

**PART No.**    **Nylon Tube**    **Pipe**  
1498N-6D    3/8 O.D.    1/2M X 1/4F



**TERMINAL BOLT  
(STEEL)**

**PART No.**    **Copper Tube**    **For Hose I.D.**  
1499-6    3/8 O.D.    3/8

**PART No.**    **Nylon Tube**    **For Hose I.D.**  
1499N-6 \*    3/8 O.D.    3/8

\* Complete with 1461 series nut.



**COUPLER**

PART No.	For Hose I.D.	Pipe
B1492-6B	3/8	1/4
B1492-6C	3/8	3/8
B1492-6D	3/8	1/2
B1492-8C	1/2	3/8
B1492-8D	1/2	1/2



**HOSE  
CONNECTOR  
FOR HAB  
ASSEMBLIES**

PART No.	Straight Thread	Pipe
4134-6B	3/4-20	1/4
4134-6C	3/4-20	3/8
4134-6D	3/4-20	1/2
4134-8C	3/4-20	3/8
4134-8D	3/4-20	1/2
4134-8C-WH	7/8-20	3/8
4134-8D-WH	7/8-20	1/2

USED WITH ASSEMBLIES ON PAGE 111 - 113

## REUSABLE AIR BRAKE CONNECTORS



**MALE  
PIPE**

PART No.	Hose I.D.	Pipe
4120R-6B	3/8	1/4
4120R-6C	3/8	3/8



**USF  
SWIVEL**

PART No.	Hose I.D.	USF Thread
4131R-6	3/8	3/4 - 20

FOR MATING ADAPTER SEE PART No. 4134

## AIR BRAKE HOSE FIELD REPAIR KIT

### Repair Kit Selection:

### PART No. ABFR-KIT-HAB

Designed for use in the field, this kit includes a selection of items to complete many temporary air brake hose repairs.

**Single sided carry case, with handle.**



### Kit Contains

PART No.	Qty	PART No.	Qty
HAB-6-CUT	16 In.	1492SW-8	1
HAB-8-CUT	16 In.	4134-6B	2
110-CB	2	4134-6C	2
110-DC	2	4134-8C-WH	2
121-M8	1	4134-8D-WH	2
1492-6S	1	TK-1	1
1492-8S	1	ABFR-BOX-1	1
1492SW-6	1		

### Overall:

Height	12 inches
Width	14-1/2 inches
Depth	2-3/8 inches

For more truck & trailer kits  
see pages: 12, 28, & 123





**FAIRVIEW BRASS WATER FITTINGS ARE MACHINED FROM SOLID BAR STOCK FOR STRENGTH AND DURABILITY. THEY ARE IDEALLY SUITED FOR INDUSTRIAL APPLICATIONS, PLUMBING INDUSTRY, MOBILE HOME AND TRAILER WATER HOOK-UPS.**



**SWIVEL CONNECTOR**  
Hose Barb  
To  
Female Hose

HEX NUT (201-H)

PART No.	Hose I.D.
195-6	3/8
195-8	1/2
195-10	5/8
195-12	3/4
195-16 *	1

\* 1" NPS - 11-1/2 T.P.I.



**NYLON SWIVEL CONNECTOR**  
Hose Barb  
To  
Female Hose

(501-W NUT)

PART No.	Hose I.D.
595-6	3/8
595-8	1/2
595-10	5/8
595-12	3/4

MADE WITH NSF APPROVED RESINS



(O-Ring STYLE)      (FLAT STYLE)      (FLAT STYLE)

**GHW      GHW-FLAT      GHW-S**

PART No.	
GHW	GARDEN HOSE WASHER
GHW-FLAT	GARDEN HOSE WASHER
GHW-S	STAINLESS STEEL SCREENED WASHER



200-W



201-H



501-W

PART No.	
200-W	KNURLED CAP NUT
201-H	OPEN HEX NUT
501-W	NYLON HEX NUT (NSF)



**CONNECTOR**  
Hose Barb  
To  
Male Hose

PART No.	Hose I.D.
193-6	3/8
193-8	1/2
193-10	5/8
193-12	3/4
193-16 *	1

\* 1" NPS - 11-1/2 T.P.I.



**NYLON CONNECTOR**  
Hose Barb  
To  
Male Hose

PART No.	Hose I.D.
593-6	3/8
593-8	1/2
593-10	5/8
593-12	3/4

MADE WITH NSF APPROVED RESINS



**WATER PLUG**

PART No.	
206-WP	(Square Head Plug)



**HEX-KNURL CAP NUT**

PART No.	
200-HKC	(With Chain)



**SWIVEL COUPLING**  
Female Hose  
Both Ends

PART No.	
203-W	



Valved couplings give you easy access for opening and closing your watering system.

**Y COUPLINGS**  
Male Hose  
To  
Female Hose



PART No.	Style
① 202-WV	"Y" VALVED
② 202-W	"Y" PLAIN

A



**SWIVEL  
CONNECTOR  
Male Pipe  
To  
Female Hose**

PART No.	Pipe
194-B	1/4
194-C	3/8
194-D	1/2



**COUPLING  
Female Hose  
To  
Male Pipe**

PART No.	Pipe
199-D	1/2
199-E	3/4



**SWIVEL  
COUPLING  
Female Hose  
To  
Female Pipe**

PART No.	Pipe
199S-D	1/2
199S-E	3/4



**COUPLING  
Male Hose  
To  
Female Pipe**

PART No.	Pipe
197-B	1/4
197-C	3/8
197-D	1/2
197-E	3/4



**COUPLING  
Male Hose  
To  
Male Pipe**

PART No.	Pipe
196-C	3/8
196-D	1/2
196-E	3/4



**COUPLING  
Male Hose  
To  
Male Hose**

PART No.	Description
196-W	MALE HOSE TO MALE HOSE



**NYLON  
COUPLING  
Male Hose  
To  
Male Pipe**

PART No.	Pipe
596-C	3/8
596-D	1/2
596-E	3/4

MADE WITH NSF APPROVED RESINS



**COUPLING  
Female Hose  
To  
Female Pipe**

PART No.	Pipe
198-D	1/2
198-E	3/4



**SWIVEL  
CONNECTOR  
S.A.E. Flare  
To  
Female Hose**

PART No.	Tube
191-6	3/8



**WATER LINE  
AIR DRAIN  
VALVE**

PART No.	Description
204	Hex Knurled Cap Nut with Air Valve

## BRASS WATER HOSE (GARDEN HOSE) QUICK DISCONNECTS



**PART No.**  
QD-WHCF

**DESCRIPTION**  
Quick Disconnect  
Coupler X  
Water Hose Thread

**PART No.**  
QD-WHVCF

**DESCRIPTION**  
Valved QD Coupler X  
Water Hose Thread



**PART No.**  
QD-WHNM

**DESCRIPTION**  
Quick Disconnect  
Nipple X  
Water Hose Thread

•TO BE USED WITH DOMESTIC (CITY) WATER SUPPLY.



### CONNECTOR INVERTED FLARE TO MALE PIPE

PART No.	Inverted	
	Flare	Pipe
148-4B	1/4	1/4
148CV-4B	1/4	1/4 (With Check)
BB-148CV-4B	Complete with retail Blister Box Packaging. (Packaged X 2)	



### CYLINDER PRIMUS BY PROPANE THREAD

PART No.	Cylinder	Primus	Propane
	Thread	Thread	Thread
1985	1"-20	M14 X 1.5	9/16-18 LH
2093	1"-20	M14 X 1.5 (With Check)	9/16-18 LH



### CYLINDER PRIMUS BY S.A.E. FLARE

PART No.	Cylinder	Primus	Tube
	Thread	Thread	
2091	1"-20	M14 X 1.5 (With Check)	3/8



### CYLINDER PRIMUS BY FEMALE PIPE

PART No.	Cylinder	Primus	Pipe
	Thread	Thread	
2092	1"-20	M14 X 1.5	1/4



### CYLINDER PRIMUS BY MALE PIPE

PART No.	Cylinder	Primus	Pipe
	Thread	Thread	
2096	1"-20	M14 X 1.5 (with check)	1/4



### CYLINDER ADAPTER

PART No.	Cylinder	Male
	Thread	Pipe
2098	1"-20	1/4



### RESERVE CYLINDER ADAPTER

PART No.	Cylinder	P.O.L.
	Thread	
2097	F. 1"-20	Female
BB-2097	Complete with retail Blister Box Packaging.	



### LAST CHANCE CYLINDER ADAPTER

PART No.	Cylinder	QCC1
	Thread	
2491	F. 1"-20	Female
BB-2491	Complete with retail Blister Box Packaging.	



### CYLINDER ADAPTER

PART No.	Thread	QCC1
2399	1/4 M.P.T.	Female



### P.O.L. TO CYLINDER PRIMUS ADAPTER (With Handwheel)

PART No.	Cylinder	Primus	P.O.L.
	Thread	Thread	
2095	1"-20	M14 X 1.5	Male



### P.O.L. TO QCC1 ADAPTER

PART No.	QCC1	P.O.L.
2087	Female	Male
BB-2087	Complete with retail Blister Box Packaging.	



### PROPANE MOTOR FUEL FILL ADAPTER

PART No.	Female P.O.L. X
2017	1-3/4 ACME THREAD

ALLOWS A STANDARD P.O.L. FITTING TO BE ADAPTED TO FILL AN ENGINE FUEL TANK.



### TAILPIECE ASSEMBLY

WITH O-RING

PART No.	Thread	O.A.L.
2002	1/4 M.P.T.	2-1/2"

O.A.L. - OVERALL LENGTH IN INCHES



### TAILPIECE ASSEMBLY WITH HEX HEAD

HARD NOSE (NO O-RING)

PART No.	Thread	O.A.L.
2002-H-HN	1/4 M.P.T.	2"



### EXCESS FLOW TAILPIECE ASSEMBLY

WITH O-RING



PART No.	Thread	O.A.L.
2003-T	1/4 M.P.T.	2-3/8"

BB-2003-T Complete with retail Blister Box Packaging.



### RESTRICTED FLOW TAILPIECE ASSEMBLY

WITH O-RING

PART No.	Thread	O.A.L.
2003-T-GH-60	1/4 M.P.T.	2"
(#60 ORIFICE HOLE WITH O-Ring HEX-HEAD)		

A



**HIGH FLOW  
TAILPIECE  
ASSEMBLY  
1.8 G.P.M.**



**HARD NOSE (NO O-RING)**

PART No.	Thread	O.A.L.
2003-T-HN-HF	1/4 M.P.T.	2-3/8"
BB-2003-T-HN-HF	Complete with retail Blister Box Packaging.	



**TAILPIECE  
ASSEMBLY**

**WITH O-RING**

PART No.	Thread	O.A.L.
2018-L	9/16-18 L.H.	2-1/2"



**EXCESS FLOW  
TAILPIECE  
ASSEMBLY**



**WITH O-RING**

PART No.	Thread	O.A.L.
2019-L	9/16-18 L.H.	2-3/8"



**COUPLING  
P.O.L. BY  
S.A.E. FLARE**

**WITH O-RING**

PART No.	Tube
2005-6	3/8
2005-8	1/2



**COUPLING  
P.O.L. BY  
Female PIPE**

**WITH O-RING**

PART No.	Pipe
2008-B	1/4



**COUPLING  
Female P.O.L.  
BY  
MALE PIPE**

PART No.	Pipe
2011-B	1/4
2011-D	1/2
2011-E	3/4



**COUPLING  
Female P.O.L.  
BY  
Female PIPE**

PART No.	Pipe
2016-B	1/4
2016-D	1/2

**U.L. LISTED QCC1 CONNECTION**



**1-5/16" Female  
ACME  
TAILPIECE  
ASSEMBLY**



PART No.	Thread	Colour Code
GR-1B	1/4 M.P.T.	Black
GR-1B-500	1/4 M.P.T.	High Capacity Green
BB-GR-1B	Complete with retail Blister Box Packaging.	
BB-GR-1B-500	Complete with retail Blister Box Packaging.	



**P.O.L.  
NUT**

PART No.	Hex
2002-B	7/8"
2002-L	1-1/8"



**HAND  
WHEEL**

PART No.
HW
• WILL FIT 2002-B P.O.L. NUT.



**PLASTIC  
ACME  
CAP**

PART No.	To Cover Thread
2081	1-5/16 ACME

**FOR USE WITH QCC1  
CYLINDER VALVE**



**P.O.L.  
CAP NUT**

PART No.
2004



**PLASTIC POL  
PLUG (WITH STRAP)**

PART No.
PLUG-POL



**P.O.L.  
O-Ring**


PART No.
OR-POL



**P.O.L.  
SEALING  
PLUG**

PART No.	COMPLETE WITH O-RING
2010	

**CYLINDER PRIMUS  
BY O-Ring P.O.L**



PART No.	Cylinder Thread	Primus Thread	H	L
8815	1" - 20	M14X1.5	4-1/4"	3"

• SUFFIX PART NUMBER WITH THE LETTER "P" FOR RETAIL SALES PACKAGING.