




# CABLE TIES



TYPE

## 93000 SERIES


IlSCO ties are an excellent quality cable tie and meet U.S. military specifications MIL-S-23190 and MS-3367.

### Standard Cable Ties

CAT. NO.	PKG. QTY.	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93110-B100	100	NATURAL	18 LBS.	4.0"	0.10"	.75"
93110-B1000	1000	NATURAL	18 LBS.	4.0"	0.10"	.75"
93210-B100	100	UV BLACK	18 LBS.	4.0"	0.10"	.75"
93210-B1000	1000	UV BLACK	18 LBS.	4.0"	0.10"	.75"
93120-B100	100	NATURAL	40 LBS.	5.7"	0.14"	1.25"
93120-B1000	1000	NATURAL	40 LBS.	5.7"	0.14"	1.25"
93220-B100	100	UV BLACK	40 LBS.	5.7"	0.14"	1.25"
93220-B1000	1000	UV BLACK	40 LBS.	5.7"	0.14"	1.25"
93130-B100	100	NATURAL	50 LBS.	8"	0.19"	2.0"
93130-B1000	1000	NATURAL	50 LBS.	8"	0.19"	2.0"
93230-B100	100	UV BLACK	50 LBS.	8"	0.19"	2.0"
93230-B1000	1000	UV BLACK	50 LBS.	8"	0.19"	2.0"
93150-B100	100	NATURAL	50 LBS.	11.8"	0.19"	3.0"
93150-B1000	1000	NATURAL	50 LBS.	11.8"	0.19"	3.0"
93250-B100	100	UV BLACK	50 LBS.	11.8"	0.19"	3.0"
93250-B1000	1000	UV BLACK	50 LBS.	11.8"	0.19"	3.0"
93160-B100	100	NATURAL	50 LBS.	14.6"	0.19"	4.0"
93160-B1000	1000	NATURAL	50 LBS.	14.6"	0.19"	4.0"
93260-B100	100	UV BLACK	50 LBS.	14.6"	0.19"	4.0"
93260-B1000	1000	UV BLACK	50 LBS.	14.6"	0.19"	4.0"
93170-B100	100	NATURAL	120 LBS.	14.5"	0.30"	4.0"
93170-B500	500	NATURAL	120 LBS.	14.5"	0.30"	4.0"
93270-B100	100	UV BLACK	120 LBS.	14.5"	0.30"	4.0"
93270-B500	500	UV BLACK	120 LBS.	14.5"	0.30"	4.0"
93185-B100	100	NATURAL	120 LBS.	28"	0.30"	8.0"
93185-B500	500	NATURAL	120 LBS.	28"	0.30"	8.0"
93285-B100	100	UV BLACK	120 LBS.	28"	0.30"	8.0"
93285-B500	500	UV BLACK	120 LBS.	28"	0.30"	8.0"

### Heavy Duty Cable Ties

CAT. NO.	PKG. QTY.	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93180-B100	100	NATURAL	175 LBS.	25.0"	0.35"	7.0"
93280-B100	100	UV BLACK	175 LBS.	25.0"	0.35"	7.0"
93195-B50	50	NATURAL	175 LBS.	36.5"	0.35"	10.7"
93295-B50	50	UV BLACK	175 LBS.	36.5"	0.35"	10.7"
93199-B50	50	NATURAL	175 LBS.	48.0"	0.35"	15.0"
93299-B50	50	UV BLACK	175 LBS.	48.0"	0.35"	15.0"



### TYPE

## 93000 SERIES

IlSCO ties are an excellent quality cable tie and meet U.S. military specifications MIL-S-23190 and MS-3367.

### Super Heavy Duty Cable Ties

CAT. NO.	PKG. QTY	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93190-B100	100	NATURAL	250 LBS.	22.0"	0.50"	6.0"
93290-B100	100	UV BLACK	250 LBS.	22.0"	0.50"	6.0"
93196-B100	100	NATURAL	250 LBS.	34.0"	0.50"	10.1"
93296-B100	100	UV BLACK	250 LBS.	34.0"	0.50"	10.1"

### Colored Cable Ties


CAT. NO.	PKG. QTY	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93110-R-B100	100	RED	18 LBS.	4.0"	0.10"	.75"
93230-R-B100	100	RED	50 LBS.	8"	0.19"	2.0"
93110-GR-B100	100	GREEN	18 LBS.	4.0"	0.10"	.75"
93230-GR-B100	100	GREEN	50 LBS.	8"	0.19"	2.0"
93110-Y-B100	100	YELLOW	18 LBS.	4.0"	0.10"	.75"
93230-Y-B100	100	YELLOW	50 LBS.	8"	0.19"	2.0"
93110-BL-B100	100	BLUE	18 LBS.	4.0"	0.10"	.75"
93230-BL-B100	100	BLUE	50 LBS.	8"	0.19"	2.0"
93110-OR-B100	100	ORANGE	18 LBS.	4.0"	0.10"	.75"
93230-OR-B100	100	ORANGE	50 LBS.	8"	0.19"	2.0"

### Mounting Head Cable Ties

CAT. NO.	PKG. QTY	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93310-B100	100	NATURAL	18 LBS.	4.5"	.10"	.62"
93410-B100	100	UV BLACK	18 LBS.	4.5"	.10"	.62"
93320-B100	100	NATURAL	40 LBS.	5.9"	.14"	1.25"
93420-B100	100	UV BLACK	40 LBS.	5.9"	.14"	1.25"
93341-B100	100	NATURAL	50 LBS.	8"	.19"	2"
93441-B100	100	UV BLACK	50 LBS.	8"	.19"	2"
93350-B100	100	NATURAL	50 LBS.	12.6"	.19"	3"
93450-B100	100	UV BLACK	50 LBS.	12.6"	.19"	3"
93380-B100	100	NATURAL	50 LBS.	15"	.19"	4"
93480-B100	100	UV BLACK	50 LBS.	15"	.19"	4"
93390-B100	100	NATURAL	120 LBS.	15"	.30"	4"
93490-B100	100	UV BLACK	120 LBS.	15"	.30"	4"

### Push Mount Cable Ties

CAT. NO.	PKG. QTY	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93345-B100	100	NATURAL	50 LBS.	7.9"	.19"	2"
93445-B100	100	UV BLACK	50 LBS.	7.9"	.19"	2"



## TYPE

# 93000 SERIES

IlSCO ties are an excellent quality cable tie and meet U.S. military specifications MIL-S-23190 and MS-3367.

### Releasable Cable Ties

CAT. NO.	PKG. QTY.	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93620-B100	100	NATURAL	50 LBS.	5.9"	.30"	1.2"
93720-B100	100	UV BLACK	50 LBS.	5.9"	.30"	1.2"
93640-B100	100	NATURAL	50 LBS.	7.8"	.30"	2"
93740-B100	100	UV BLACK	50 LBS.	7.8"	.30"	2"
93650-B100	100	NATURAL	50 LBS.	10.5"	.30"	3"
93750-B100	100	UV BLACK	50 LBS.	10.5"	.30"	3"

### In-line Cable Ties

CAT. NO.	PKG. QTY.	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93794-B100	100	UV BLACK	50 LBS.	7.2"	0.35"	1.7"
93795-B100	100	UV BLACK	50 LBS.	10.5"	0.35"	2.7"
93796-B100	100	UV BLACK	50 LBS.	14.1"	0.35"	3.7"

### Stainless Steel Cable Ties

CAT. NO.	PKG. QTY.	COLOUR	TENSILE STRENGTH	LENGTH	WIDTH	BUNDLE DIAMETER
93804-B100	100	SS Steel	100	8"	.18"	2"
93808-B100	100	302/304	100	14"	.18"	4"
93812-B100	100	302/304	100	20"	.18"	6"
93805-B100	100	SS Steel	100	8"	.30"	2"
93809-B100	100	302/304	100	14"	.30"	4"
93813-B100	100	302/304	100	20"	.30"	8"

### Mounting Bases

CAT. NO.	COLOUR	LENGTH	WIDTH	HEIGHT	HOLE SIZE	SLOT SIZE	PKG. QTY
93511-B100	NATURAL	.75"	.75"	.205"	# 6	.05"	100
93513-B100	UV BLACK	.75"	.75"	.205"	# 6	.05"	100
93510-B100	NATURAL	1.0"	1.0"	.215"	# 8	.07"	100
93512-B100	UV BLACK	1.0"	1.0"	.215"	# 8	.07"	100
93514-B100	NATURAL	12.0"	2.0"	300"	# 6 & # 8	.30"	100
93515-B100	UV BLACK	12.0"	2.0"	300"	# 6 & # 8	.30"	100