

DATA CONNECTIVITY

PRE-MOLDED WALL PLATES & STRAPS



| PART NO. | DESCRIPTION |
|--------------|---|
| WMTE14XX | 2-Line Wall Mount Telephone Jack for Hanging Phones (4 Conductor Configuration) Colors: I, LA, W |
| 26TE14XX | Decorator 2-Line Telephone Jack (4 Conductor Configuration) Colors: I, LA, W |
| 26TE16XX | Decorator 3-Line Telephone Jack (6 Conductor Configuration) Colors: I, W |
| 26CATVXX | Decorator 1GHz Coaxial Connector Colors: I, LA, W |
| F9004-XX | 5.1 Home Theater Strap Colors: BK, BR, IV, LA, WH |
| F9005-XX | 2-Speaker Connection Strap Colors: BK, BR, IV, LA, WH |
| F9006-XX | Single Speaker Connection Strap Colors: BK, BR, IV, LA, WH |
| F9008-XX-V1 | 5.1 Home Theater Strap with Wall Plate Colors: DM, LA, WH |
| WP9009-XX-V1 | 7.1 Home Theater Strap with Wall Plate Colors: BK, BR, IV, LA, WH |
| WP1014-WH | Cable Access Strap |
| WP1011-WH | HDMI 2-Port Strap |

PRE-CONFIGURED PLATES & STRAPS



| PART NO. | DESCRIPTION |
|-----------|---------------------------------|
| WP3210-XX | 1-Port Strap, 1RJ45 |
| WP3211-XX | 2-Port Strap Phone/TV |
| WP3220-XX | 2-Port Strap Phone/Data |
| WP3422-XX | 4-Port Strap Phone/Data, TV/AUX |

COLORS: BK, LA, WH

COLOR KEY:



NOTE: The following suffixes should be added to the end of all applicable part numbers. Omit color code to order brown device.

DATA CONNECTIVITY

PATCH CABLES



AC6A07-GY-V1



CAT 6A PATCH CABLES

| PART NO. | DESCRIPTION |
|--------------|----------------------------|
| AC6A07-GY-V1 | 7 Foot Cat 6a Patch Cable |
| AC6A14-GY-V1 | 14 Foot Cat 6a Patch Cable |
| AC6A25-GY-V1 | 25 Foot Cat 6a Patch Cable |
| AC6A50-GY-V1 | 50 Foot Cat 6a Patch Cable |

- 500MHZ PATCH CABLE FULLY SUPPORTS 10 GIGABIT ETHERNET SPEEDS
- UL VERIFIED TO SUPPORT THE CAT 6a PERFORMANCE PATCH CABLE SPECIFICATION
- SNAGLESS OVERMOLD PREVENTS INSERTION TAB FROM CATCHING ON OTHER CABLES
- 22 AWG STRANDED PATCH CABLE



AC3607-BE-V1



CAT 6 PATCH CABLES

| PART NO. | DESCRIPTION |
|--------------|---------------------------|
| AC3607-BE-V1 | 7 Foot Cat 6 Patch Cable |
| AC3614-BE-V1 | 14 Foot Cat 6 Patch Cable |
| AC3625-BE-V1 | 25 Foot Cat 6 Patch Cable |
| AC3650-BE-V1 | 50 Foot Cat 6 Patch Cable |

- 250MHZ PATCH CABLE FULLY SUPPORTS 10 GIGABIT ETHERNET SPEEDS
- UL VERIFIED TO SUPPORT THE CAT 6 PERFORMANCE PATCH CABLE SPECIFICATION
- SNAGLESS OVERMOLD PREVENTS INSERTION TAB FROM CATCHING ON OTHER CABLES
- 22 AWG STRANDED PATCH CABLE



AC3507-WH-V1



CAT 5E PATCH CABLES

| PART NO. | DESCRIPTION |
|--------------|----------------------------|
| 363201-25-V1 | 1 Foot Cat 5e Patch Cable |
| 363201-26-V1 | 2 Foot Cat 5e Patch Cable |
| AC3503-WH-V1 | 3 Foot Cat 5e Patch Cable |
| AC3507-WH-V1 | 7 Foot Cat 5e Patch Cable |
| AC3514-WH-V1 | 14 Foot Cat 5e Patch Cable |
| AC3525-WH-V1 | 25 Foot Cat 5e Patch Cable |
| AC3550-WH-V1 | 50 Foot Cat 5e Patch Cable |

- 100MHZ PATCH CABLE SUPPORTS 10 GIGABIT ETHERNET SPEEDS
- UL VERIFIED TO SUPPORT THE CAT 5e PERFORMANCE PATCH CABLE SPECIFICATION
- SNAGLESS OVERMOLD PREVENTS INSERTION TAB FROM CATCHING ON OTHER CABLES
- 24 AWG STRANDED PATCH CABLE

DATA CONNECTIVITY

HDMI CABLES



AC2M01-BK



HIGH SPEED HDMI CABLES WITH ETHERNET

| PART NO. | DESCRIPTION |
|-----------|---------------------------------|
| AC2M00-BK | 0.7 Meter HDMI cable w/Ethernet |
| AC2M01-BK | 1 Meter HDMI cable w/Ethernet |
| AC2M02-BK | 2 Meter HDMI cable w/Ethernet |
| AC2M03-BK | 3 Meter HDMI cable w/Ethernet |
| AC2M04-BK | 4 Meter HDMI cable w/Ethernet |
| AC2M05-BK | 5 Meter HDMI cable w/Ethernet |
| AC2M07-BK | 7.5 Meter HDMI cable w/Ethernet |
| AC2M10-BK | 10 Meter HDMI cable w/Ethernet |
| AC2M15-BK | 15 Meter HDMI cable w/Ethernet |
| AC2M20-BK | 20 Meter HDMI cable w/Ethernet |
| AC2A05-BK | 5 Meter HDMI cable w/ Ethernet |
| AC2A07-BK | 7 Meter HDMI cable w/ Ethernet |



AC3M01-WH-V1



HIGH SPEED HDMI WITH ETHERNET SLIMLINE CABLE

| PART NO. | DESCRIPTION |
|--------------|--|
| AC3M01-WH-V1 | 1 Meter High Speed HDMI with Ethernet Slimline Cable |
| AC3M02-WH-V1 | 2 Meter High Speed HDMI with Ethernet Slimline Cable |
| AC3M04-WH-V1 | 4 Meter High Speed HDMI with Ethernet Slimline Cable |



AC1030



AC2100



AC2101

ACCESSORIES

| PART NO. | DESCRIPTION |
|----------|--|
| AC1030 | HDBaseT HDMI Extender THE AC1030 KIT EXTENDS HDMI AND INTERNET SIGNALS UP TO 328 FEET USING CAT 5E OR CAT 6 WIRING. IT SUPPORTS 3D VIDEO AND 1080P RESOLUTION, WHILE DUAL IR TARGETS ALLOW THE SOURCE DEVICE TO RECOGNIZE REMOTE COMMANDS AT A SECONDARY LOCATION. KIT INCLUDES: TRANSMITTER AND RECEIVER UNITS, TWO IR TARGETS AND TWO POWER SUPPLIES. |
| AC2100 | HDMI Repeater CONNECTS TWO HDMI CABLES AND EXTENDS SIGNAL UP TO 20 FEET. |
| AC2101 | HDMI Hinged Coupler CONNECTS CABLES TO TIGHT CORNERS. |

DATA CONNECTIVITY

AUDIO/VIDEO CABLES



COMPOSITE

| PART NO. | DESCRIPTION |
|-----------|---------------------------------------|
| AC2006-BK | 6 Feet Composite Vid L/R Audio Cable |
| AC2012-BK | 12 Feet Composite Vid L/R Audio Cable |

UNIVERSAL

| PART NO. | DESCRIPTION |
|-----------|---|
| AC2103-BK | 3 Feet Universal 1 Subwoofer Cable |
| AC2106-BK | 6 Feet Universal 1 Subwoofer Cable |
| AC2112-BK | 12 Feet Universal 1 Subwoofer Cable |
| AC2125-BK | 25 Feet Universal 1 Subwoofer Cable |
| AC2203-BK | 3 Feet Universal 2 L/R Audio Cable |
| AC2206-BK | 6 Feet Universal 2 L/R Audio Cable |
| AC2303-BK | 3 Feet Universal 3 Component Video Cable |
| AC2306-BK | 6 Feet Universal 3 Component Video Cable |
| AC2312-BK | 12 Feet Universal 3 Component Video Cable |
| AC2325-BK | 25 Feet Universal 3 Component Video Cable |

TOSLINK

| PART NO. | DESCRIPTION |
|-----------|------------------------------------|
| AC2403-BK | 3 Feet Toslink w/Mini Audio Cable |
| AC2406-BK | 6 Feet Toslink w/Mini Audio Cable |
| AC2412-BK | 12 Feet Toslink w/Mini Audio Cable |
| AC2425-BK | 25 Feet Toslink w/Mini Audio Cable |

3.5 MM

| PART NO. | DESCRIPTION |
|-----------|---------------------------------------|
| AC2501-BK | 6 Inches Stereo 3.5 mm Y M/2F Adapter |
| AC2506-BK | 6 Feet Stereo 3.5 mm M/F Audio Cable |
| AC2512-BK | 12 Feet Stereo 3.5 mm M/F Audio Cable |
| AC2606-BK | 6 Feet Stereo 3.5 mm M/M Audio Cable |
| AC2612-BK | 12 Feet Stereo 3.5 mm M/M Audio Cable |
| AC2625-BK | 25 Feet Stereo 3.5 mm M/M Audio Cable |


RCA

| PART NO. | DESCRIPTION |
|-----------|---------------------------------------|
| AC2701-BK | 6 Inches RCA Y M/2F Adapter |
| AC2702-BK | 6 Inches RCA Y F/2M Adapter |
| AC2704-BK | RCA Coupler Pair |
| AC2706-BK | 6 Feet 3.5 mm to L/R RCA Audio Cable |
| AC2712-BK | 12 Feet 3.5 mm to L/R RCA Audio Cable |
| AC2725-BK | 25 Feet 3.5 mm to L/R RCA Audio Cable |



DATA CONNECTIVITY

CABLE TIES



| PART NO. | DESCRIPTION |
|----------|--------------------------------|
| AC4000 | 4.75 Inch, Natural, Cable Ties |
| AC4001 | 4.75 Inch, Black, Cable Ties |
| AC4002 | 7.5 Inch, Natural, Cable Ties |
| AC4003 | 7.5 Inch, Black, Cable Ties |
| AC4004 | 11 Inch, Natural, Cable Ties |
| AC4005 | 11 Inch, Black, Cable Ties |

PATCH PANELS



| PART NO. | DESCRIPTION |
|----------|--|
| 24845C5E | Category 5e 24-Port T568A/B Universal Wiring |
| 48845C5E | Category 5e 48-Port T568A/B Universal Wiring |
| 24845CC6 | Category 6 24-Port T568A/B Universal Wiring |
| 48845CC6 | Category 6 48-Port T568A/B Universal Wiring |

- 24 PORT PATCH PANEL USES 1 RACK MOUNT SPACE
- 48 PORT PATCH PANEL USES 2 RACK MOUNT SPACES
- 110 PUNCHDOWN REAR TERMINATION

| | |
|--------------|--|
| WP24RM | 24 Port Keystone Blank |
| WP48RM | 48 Port Keystone Blank |
| AC1902 | 2 U Wall Mount Rack with Extenders |
| 12845C5E89 | 12-Port T568A/B Universal Wiring |
| PS665089V | 50-Pair 66 Block, Unwired & Mounting Bracket |
| PS11050KIT4V | 50-Pair 110 Kit with Legs |

KIT INCLUDES: 110 PUNCH DOWN BLOCK WITH STAND-OFF LEGS, 10 C5 CLIPS, AND LABEL BAR.

LOW VOLTAGE BRACKETS



| PART NO. | DESCRIPTION |
|-----------|--|
| AC1009-01 | 1-Gang, LV Bracket w/Nail, New Const. |
| AC1009-02 | 2-Gang, LV Bracket, Face Mount, New Const. |
| AC1009-11 | 1-Gang, LV Bracket, Face Mount, New Const. |
| AC1010-01 | 1-Gang, LV Bracket, Retrofit |
| AC1010-02 | 2-Gang, LV Bracket, Retrofit |
| AC1010-03 | 3-Gang, LV Bracket, Retrofit |

CRAFTED WITH DURABLE HEAVY-DUTY PLASTIC, ON-Q LV BRACKETS FEATURE AN OPEN BACK AND AN INTEGRATED CABLE MANAGEMENT SYSTEM FOR CLEAN CONNECTIONS AND EASY INSTALLATION.

INSTALLATION TOOLS & CONNECTORS

TOOLS



362721-02 363292-01 363293-01 364346-01
 364406-01 364555-01 AC3400 AC3401
 AC1018 AC3007 AC4006

| PART NO. | DESCRIPTION |
|-----------|--|
| 362721-02 | RG-6 Coax Stripper |
| 363292-01 | Cat 5e Strip and Fit Tool |
| 363293-01 | 110 Punch Down Tool, Impact |
| 364346-01 | Coax Flaring and Insertion Tool |
| 364406-01 | High Performance RJ45 Modular Plug Hand Tool |
| 364555-01 | EZ RJ-45 Modular Plug Hand Tool |
| AC3400 | Punch & Go Tool IMPROVES TERMINATION SPEEDS, REDUCES COMPROMISED CONNECTIONS AND INCREASES PRODUCTIVITY OF ANY QUICK CONNECT DATA INSERT. |
| AC3401 | Punch & Go Tool Replacement Blade |
| AC1018 | Radial Taper Compression Tool (use with 364246-01 Coax F Plug) |
| AC3007 | Adjustable Compression Tool |
| AC4006 | Cable Tie Tool |

CONNECTORS



364246-01 364405-01 364554-01 AC2006
 WP3483-01 AC3001-10 AC3002-10 AC3003-10
 AC3004-10 AC3005-10 AC3006-10 AC3008-10

| PART NO. | DESCRIPTION |
|-----------|--|
| 364246-01 | 360 Conical Coax F Plug |
| 364405-01 | High Performance RJ45 Modular Plugs (25 Pack) |
| 364554-01 | EZ-RJ45 Modular Cat 5e Plug |
| AC2006 | EZ-RJ45 Modular Cat 6 Plug |
| WP3483-01 | Banana Plugs (pair) |
| AC3001-10 | Compression RG6U/Quad F Plug, 10 Pack |
| AC3002-10 | Compression RG6U/Quad 3 GHz F Jack, 10 Pack |
| AC3003-10 | Compression RG6U/Quad Shield BNC Plug, 10 Pack |
| AC3004-10 | Compression RG6U/Quad Shield RCA Plug, 10 Pack (50 Pack also available, AC3004-50) |
| AC3005-10 | Compression RG6U/Quad Shield Right Angle RCA Plug |
| AC3006-10 | Nickle F-81 1 GHz Coupler, 10 Pack (50 Pack also available, AC3006-50) |
| AC3008-10 | Compression RG6U/Quad F Plug 10 Pack (50 Pack also available, AC3008-50) |

POWER MANAGEMENT

POWER SUPPLIES



PW7760



PW7725



PW1030



PW1060



PW1120



PW1240



PW1248

| PART NO. | DESCRIPTION |
|----------|---|
| PW7760 | 12VDC, 18W Power Supply |
| PW7725 | 12VDC, 30W Power Supply |
| PW1030 | 24VDC, 30W Power Supply |
| PW1060 | 24VDC, 60W Power Supply |
| PW1120 | 24VDC, 120W Power Supply Kit |
| | KIT INCLUDES: TWO 24VDC, 60W POWER SUPPLIES (PW1060), ONE MOUNTING BRACKET (PW1006), ONE CUSTOM MOUNTING BRACKET, AND VELCRO STRIPS |
| PW1240 | 24VDC, 240W Power Supply Kit |
| | KIT INCLUDES: FOUR 24VDC, 60W POWER SUPPLIES (PW1060), TWO MOUNTING BRACKETS (PW1006), ONE CUSTOM POWER STRIP, AND VELCRO STRAPS |
| PW1248 | 48VDC, 100W Power Supply |



364569-02-V1



F7526



PW1006

ACCESSORIES

| PART NO. | DESCRIPTION |
|--------------|--|
| 364569-02-V1 | Surge Protected Duplex Power Kit |
| F7526 | Duplex Power Kit |
| | KIT INCLUDES: A SURGE PROTECTED DUPLEX OUTLET, METAL JUNCTION BOX AND A FACEPLATE KIT. |
| PW1006 | Twin Power Supply Bracket |

POWER MODULES



PW1012



PW1013



PW1020



AC1031

| PART NO. | DESCRIPTION |
|----------|--|
| PW1012 | Universal Power Distribution Module |
| PW1013 | Intuity Bridge Power Module |
| PW1020 | Digital Audio Power Distribution Module |
| AC1031 | Enclosure Power Strip Module, Half Width |

VIDEO & VOICE DISTRIBUTION

VOICE & VIDEO MODULES

COMBO MODULES

| DESCRIPTION | Basic 6x4 Combo (110 Punchdown) | 10x8 Combo with RJ31X (RJ45) | 10x8 Combo with RJ31X (110 Punchdown) | 10x8 Combo with RJ31X MoCA Optimized |
|---------------------|---|---|--|---|
| |  |  |  |  |
| PART NO. | 364400-04 | CO1045 | CO1110 | CO2110-V1 |
| Telecom Outlets | 6 | 10 | 10 | 10 |
| Video Outlets | 4 | 8 | 8 | 8 |
| Telecom Connections | 110 Punchdown | RJ45 | 110 Punchdown | 110 Punchdown |
| RJ31X Line Seizure | N | Y | Y | Y |
| Bandwidth | 1 GHz | 1 GHz | 1 GHz | 1 GHz |
| Dimensions | 5 1/8" x 6 1/2" | 5 1/8" x 6 1/2" | 5 1/8" x 6 1/2" | 5 1/8" x 6 1/2" |

VOICE MODULES

| PART NO. | DESCRIPTION |
|---------------|---|
| TM1110 | 10-Way IDC Telephone Module with RJ31X |
| TM1045 | 10-Way RJ45 Telephone Module with RJ31X |
| 1267062-01-V1 | 6-Way Basic Telecom Module with RJ31X |

VIDEO MODULES

| PART NO. | DESCRIPTION |
|----------|--|
| VM1000 | 1x4 Enhanced Passive Video Splitter/Combiner |
| VM1002 | 1x8 Enhanced Passive Video Splitter/Combiner |



TM1110



TM1045



1267062-01-V1



VM1000



VM1002

NETWORKING

WIRED NETWORKS



DA1008



DA1458




DA1054



363486-01



AC1000



AC1001



AC1012



AC1013



AC1014



AC1015



DA2400



DA2401



AC1025



DA1104



DA1101



DA2131-V1

ROUTERS & SWITCHES

| PART NO. | DESCRIPTION |
|----------|--|
| DA1008 | 8-Port Gigabit Switch |
| DA1458 | 8-Port Gigabit Switch with 4-Port PoE Injector |
| DA1054 | 4-Port Gigabit Ethernet Router/Switch |

MODULES

| PART NO. | DESCRIPTION |
|-----------|---|
| 363486-01 | 8-Port Cat 5e Network Interface Module |
| AC1000 | 6-Port Cat 5e Network Interface Module |
| AC1001 | 6-Port Network Interface Module (Unpopulated) |
| AC1012 | 6-Port Cat 5e Network Interface Module |
| AC1013 | 6-Port Cat 6 Network Interface Module |
| AC1014 | 12-Port Cat 5e Network Interface Module |
| AC1015 | 12-Port Cat 6 Network Interface Module |

POWER OVER ETHERNET

| PART NO. | DESCRIPTION |
|----------|--|
| DA2400 | 802.3af 4-Port PoE Injector |
| DA2401 | 802.3at 4-Port High Performance PoE Injector |
| AC1025 | Power Over Ethernet Mounting Plate |

WIRELESS NETWORKS

| PART NO. | DESCRIPTION |
|-----------|---|
| DA1104 | 802.11ac Low Profile Wireless Access Point |
| DA1101 | 802.11n In-Wall/Ceiling Wireless Access Point |
| DA2131-V1 | 802.11n Outdoor Wireless Access Point |

RESOURCES & SUPPORT

TECH SUPPORT

Need help on the job? Legrand's expert team of support specialists are available Monday through Friday, from 8:30 am to 6:30 pm Eastern Time, to answer your product or installation questions. The staff can be reached during these standard hours by any of the below options:

Phone: 800.223.4162, Option #3, then Option #2

Email: technical.support-hs@legrand.us

Live Chat: available through the www.legrand.us website

CUSTOMER SERVICE

Friendly and knowledgeable, our team can handle a wide variety of needs and requests – from order processing to system registration – and is available Monday through Friday, from 9 am to 6 pm Eastern Time.

Phone: 844.334.8044

Email (general inquiries): customer.support.lv@legrand.us

Email (orders): orders.lv@legrand.us

TRAINING

Knowledge is power, and Legrand offers a wealth of product, industry, and installation knowledge through our on-site and online courses.

Visit the Legrand University at <http://go.bluevolt.com/Legrand/Home/> for convenient online courses you can complete at your own pace, recorded past webinars to catch anything you may have missed, as well as a complete schedule of upcoming FREE webinars.

designed to be better™



301 Fulling Mill Road, Suite G
Middletown, PA 17057
(800) 321-2343
www.legrand.us/onq

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

Follow Us

