



**PHILIPS**

Service Smart  
Spec Smart

2017 Quick Ship Guide



Supporting your  
**shelf stocking**  
requirements

# A commitment to service excellence


For over 120 years, Philips has led the lighting industry introducing innovative, energy-efficient lighting solutions and building a trusted reputation for exceptional performance and reliability. As the industry continues to transform, so do we to meet the changing needs of our customers.

We have integrated the latest in innovation and performance options in the lighting market into two on time delivery programs featuring an outstanding product selection of our top selling luminaires, lamps, and ballasts. Staying true to our commitment for service excellence, we are offering a order-to-shipping time guarantee of 2 days for Service Smart and 10 days for Spec Smart items.

## Order-to-shipping timelines

Service Smart items are shipped out within 2 days of order, Spec Smart items are shipped out within 10 days of order.

Service Smart



Spec Smart



## Transportation timelines

For an accurate delivery date, add the following transportation times to the 2 or 10 day shipping time.



Toronto  
Montreal  
Ottawa



Windsor



Quebec City  
Sudbury



Manitoba  
New-Brunswick



Nova-Scotia  
P.E.I  
Saskatchewan



Alberta



Newfoundland  
Vancouver

# Table of Contents

<b>Philips CFI</b>	Commercial Strips	3	Industrial Strips	7
	Commercial Surface	4	Industrial Linear	7
	Commercial Recessed	5	Industrial Highbays	7
	Commercial Decorative	6	Industrial Wet location	9
			Industrial Accessories	9
<b>Lightolier</b>	Downlighting LED		SlimSurface LED	12
			CorePro LED	14
			Lytecaster LED	15
			Lytecaster Accent LED	17
			LyteProfile LED	18
			Calculite LED	20
			Uniframe LED	23
	Downlighting Compact Fluorescent		Uniframe CFL	23
			Calculite CFL	24
			300 Series INC	25
			500 Series INC	28
			LyteCaster INC	30
	Downlighting Accessories		Lytecaster Accessories	36
			Calculite Accessories	37
	Track Lighting LED		CorePro LED	38
Track Lighting Line Voltage		Lytespan LINE	39	
Track Lighting Low Voltage		Lytespan LOW	40	
Track Lighting Accessories		Lytespan ACC	41	
<b>Color Kinetics</b>	Cove Lighting			43
	Under Cabinet Lighting			43
<b>Keene</b>	Area Lighting			45
	Floods			45
	Wallmount			46
	Boxes and Accessories			46
<b>Hadco</b>	Accent Lighting			49
	Path Lighting			49
	Accessories			49
<b>Lumec</b>	Roadway Lighting			51
<b>Philips</b>	Lighting Applications			52

# Indoor Commercial & Industrial

Philips CFI general area lighting luminaires include a broad array of fluorescent, LED and HID solutions for commercial, medical and industrial applications. The portfolio ranges from value based, reliable products to systems including integrated controls and sophisticated optics.

## Indoor Commercial



Strips



Surface



Recessed



Decorative

## Indoor Industrial



Strips



Linear



High Bay



Wet Location

## Indoor Commercial

Catalogue No.	Size	Lamp/Watts	Voltage	Ballast	Service Quantity*		Appl. Page
					Service Smart 2 days	Spec Smart 10 days	
<b>Strips</b>							
<b>FluxStream LED</b>							
FSS220L840-UNV-DIM	2-1/2" x 22-1/2"	2,000 lms/4000K	120/277	0-10v dim	40		56
FSS330L840-UNV-DIM	2-1/2" x 33-1/2"	3,000 lms/4000K	120/277	0-10v dim	30		56
FSS455L840-UNV-DIM	2-1/2" x 44-3/4"	5,500 lms/4000K	120/277	0-10v dim	60		56
FSS8110L840-UNV-DIM	2-1/2" x 89-1/2"	11,000 lms/4000K	120/277	0-10v dim	30		56
FSS220L840-347-DIM	2-1/2" x 22-1/2"	2,000 lms/4000K	347	0-10v dim	15		56
FSS330L840-347-DIM	2-1/2" x 33-1/2"	3,000 lms/4000K	347	0-10v dim	10		56
FSS440L835-UNV-DIM	2-1/2" x 44-3/4"	4,000 lms/3500K	120/277	0-10v dim	100		56
FSS440L840-UNV-DIM	2-1/2" x 44-3/4"	4,000 lms/4000K	120/277	0-10v dim	250		56
FSS880L840-UNV-DIM	2-1/2" x 89-1/2"	8,000 lms/4000K	120/277	0-10v dim	140		56
FSS440L840-347-DIM	2-1/2" x 44-3/4"	4,000 lms/4000K	347	0-10v dim	30		56
FSS880L840-347-DIM	2-1/2" x 89-1/2"	8,000 lms/4000K	347	0-10v dim	30		56
<b>FluxStream LED Accessory</b>							
FSSWG4	4' Fluxstream Wireguard, White				40		N/A
<b>N Series Strip</b>							
N117-UNV-1/1-EB	2-1/2" x 24"	1-T8/17	120/277	T8 ELEC.	15		56
N125-UNV-1/1-EB	2-1/2" x 36"	1-T8/25	120/277	T8 ELEC.	10		56
N132-347-1/1-EB	2-1/2" x 48"	1-T8/32	347	T8 ELEC.		100	56
N132-UNV-1/1-EB	2-1/2" x 48"	1-T8/32	120/277	T8 ELEC.	40		56
N132-UNV-1/1-EB-OPTIS	2-1/2" x 48"	1-T8/32	120/277	T8 ELEC.		100	56
<b>Strip Reflectors N and T Series</b>							
TSS-4	Symmetric Silver Reflector for T Series Strip				40		56
<b>N &amp; T Accessories</b>							
CG-4	Wireguard for T Series Strip				500		N/A
CGS-4	Wireguard for N Series Strip				150		N/A

\* Value indicates maximum quantity per order.



# Indoor Commercial

Catalogue No.	Size	Lamp/Watts	Voltage	Ballast	Service Quantity*		Appl. Page
					Service Smart 2 days	Spec Smart 10 days	

## Strips continued

### Surface T5 Strip SV Series

SV4S128UNVPG	2" x 46"	1-T5/28	120/277	T5 ELEC.	70		56
SV4S154UNVPG	2" x 46"	1-T5HO/54	120/277	T5HO ELEC.	30		56
SV4S228UNVPG	2" x 46"	2-T5/28	120/277	T5 ELEC.	60		56
SV4S254UNVPG	2" x 46"	2-T5HO/54	120/277	T5HO ELEC.	100		56
SV8S154347PG	2" x 92"	2-T5HO/54	347	T5HO ELEC.		100	56
SV8S254347PV	2" x 92"	4-T5HO/54	347	T5HO ELEC.	40		56
SV8S254UNVPV	2" x 92"	4-T5HO/54	120/277	T5HO ELEC.		100	56

### T Series Strip

TN132-347-1/2-EB	2" x 98"	2-T8/32	347	T8 ELEC.	20		56
TN132-347-1/2-EB-OPTIS	2" x 98"	2-T8/32	347	T8 ELEC.		100	56
TN132-UNV-1/2-EB-OPTIS	2" x 98"	2-T8/32	120/277	T8 ELEC.		100	56
TN132-UNV-1/2-EB	2" x 98"	2-T8/32	120/277	T8 ELEC.	30		56
T232-347-1/2-EB	2" x 48"	2-T8/32	347	T8 ELEC.	80		56

### T5 SV Series Accessories

SV5GXG4	Wireguard for T5 SV Series				50		N/A
SV5LWW4SSLD	SV5 Louver Accessory - Solid White Blade Louver				15		N/A
SV5LWW4SSLDX	SV5 Louver Accessory - Solid White with Miro Reflector Louver					100	N/A
SV5RIW4SSLD	Symmetric Solid White Reflector				70		N/A
SV5-CPL	SV T5 Strip Coupler. Required for row mounting				5		N/A
SV5F48	48" Stem & Canopy Set (2 per luminaire recommended)					100	N/A
SVC60	Cable & Canopy Kit (Adjustable 6" to 60")					100	N/A
SVCC60-UNV	Powerfeed cable/canopy kit 20/277V (adjustable 6" to 60")					100	N/A

## Surface

### Commercial Wrap

CFW232-120-1/2EB-GENIS	6-1/2" x 48"	2-T8/32	120	T8 ELEC.	100		56
------------------------	--------------	---------	-----	----------	-----	--	----

### CSW Cubelite

CSW248-UNVA2ZO	4" x 48"	2-T8/32	120/277	T8 ELEC.		100	56
----------------	----------	---------	---------	----------	--	-----	----

### OW Wrap

OWL440L835-UNV-DIM	8-5/8" x 48"	4,000 lms/3500k	120/277	0-10v dim	20		56
OWL440L840-UNV-DIM	8-5/8" x 48"	4,000 lms/4000k	120/277	0-10v dim	30		56
OWL450L840-UNV-DIM	8-5/8" x 48"	4,500 lms/4000k	120/277	0-10v dim	40		56
OWN232-UNV-1/2-EB	8-5/8" x 48"	2-T8/32	120/277	T8 ELEC.	100		56

### SMR Surface Modular

1SMR232-FA01-UNV-1/2-EB	1' x 4'	2-T8/32	120/277	T8 ELEC.	20		56
2SMR432-FS01-UNV-1/4-EB	2' x 4'	4-T8/32	120/277	T8 ELEC.	10		56

\* Value indicates maximum quantity per order.

