




264
Series



ENGINE STUDS and NUTS
GOUJONS et ECROUS DE MOTEUR



'Papco' Engine Studs will service all popular makes of cars. They have extra long threads and can be cut to size where a shorter stud is required.

Order by Stock Number

Standard Packages 12 pieces

Stock No.	Length Dia. x 'A'	Dimensions		Stock No.	Length Dia. x 'A'	Dimensions	
		'B'	'C'			'B'	'C'
264-016	5/16 x 1-3/4	7/8 UNF	5/8 UNC	264-092	7/16 X 2-1/4	7/8 UNF	7/8 UNC
264-018	5/16 x 2	7/8 UNF	3/4 UNC	264-094	7/16 X 2-3/8	7/8 UNF	5/8 UNC
264-024	5/16 x 2-1/2	1-1/2 UNF	1/2 UNC	264-096	7/16 X 2-1/2	7/8 UNF	3/4 UNC
264-032	5/16 x 3	1-1/2 UNF	5/8 UNC	264-102	7/16 X 3-1/4	1-7/8 UNF	5/8 UNC
264-048	3/8 x 2	1 UNF	3/4 UNC	264-103	7/16 X 3-1/4	1 UNF	3/4 UNC
264-049	3/8 x 2	1 UNC	5/8 UNC	264-108	7/16 X 3-5/8	1-3/4 UNF	5/8 UNC
264-058	3/8 x 2-3/4	1 UNF	3/4 UNC	264-110	7/16 X 4	1-7/8 UNF	5/8 UNF
264-060	3/8 x 3	1-1/4 UNF	3/4 UNC	264-134	1/2 X 2-1/2	1 UNF	3/4 UNC
264-066	3/8 x 4	2 UNC	3/4 UNC	264-140	1/2 X 2-7/8	7/8 UNF	3/4 UNC
264-067	3/8 x 4	2 UNF	3/4 UNC	264-150	1/2 X 4	2 UNF	3/4 UNC
264-086	7/16 x 1-3/4	9/16 UNF	1/2 UNC				
264-088	7/16 x 2	7/8 UNF	3/4 UNC				

METRIC STUDS

Conform to I.S.O. Class 8.8 Specifications. For manifolds, rocker covers and general engine uses.

For Metric Steel Nuts see page 25.

Standard Package 10 Studs

Stock No.	Dia. x Pitch x Length 'A'	'B' mm	'C' mm	Application	Stock No.	Dia. x Pitch x Length 'A'	'B' mm	'C' mm	Application
264-230	M6 x 1.00 x 30mm	14	12	VW-056-103-400	264-440	M8 x 1.25 / M10 x 1.50 x 35mm	14 (M8)	19 (M10)	Universal
264-328	M8 x 1.25 x 28mm	15	10	VWN044-511-1	264-441	M10 x 1.25 x 37mm	13	21	Universal
264-335	M8 x 1.25 x 35mm	17	12	VWN044-514-2	264-443	M10 x 1.25 x 43mm	21	16	DAT14064-N4200
264-338	M8 x 1.25 x 38mm	20	10	VWN14-443-8	264-450	M10 x 1.25 x 50mm	25	15	Universal
264-346	M8 x 1.25 x 46mm	23	16	VWN044-410-2(-4)	264-451	M10 x 1.50 x 50mm	25	15	Universal
264-348	M8 x 1.25 x 50mm	23	10	Universal	264-452	M10 x 1.50 x 52mm	27	12	Universal
264-350	M8 x 1.25 x 55mm	23	10	Universal	264-453	M10 x 1.50 x 62mm	28	12	Universal
264-352	M8 x 1.25 x 60mm	24	10	Universal	264-455	M10 x 1.50 x 65mm	46.5	13.5	Universal
264-354	M8 x 1.25 x 65mm	19	10	Universal	264-457	M10 x 1.50 x 77mm	28	12	Universal
264-356	M8 x 1.25 x 70mm	24	10	Universal					



HEX BRASS NUTS


Stock No.	Size and Thread	Width Across Flats	Thickness
264-953	5/16 UNF	1/2	17/64
264-954	5/16 UNC	1/2	17/64
264-955	3/8 UNF	9/16	21/64
264-956	3/8 UNC	9/16	21/64
264-957	3/8 UNC	9/16	5/8
264-958	7/16 UNF	5/8	3/8
264-959	7/16 UNC	5/8	3/8
264-960	1/2 UNF	3/4	7/16
264-961	1/2 UNC	3/4	7/16

ENGINE STUD and NUT MASTER ASSORTMENT No. 020-632

Contains 80 pieces - 10 sizes.

Will service all exhaust manifold applications. Complete car coverage. All Parts illustrated on hinged lid of sturdy metal merchandiser. Handy carrying handle with snap lock.

For SUPER-SERVICE ASSORTMENT No. 020-818 Engine Studs and Nuts see page 9.




HIGH STRENGTH STEEL NUTS

Standard Package 25 Nuts


Stock No.	Size and Thread	Width Across Flats	Thickness
264-903	5/16 UNF	1/2	17/64
264-905	3/8 UNF	9/16	21/64
264-908	7/16 UNF	11/16	3/8
264-909	7/16 UNC	11/16	3/8
264-910	1/2 UNF	3/4	7/16

For 'Papcolloy' Hardened Steel Washers see page 32.



MANIFOLD STUDS
GOUJONS POUR COLLECTEUR

LOW CARBON STEEL



'Papco' Low - Carbon Manifold Studs are easily removed if rusted, broken or stripped. Simply drill out or burn out with a torch. Preferred by muffler shops everywhere. Coarse thread both ends.

Order by Stock Number

Standard Packages 10 pieces


Stock No.	Dia. x Length 'A'	Dimensions		Stock No.	Dia. x Length 'A'	Dimensions	
		'B'	'C'			'B'	'C'
264-504	3/8-16 x 2	5/8 NC	1-1/8 NC	264-519	7/16-14 x 3	5/8 NC	2" NC
264-507	3/8-16 x 2-1/2	5/8 NC	1-1/4 NC	264-523	7/16-14 x 4	5/8 NC	2" NC
264-509	3/8-16 x 3	5/8 NC	2" NC	264-640	M8 x 1.25 x 40	16mm	19mm
264-510	3/8-16 x 3-1/4	5/8 NC	1-5/8 NC	264-650	M10 x 1.5 x 50	16mm	19mm
264-517	7/16-14 x 2-1/2	5/8 NC	1-1/4 NC				

257
Series


PAPCO® CYLINDER HEAD BOLT KITS TROUSE POUR BOULONS DE CULASSE




'Papco' Cylinder Head Bolts are made of high-strength Grade 8 steel. Original bolts may be permanently stretched when torqued to specifications and should be replaced. Torque-to-yield bolts MUST be replaced to avoid premature head gasket failure.




Type 1



Type 2



Type 3



Type 4

Order by Kit Number

Type	Year	Cyl.	Engine Size	Size	Kit No.	Trq. to Yield	Pcs. /Kit	Factory No.	
CHRYSLER									
1	1981-up	(4)	2.2L (135), 2.5L (153)	M11 X 1.5 X 120	257-301	Yes	10	6501433	
1†	1987-up	(6)	3.0L (181) SOHC (Mits.)	M12 X 1.25 X 102	257-303	Yes	16	MD065959	
1	1993-up	(6)	3.5L	1/2-13 X 1-7/8	257-304	Yes	16	6502665	
1	1957-up	(8)	All	(Short)	1/2-13 X 3-5/8	257-305	No	10	6031045
1				(Medium)	1/2-13 X 4-1/2	No	8	6031101	
1				(Long)	M11 X 1.5 X 190	No	2	2463260	
FORD									
1	1981-94	(4)	1.6L, 1.9L Escort	M10 X 1.5 X 130	257-310	Yes	10	E4FZ-6065-A	
1	1974-95	(4)	2.3L (140), OHC	M12 X 1.75 X 100	257-311	No	10	D4FZ-6065-A	
1	1986-up	(6)	2.9L (177), 4.0L (244) Truck	M12 X 1.75 X 73	257-312	Yes	16	E6TZ-6065-A	
1	1986-up	(6)	3.0L (183) Exc: SHO	M11 X 1.5 X 102	257-313	Yes	16	E8DZ-6065-A	
2	1982-up	(6)	3.8L (232)	(Short)	M11 X 1.5 X 80	257-315	Yes	8	F4SZ-6065-B
2				(Long)	M11 X 1.5 X 100		Yes	8	F4SZ-6065-A
1	1991-up	(8)	4.6L (281) SOHC	M11 X 1.5 X 210	257-316	Yes	20	F5AZ-6065-A	
2	1980-95	(8)	4.9L (300)	7/16-14 X 4	257-317	Yes	14	F3ZZ-6065-B	
2	1970-up	(8)	5.0L (302)	(Long)	7/16-14 X 4	257-318	Yes	10	F3ZZ-6065-B
2				(Short)	7/16-14 X 2-7/16		Yes	8	F3ZZ-6065-C
4				(w/stud)	7/16-14 X 3-7/8		Yes	2	F3ZZ-6065-D
3	1970-up	(8)	5.8L (351) Windsor	(Short)	1/2-13 X 2-1/2	257-319	No	20	C902-6065-A
3				(Long)	1/2-13 X 4		No	20	C902-6065-B
GENERAL MOTORS									
1	1985-95	(4)	1.6L (98) 4, 5, 6 Geo	M10 X 1.5 X 94	257-331	Yes	10	96061591	
3	1982-94	(4)	1.8L, 2.0L, OHC H, K, M	(w/stud)	M11 X 1.5 X 140	257-332	Yes	2	10031210
4				(w/stud)	M11 X 1.5 X 185		Yes	4	10031213
4				(w/stud)	M11 X 1.5 X 165		Yes	4	10031214
1	1987-93	(4)	2.3L (138) QUAD IV DOHC	(Long)	M12 X 1.75 X 83	257-334	Yes	2	22531281
1				(Long)	M12 X 1.75 X 98		Yes	8	22531282
4	1980-up	(4)	2.5L (151) A, E, 5, R, 2 (w/stud)	(w/stud)	M11 X 1.5 X 125	257-336	Yes	1	12338010
4				(w/stud)	M11 X 1.5 X 99		Yes	1	12338012
1				(w/stud)	M11 X 1.5 X 99		Yes	8	12337818
1	1987-96	(6)	2.8L (173) W, 3.1L (189) VIN T	(Long)	M11 X 1.5 X 78 **	257-338	Yes	8	10100033
1				(Long)	M11 X 1.5 X 108		Yes	8	10227593
1	1982-95	(6)	2.8L (173), 3.1L (189) M, T, W	(Long)	M11 X 1.5 X 68	257-339	No	8	476572
1				(Long)	M11 X 1.5 X 93		No	8	476543
3	1975-up	(6)	3.8L (231) A, B, G, 2, 3, 7, 8, 9, C, L	(Long)	7/16-14 X 2-11/16	257-340	No	8	1243262
1				(Long)	7/16-14 X 3-1/2		No	8	1253539
3	1955-up	(6-8)	4.3L (262) Z, 305, 327, 350, 400	(Long)	7/16-14 X 3-3/4 *	257-341	No	14	14082317
3				(Long)	7/16-14 X 1-3/4 *		No	16	14082316
3				(Long)	7/16-14 X 3 *		No	4	14082315
1	1982-up	(8)	6.2L (381), 6.5L (395) Diesel	7/16-14 X 3	257-342	No	34	14077193	
1	1971-up	(8)	366, 427, 454 Truck	(Long)	7/16 X 4-5/64	257-343	No	8	10141204, 3877668
1				(Short)	7/16 X 2-1/16		No	24	10141205, 3877669


† Round Head

* with GM 9985490 Thread Sealant ** with GM 6124M Thread Sealant

257
Series

PAPCO® STARTER BOLTS BOULONS A DEMARREUR

These hexagon washer head medium carbon steel plated bolts are replacements for damaged or missing starter mounting bolts.



Order by Stock Number

Standard Package 5 Pieces

Stock No.	Size	Application	Stock No.	Size	Application
257-005	3/8-16 x 1-5/16	GM 4.4, 5.0 & 5.7 lit.	257-055	M10 x 1.5 x 45	GM 2.0, 2.5 & 3.4 lit.
257-007	3/8-16 x 1-7/8	GM 3.8 lit., 6 cyl.	257-060	M10 x 1.5 x 102	GM 2.8 & 3.1 lit.
257-012	3/8-16 x 3-5/8	GM 6 & 8 cyl.	257-065	M10 x 1.5 x 113	GM 2.0, 2.5 & 3.4 lit.
257-015	3/8-16 x 4-5/16	GM 4.4, 5.0 & 5.7 lit.	257-070	M10 x 1.5 x 118	GM 2.0, 2.2, 2.5, 2.8, 3.1 & 3.4 lit.
257-017	3/8-16 x 4-1/2	GM 4.3 & 5.0 lit.			
257-018	3/8-16 x 4-5/8	GM 5.0 & 5.7 lit.			



257
Series

PAPCO ALTERNATOR BOLTS BOULONS DE ALTERNATEUR

These high-strength, heat treated plated bolts are used as alternator mounting bolts on domestic and imported vehicles.



Order by Stock Number

Standard Package 5 Pieces

Stock No.	Size	Application	Stock No.	Size	Application
257-105	5/16-18 x 1-1/4	Universal	257-120	3/8-16 x 6	GM
257-110	5/16-18 x 5	GM	257-125	7/16-14 x 5-1/2	Ford
257-115	3/8-16 x 3-1/8	GM	257-155	M10 x 1.5 x 80	GM
257-118	3/8-16 x 4	Chrysler	257-160	M10 x 1.5 x 105	GM


263
Series

PAPCO DRAIN COCKS ROBINETS DE VIDANGE


'Papco' Plastic Drain Cocks for low pressure applications. For water, air, gas, anti-freeze and other fluids. (Not intended for natural gas, LPG or lubricants.)

Order by Stock Number

Standard Package 5 Pieces



PLASTIC DRAIN COCKS			BRASS DRAIN COCKS		
Stock No.	Size	Factory No. Appl.	Stock No.	Pipe Size	Type
263-951	5/16 (7/16-20)	GM: 3042160	D40-A	1/8	Back Seating
263-952	1/4x1-1/2	GM: 305104 FORD: E1FZ-8115A	D40-B	1/4	Back Seating
263-953	1/4x1-7/8	FORD: E57H-B115A	D40-C	3/8	Back Seating
263-957	10mm x 1.25	NISSAN: 21480-RD100 SUBARU: 7451-24010	D43-A	1/8	Outlet Fitting
263-959	14mm x 1.25	TOYOTA: 90910-09054 HONDA: 19011-PA004	D44-A	1/8	Outlet Fitting
			D39-B	1/4	External Seating



DRAIN COCK MASTER ASSORTMENT No. 020-606

Contains 119 pieces of Plastic and Brass Drain Cocks - plus Compression Sleeves, Nuts, Unions and four sizes of Hex Head Pipe Plugs.

- All Metal box with hinged lid and handy carrying handle.
- Plastic, moulded compartmentized tray.
- Illustrated lid label with retail price codes and refill stock numbers.


DRUM FAUCET No. 913-026

Individually Packaged

For use with oils, kerosene, gasoline, naphtha, alcohol, lacquers, varnishes, thinners, solvents of all kinds, anti-freeze solutions and other liquids, hot or cold.

The 'Papco' Sette Faucet is simple in design and has an all nylon seat for extended life.

Extra thin liquids that are impossible to hold with ordinary faucets are held absolutely and permanently tight by 'Papco' Sette Faucets.





Also known as Frost Plugs, Welsh Plugs or Freeze-Out Plugs.

"Papco" Expansion Plugs are made of heavy gauge plated steel or solid brass to resist rust.


Aussi connus "Frost Plugs", "Welsh Plugs", "Freeze-Out Plugs". Les bouchons d'expansion "Papco" sont fabriqués d'acier épais et plaqués ou laiton massif pour résister à la rouille.



STANDARD TYPE / TYPE REGULIER

Standard Package / Contenant Régulier: 3/8-15/8 = 25 pcs. 147/64-3 = 12 pcs.

Stock No. STEEL	Stock No. BRASS	Nominal Plug Size	Reference O.D.+/- .005	Stock No. STEEL	Stock No. BRASS	Nominal Plug Size	Reference O.D.+/- .005
260-006	260-506	3/8	.375	260-042		1 5/16	1.313
260-008		7/16	.437	260-045	260-545	1 3/8	1.375
260-010	260-510	1/2	.500	260-048		1 7/16	1.437
260-012		9/16	.563	260-051		1 31/64	1.484
260-014		5/8	.625	260-054		1 1/2	1.500
260-016		11/16	.687	260-057	260-557	1 5/8	1.625
260-018	260-518	3/4	.750	260-060		1 47/64	1.734
260-020		13/16	.812	260-063	260-563	1 3/4	1.750
260-022		27/32	.844	260-066	260-566	1 7/8	1.875
260-024	260-524	7/8	.875	260-069	260-569	2	2.000
260-026		15/16	.936	260-072		2 1/16	2.063
260-028	260-528	1	1.000	260-075	260-575	2 7/64	2.105
260-030		1 1/32	1.031	260-078		2 1/4	2.250
260-032		1 1/16	1.063	260-081		2 1/2	2.500
260-034	260-534	1 1/8	1.125	260-084		2 3/4	2.750
260-036		1 3/16	1.188	260-087		3	3.000
260-039	260-539	1 1/4	1.250				



Plated Steel or Solid Brass/Acier Plaqué ou laiton massif

CUP TYPE / TYPE D'ASSIETTE

Standard Package / Contenant Régulier = 12 pcs.


Stock No. STEEL	Stock No. BRASS	Nominal Plug Size	Reference O.D.+/- .005	H - Overall Height	Stock No. STEEL	Stock No. BRASS	Nominal Plug Size	Reference O.D.+/- .005	H - Overall Height
260-100		1/4	0.2600	.135	260-165		1 1/4	1.2580	.437
260-103		5/16	0.3135	.296	260-168		1 3/8	1.3875	.500
260-108		7/16	0.4500	.210	260-171		1 7/16	1.4380	.431
260-110		7/16	0.4445	.156	260-174		1 1/2	1.5220	.375
260-112		29/64	0.4600	.270	260-177		1 1/2	1.5060	.325
260-114		1/2	0.5270	.312	260-180	260-680	1 1/2	1.5075	.625
260-115		1/2	0.5110	.258	260-183		1 9/16	1.5760	.600
260-116		35/64	0.5425	.250	260-186	260-686	1 5/8	1.6375	.593
260-118		9/16	0.5830	.250	260-189		1 41/64	1.6420	.350
260-120		19/32	0.5940	.281	260-192		1 45/64	1.7075	.812
260-121		9/16	0.5710	.250	260-193		1 45/64	1.6380	.350
260-124		5/8	0.6400	.250	260-194	260-694	1 3/4	1.7625	.363
260-125		21/32	0.6580	.266	260-198	260-698	1 3/4	1.7625	.593
260-126		5/8	0.6325	.250	260-204		1 3/4	1.7500	.356
260-128		11/16	0.7000	.250	260-207	260-707	1 49/64	1.7655	.406
260-129		41/64	0.6350	.233	260-210	260-710	1 7/8	1.8925	.447
260-130	260-630	3/4	0.7525	.250	260-213		1 57/64	1.8830	.266
260-132		3/4	0.7625	.265	260-216		1 29/32	1.9020	.600
260-133		51/64	0.7890	.312	260-219	260-719	1 15/16	1.9475	.800
260-134		13/16	0.8120	.312	260-222	260-722	1 61/64	1.9555	.300
260-136		7/8	0.8880	.312	260-224		1 61/64	1.9560	.295
260-138	260-638	29/32	0.9120	.390	260-225		1 63/64	2.0000	.800
260-140	260-640	59/64	0.9250	.335	260-228	260-728	2	2.0090	.635
260-142		15/16	0.9450	.375	260-231		2	2.0080	.415
260-143		61/64	0.9510	.272	260-234	260-734	2 1/64	2.0175	.590
260-144	260-644	1	1.0140	.281	260-237	260-737	2 1/16	2.0675	.510
260-145		1	1.0090	.295	260-240		2 3/32	2.0975	.610
260-146		1 1/16	1.0730	.280	260-243	260-743	2 1/8	2.1450	.430
260-147		1 5/64	1.0720	.280	260-246		2 9/64	2.1485	.600
260-150	260-650	1 1/8	1.1330	.437	260-249		2 3/16	2.1990	.360
260-153		1 13/64	1.2000	.420	260-252	260-752	2 1/4	2.2650	.812
260-156		1 7/32	1.2280	.531	*260-255		2 17/64	2.2640	.355
260-159	260-659	1 1/4	1.2550	.300	260-260		2 1/2	2.5040	.350
*260-162		1 1/4	1.2575	.343	*260-262		2 1/2	2.5000	.340

*With Reverse Taper



260
Series

papco® **EXPANSION PLUGS**
BOUCHONS D'EXPANSION



Plated Steel or Solid Brass / Acier plaqué ou laiton massif
SHALLOW CUP TYPE / TYPE D'ASSIETTE PEU PROFOND
Standard Package / Contenant Régulier = 12 pcs.

Stock No. STEEL	Stock No. BRASS	Nominal Plug Size	Reference O.D. +/- .005	H - Overall Height	Stock No. STEEL	Stock No. BRASS	Nominal Plug Size	Reference O.D. +/- .005	H - Overall Height
260-303	260-803	7/16	.440	.170	260-345		1 53/64	1.825	.350
260-305		29/64	.450	.203	260-348		1 29/32	1.915	.265
260-307		1/2	.505	.250	260-351		1 59/64	1.922	.235
260-308		17/32	.541	.187	260-354		1 31/32	1.9775	.218
260-309		35/64	.5425	.187	260-357		2	2.025	.406
260-311		5/8	.631	.190	260-359	260-859	2	2.010	.310
260-312		45/64	.700	.205	260-362		2 1/64	2.0175	.240
260-313		53/64	.8235	.250	260-365	260-865	2 1/16	2.0725	.343
260-315	260-815	1	1.010	.290	260-372		2 7/64	2.109	.310
260-318	260-818	1 1/4	1.2625	.312	260-375		2 9/64	2.135	.360
260-321		1 21/64	1.3225	.281	260-378		2 5/32	2.1535	.328
260-324	260-824	1 3/8	1.385	.340	260-381	260-881	2 3/16	2.200	.355
260-327	260-827	1 1/2	1.505	.300	260-383		2 3/16	2.192	.343
260-330		1 9/16	1.570	.315	260-385		2 7/32	2.2205	.305
260-333	260-833	1 5/8	1.640	.345	260-388		2 1/4	2.262	.350
260-336		1 45/64	1.703	.281	260-391		2 3/8	2.385	.312
260-339	260-839	1 3/4	1.762	.232	*260-394		2 9/16	2.575	.301
260-342		1 51/64	1.8025	.250					


*With Reverse Taper

261
Series

papco® **METRIC EXPANSION PLUGS**
BOUCHONS D'EXPANSION METRIQUE



Plated Steel/
Acier Plaqué



STANDARD TYPE / TYPE REGULIER


Standard Package / Contenant Régulier = 10 pcs.

Stock No.	Nominal O.D.	Stock No.	Nominal O.D.
261-011	16 mm	261-064	40 mm
261-014	18 mm	261-069	42 mm
261-024	24 mm	261-077	45 mm
261-026	25 mm	261-090	52 mm
261-046	35 mm	261-096	55 mm

SHALLOW CUP TYPE / TYPE D'ASSIETTE PEU PROFOND

Standard Package / Contenant Régulier = 10 pcs.

Stock No.	Nominal O.D.	Stock No.	Nominal O.D.
261-326	25 mm	261-367	41.5mm
261-347	35 mm	261-377	45 mm
261-364	40 mm		



CUP TYPE / TYPE D'ASSIETTE

Standard Package / Contenant Régulier = 10 pcs.

Stock No.	Nominal O.D.	H - Nominal Height (mm)	Stock No.	Nominal O.D.	H - Nominal Height (mm)
261-100	8 mm	4.2	261-146	35 mm	10.6
261-103	11 mm	4.85	261-149	36 mm	8.5
261-105	12 mm	5.3	261-150	36.5 mm	9.0
261-107	14 mm	5.0	261-152	37 mm	10.6
261-108	14.4 mm	5.5	261-155	38 mm	7.9
261-109	15 mm	5.5	261-158	39 mm	9.5
261-111	16 mm	9.1	261-161	40 mm	11.7
261-114	18 mm	5.9	261-162	40 mm	12.8
261-117	20 mm	7.0	261-165	41 mm	11.9
261-118	20 mm	5.4	261-170	42.3 mm	10.0
261-121	22 mm	7.5	261-171	42.6 mm	10.0
261-124	24 mm	6.9	261-173	44 mm	11.9
261-126	25 mm	8.3	261-177	45 mm	11.9
261-129	27 mm	8.4	261-178	45 mm	13.5
261-132	28 mm	8.7	261-181	47 mm	7.4
261-135	29 mm	11.4	261-182	48 mm	11.7
261-138	30 mm	8.1	261-184	49.5 mm	11.0
261-140	31.5 mm	8.5	261-185	50 mm	12.0
261-142	32 mm	9.5	261-186	50 mm	14.8
261-145	34 mm	12.7	261-188	51 mm	5.55

For applications of 'Papco' Expansion Plugs see current catalogue.