

DEPRESSED CENTER COMBINATION & PIPELINE WHEELS FOR ANGLE GRINDERS



TYPE 27

Use on
Angle
Grinders



- High Performance
- Versatility
- Durability



Flexovit HIGH PERFORMANCE Type 27 Combination and Pipeline Wheels are the hardest working aluminum oxide wheels available. Precision made to ensure smooth and safe operation, the versatile A30S and heavy duty A24/30T specifications set the standards for fast material removal and for rugged reliability and long life.

METAL, STAINLESS

Fast Grind - A30S

Fast grinding and cutting with good wheel life. Ideal for most metals, including stainless and other hard alloys. An excellent 'all purpose' specification.

Heavy Duty - A24/30T

Extremely rugged and hardworking. Delivers the longest life of any aluminum oxide wheel without sacrificing aggressive cutting / grinding.

PIPELINE

Smooth Grind - A30R

Designed for fabrication of pipes and pressure vessels. This heavy duty aluminum oxide wheel runs smooth and chatter free on peripheral grinding, cutting, notching and angle grinding applications.

DIMENSIONS	MAX RPM	BOX/ CRT. QTY	HIGH PERFORMANCE™		SPECIALIST®
			FAST CUT, GRIND A30S	HEAVY DUTY A24/30T	PIPELINE SMOOTH GRIND A30R
4 x 1/8 x 5/8	15,000	25/100	A0264		
4-1/2 x 1/8 x 7/8	13,300	25/100	A0736		
4-1/2 x 1/8 x 5/8-11	13,300	10	A0736H		
5 x 1/8 x 7/8	12,000	25	A1737	A1737H	
6 x 1/8 x 7/8	10,000	25	A2736		A2730
6 x 1/8 x 5/8-11	10,000	10			A2730H
7 x 1/8 x 7/8	8,600	10	A4250	A4177	
7 x 1/8 x 5/8-11	8,600	10	A4250H		A4330H
9 x 1/8 x 7/8	6,800	10		A7177	
9 x 1/8 x 5/8-11	6,800	10	A7250H		



- Superior Productivity
- Higher Efficiency
- Longer Life

Type 27 Combination Cutting and Grinding Wheels incorporate a blend of premium, semi- premium and standard abrasive grain with custom bond systems. This produces a wheel with extremely aggressive, rapid grinding and cutting action, without sacrificing wheel life.

METAL, STAINLESS

Rapid Grind - AXT24S

Extremely fast, aggressive stock removal.

DIMENSIONS	MAX RPM	RAPID GRIND, CUT AXT24S	BOX/CRT. QTY.
4-1/2 x 1/8 x 7/8	13,300	A0720	10
4-1/2 x 1/8 x 5/8-11	13,300	A0720H	10
5 x 1/8 x 7/8	12,000	A1720	10
5 x 1/8 x 5/8-11	12,000	A1720H	10
7 x 1/8 x 7/8	8,600	A4220	10
7 x 1/8 x 5/8-11	8,600	A4220H	10



Productive

Semi Premium

DEPRESSED CENTER COMBINATION & PIPELINE WHEELS FOR ANGLE GRINDERS



- Superior Productivity
- Higher Efficiency
- Longer Life

Special abrasive grain mix ensures the most aggressive grinding and finishing of parting lines, gates and risers, sand inclusion, and other surface irregularities.

FOUNDRY, IRON Rapid Grind - ZACX24T Extremely fast, aggressive cutting action and stock removal.

DIMENSIONS	MAX RPM	HEAVY DUTY ZACX24U	BOX QTY.
9 x 1/8 x 7/8	6,800	A7245	10



- Grind and Finish with One Wheel.
- No Loading or Glazing

METAL, STAINLESS, ALUMINUM

Flexcel has a broad range of applications, including carbon, stainless and cast steels. Grinds without loading on aluminum and brass.

Type 27 Flat grinding face preferred for smaller contact area.

DIMENSIONS TYPE 27	RPM	A- MEDIUM 24-60 GRIT	BOX/ CRT. QTY.
4- 1/2 x 1/8 x 7/8	13,300	S6900	25/100
4- 1/2 x 1/8 x 5/8-11	13,300	S6900H	10

Type 29 Convex wheel face preferred for contoured surfaces and wider contact area.

DIMENSIONS TYPE 29	RPM	A- MEDIUM 24-60 GRIT	BOX/ CRT. QTY.
7 x 1/8 x 5/8-11	8,600	S7700H	10

RazorCombo®

Developed for applications that would normally demand multiple abrasive products, RAZORCOMBO thin combination wheels have a special reinforcement configuration which allows you to safely Cut, Debur, Notch AND Light Grind- all with only 1 wheel. The result is a savings of both time and money.

DIMENSIONS	MAX RPM	COMBO A60T	BOX QTY.
4- 1/2 x .065 x 7/8	13,300	A0547	25/100
5 x .065 x 7/8	12,000	A1647	25/100
6 x .065 x 7/8	10,000	A2547	25/100




- Maximum Productivity
- Premium Efficiency
- Longest Life

FLEXON and Black Gold Type 27 Combination Wheels combine premium zirconia and ceramic grains with advanced bond systems, delivering the highest job productivity.

Flexovit Black Gold Combination Wheels are designed specifically for the toughest grinding and cutting applications, such as root pass grinding and pipe beveling.

METAL, STAINLESS Heavy Duty- ZA24S Maximum life. Best choice for cutting and grinding with one wheel.

METAL, STAINLESS Smooth Grind- ZA30T Premium zirconia grain provides superior life when cutting, notching and grinding in structural steel work.

DIMENSIONS	MAX RPM		FLEXON	BOX QTY.
		HEAVY DUTY ZA24S	SMOOTH GRIND ZA30T	
4 x 1/8 x 3/8	15,000		A0134	10
4-1/2 x 1/8 x 7/8	13,300	A0734		10
9 x 1/8 x 5/8-11	6,800	A7434H		10



TYPE 27

Use on Angle Grinders



Cutoff, Notching & Grinding

Semi Premium



Type 27



Type 29



Grinding & Finishing

New!



TYPE 27

Use on Angle Grinders



Cutoff, Notching & Grinding

Premium



Use on
Angle
Grinders



THIN CUT OFF WHEELS FOR ANGLE GRINDERS

Flexovit's Razorblade series of Thin Cutoff Wheels for Angle Grinders are an indispensable tool for the metalworker in both production and maintenance applications. Choose from 2 versatile specs that cater to your specific job requirement.

Razorblade®

• Razor Sharp

• Long Life

• Versatile **LONG LIFE**

Cutoff ONLY

METAL, STAINLESS

Long Life - A60SST

The Razorblade wheel combines fast, chatter free cutting with exceptional wheel life, making it the wheel of choice where wheel usage is high and wheel change downtime is a concern. In most applications the Razorblade gives the lowest overall cost per cut of any thin cutoff product.

TYPE 27

DIMENSIONS	MAX RPM	LONG LIFE A60SST-27	BOX QTY.
4-1/2 x .045 x 7/8	13,300	A0481	25/100
5 x .045 x 7/8	12,000	A1581	25/100
6 x .045 x 7/8	10,000	A2481	25/100

TYPE 1

DIMENSIONS	MAX RPM	LONG LIFE A60SST	BOX/CRT. QTY.
4 x .040 x 5/8	19,000	F1005	100
4 x 1/16 x 5/8	19,000	F1010	50
4-1/2 x .045 x 7/8	13,300	F1207	25/100
5 x .045 x 7/8	12,000	F1407	25/100
6 x .045 x 7/8	10,000	F1707	25/100
7 x 1/16 x 7/8	8,600	F2012	25



Flexovit HIGH PERFORMANCE Type 27 Cutoff Wheels are the hardest working aluminum oxide wheels available. Precision made to ensure smooth and safe operation, the versatile A30S and heavy duty A24/30T specifications set the standards for fast cutting for rugged reliability and long life.



• High Productivity

• Versatility

• Durability

GOOD

METAL, STAINLESS

Fast Cut - A30S

Fast cutting with good life. Ideal for most metals, including stainless and other hard alloys. An excellent 'all purpose' spec.

TYPE 27

DIMENSIONS	MAX RPM	FAST CUT A30S	BOX/CRT. QTY.
4-1/2 x 1/8 x 7/8	13,300	A0735	25/100
4-1/2 x 1/8 x 5/8-11	13,300	A0735H	10
5 x 1/8 x 7/8	12,000	A1736	25/100



THIN CUT OFF WHEELS FOR ANGLE GRINDERS

Use on
Angle
Grinders



• Razor Sharp

• Fast Cutting

• Versatile

FAST CUT



Cutoff ONLY

METAL, STAINLESS

Fast Cut - A60RRT-27

For applications where getting the job done fast is the priority, the extra thin (.040") Razorblade EZ wheel delivers the fastest cutting action in the Razorblade product line.

DIMENSIONS	MAX RPM	FAST CUT A60RRT-27	BOX/CRT QTY.
4-1/2 x .040 x 7/8	13,300	A0480	25/100
5 x .040 x 7/8	12,000	A1580	25/100
6 x .040 x 7/8	10,000	A2480	25/100



TYPE 27

DIMENSIONS	MAX RPM	FAST CUT A60RRT	BOX/CRT QTY.
4-1/2 x .040 x 7/8	13,300	F1206	25/100
5 x .040 x 7/8	12,000	F1406	25/100
6 x .040 x 7/8	10,000	F1706	25/100



TYPE 1



• Razor Sharp

• Extra Durable

• Versatile

HEAVY DUTY

METAL, STAINLESS

Heavy Duty - A24/30T

The Razorblade 27 HD in 3/32" thickness will resist wheel wear in tough applications, including sheet metal and other jobs that involve heavy dressing action from the workpiece.


DIMENSIONS	MAX RPM	HEAVY DUTY A24/30T	BOX/CRT. QTY.
4 x 3/32 x 5/8	15,000	A0265	25/100
4- 1/2 x 3/32 x 7/8	13,300	A0575	25/100
4- 1/2 x 3/32 x 5/8-11	13,300	A0575H	10
5 x 3/32 x 7/8	12,000	A1765	25/100
5 x 3/32 x 5/8-11	12,000	A1765H	25/100
6 x 3/32 x 7/8	10,000	A3175	25/100
7 x 3/32 x 7/8	8,600	A4175	10
7 x 3/32 x 5/8-11	8,600	A4175H	10



TYPE 27

FLANGE KIT- Part Number Z0303

Some angle grinders are not equipped with flanges that permit proper tightening of type 1 and 27 thin cutoff wheels. For most 4- 1/2", 5" and 6" angle grinders, Flexovit offers a compatible, reusable adapter flange (Part # Z0303), or contact tool manufacturer for adapter parts.



Use on
Angle
Grinders

FLAP DISCS FOR ANGLE GRINDERS

Flexovit ZIRCOTEX Premium Type 27 and Type 29 Flap Discs are made with premium zirconia alumina abrasive cloth backed by a high strength fiberglass disc.

ZIRCOTEX[®] PREMIUM

• Efficient

• Versatile

• Grind & Finish



Grinding,
Blending &
Finishing

METAL, STAINLESS, ALUMINUM

TYPE 29

Zirconia Alumina - High Production / Fiberglass Backed: ZIRCOTEX premium zirconia alumina discs are extremely productive and efficient. Ideal for high production grinding, blending, deburring and finishing, they perform well on a wide variety of materials including stainless and carbon steel. This durable grain resists loading or clogging on softer materials such as aluminum, brass, bronze and fiberglass. Available in Type 27 or Type 29, with a 7/8 arbor or a 5/8-11 spin-on zinc hub.

TRIMMABLE

DIMENSIONS	MAX RPM	ZA24	ZA36	ZA40	ZA60	ZA80	ZA120	BOX QTY.
4 x 5/8	15,000	Z4001F		Z4000F	Z4005F	Z4010F	Z4020F	10
4-1/2 x 7/8	13,300	Z4501F	Z4503F	Z4500F	Z4505F	Z4510F	Z4520F	10
4-1/2 x 5/8-11	13,300	Z4501FH	Z4503FH	Z4500FH	Z4505FH	Z4510FH	Z4520FH	10
5 x 7/8	12,000	Z5001F		Z5000F	Z5005F	Z5010F	Z5020F	10
5 x 5/8-11	12,000	Z5001FH		Z5000FH	Z5005FH	Z5010FH	Z5020FH	10
6 x 7/8	10,000	Z6001F		Z6000F	Z6005F	Z6010F	Z6020F	10
6 x 5/8-11	10,000			Z6000FH	Z6005FH	Z6010FH	Z6020FH	10
7 x 7/8	8,600	Z7001F		Z7000F	Z7005F	Z7010F	Z7020F	10
7 x 5/8-11	8,600	Z7001FH		Z7000FH	Z7005FH	Z7010FH	Z7020FH	10

TRIMMABLE

DIMENSIONS	MAX RPM	ZA24	ZA36	ZA40	ZA60	ZA80	ZA120	BOX QTY.
4 x 5/8	15,000	Z4025F		Z4030F	Z4035F	Z4040F	Z4045F	10
4-1/2 x 7/8	13,300	Z4525F	Z4528F	Z4530F	Z4535F	Z4540F	Z4545F	10
4-1/2 x 5/8-11	13,300	Z4525FH	Z4528FH	Z4530FH	Z4535FH	Z4540FH	Z4545FH	10
5 x 7/8	12,000	Z5025F		Z5030F	Z5035F	Z5040F	Z5045F	10
5 x 5/8-11	12,000			Z5030FH	Z5035FH			10
6 x 7/8	10,000			Z6030F	Z6035F	Z6040F	Z6045F	10
6 x 5/8-11	10,000			Z6030FH	Z6035FH	Z6040FH	Z6045FH	10
7 x 7/8	8,600	Z7025F		Z7030F	Z7035F	Z7040F	Z7045F	10
7 x 5/8-11	8,600	Z7025FH		Z7030FH	Z7035FH	Z7040FH	Z7045FH	10

TYPE 27

Certified
ISO
Quality System



Made in USA

FLAP DISCS FOR ANGLE GRINDERS

NEW!

ZIRCOTEX[®] CERAMIC

Use on
Angle
Grinders



Grinding,
Blending &
Finishing

• Fast Stock removal

• Durability

• Grind & Finish

Flexovit ZIRCOTEX CERAMIC features extremely fast stock removal while producing a cool, burn free grinding, blending and finishing experience at medium contact pressure. The Ceramic grain will not contaminate stainless steel. Type 29 is excellent for contour grinding, blending & finishing.



TYPE 29

TRIMMABLE

DIMENSIONS	MAX RPM	CG36	CG40	CG60	CG80	BOX QTY.
4-1/2 x 7/8	13,300	Z4504F	Z4508F	Z4511F	Z4514F	10
4-1/2 x 5/8-11	13,300	Z4504FH	Z4508FH	Z4511FH	Z4514FH	10
5 x 7/8	12,000	Z5004F	Z5008F	Z5011F	Z5014F	10
5 x 5/8-11	12,000	Z5004FH	Z5008FH	Z5011FH	Z5014FH	10
7 x 7/8	8,600	Z7004F	Z7008F	Z7011F	Z7014F	10
7 x 5/8-11	8,600	Z7004FH	Z7008FH	Z7011FH	Z7014FH	10



ZIRCOMAX[®] HIGH DENSITY

• Extra Long Life

• High Density

• Grind & Finish

Use on
Angle
Grinders



Grinding,
Blending &
Finishing

METAL, STAINLESS, ALUMINUM

Zirconia Alumina - Extra long Life / Fiberglass Backed:

ZIRCOMAX premium zirconia alumina is available in four grits, 40, 60, 80 and 120 with a fiberglass backing plate. These extra thick, high density discs deliver twice the removal rate of our Zircotex Premium discs. They provide extremely long life and are the most productive flap disc. Available in Type 27 or Type 29, with a 7/8 arbor or a 5/8-11 spin-on zinc hub.

DIMENSIONS	MAX RPM	ZA40	ZA60	ZA80	ZA120	BOX QTY.
4-1/2 x 7/8	12,000	Z4502F	Z4507F	Z4512F	Z4517F	10
4-1/2 x 5/8-11	12,000	Z4502FH	Z4507FH	Z4512FH	Z4517FH	10
5 x 7/8	12,000	Z5002F	Z5007F	Z5012F		10

TRIMMABLE



TYPE 29

DIMENSIONS	MAX RPM	ZA40	ZA60	ZA80	BOX QTY.
4-1/2 x 7/8	12,000	Z4532F	Z4537F	Z4542F	10
4-1/2 x 5/8-11	12,000	Z4532FH	Z4537FH	Z4542FH	10
5 x 7/8	12,000	Z5032F	Z5037F	Z5042F	10
7 x 7/8	8,600	Z7032F	Z7037F	Z7042F	10
7 x 5/8-11	8,600	Z7032FH	Z7037FH	Z7042FH	10



TYPE 27

Certified
ISO
Quality System



CUTOFF WHEELS FOR CHOPSAW & MITERSAW



• High Productivity

• Versatility

• Durability

TYPE 1

Use on
Chopsaws

METAL, STAINLESS

Fast Cut - A30RB

Fast, burr free cutting on the widest range of material and profiles including angle, channel, tubing and solids. An excellent choice on carbon and alloy steels.

Flexovit Type 1 Chopsaw Wheels are specially designed to maximize the cutting capability of bench top chopsaws. These wheels are precision balanced to ensure vibration free running.

DIMENSIONS	MAX RPM	FREE CUT A30QB	FAST CUT A30RB	LONG LIFE A30SB	BOX QTY.
10 x 3/32 x 5/8	6,112			F3579	10
12 x 3/32 x 1	5,092		F4818		10
14 x 3/32 x 1	4,365	F5523	F5521		10
16 x 3/32 x 1	3,820		F6521		10



Productive

CUTOFF WHEELS FOR STATIONARY SAWS



• Superior Productivity

• Higher Efficiency

• Longer Life

TYPE 1

Use on
Stationary
Saws

Metalhog Type 1 Stationary Saw Wheels incorporate a blend of premium, semi premium, and standard abrasive grain with custom bond systems. This produces a wheel with extremely aggressive, rapid cutting action, without sacrificing wheel life. Metalhog cuts up to 30% faster and lasts 3 times longer than regular aluminum oxide products.

METAL, STAINLESS

Long Life - ZAX30TB

A rapid cutting wheels with exceptional wheel life, suitable for carbon steel, stainless steel and other alloys. Also suitable for foundry applications.

DIMENSIONS	MAX RPM	LONG LIFE ZAX30TB	BOX QTY.
12 x 1/8 x 1	5,092	F5230	10
14 x 1/8 x 1	4,365	F5830	10
20 x 5/32 x 1	3,066	F9230	10
20 x 5/32 x 1-1/4	3,066	F9231	10



Semi Premium



• High Productivity

• Versatility

• Durability

METAL, STAINLESS

Fast Grind - A30RB

This fast cutting, multi purpose spec delivers premium performance on solids, structural steel, tubing and bar stock. Ideal on stainless steel and other alloys.

Heavy Duty - A30SB

When horsepower permits, this long life wheel is the best choice for cutting lighter solids and profiles in carbon steel, stainless or other alloys.

DIMENSIONS	MAX RPM	MULTI PURPOSE A30RB	BOX QTY.
10 x 1/8 x 1	6,112	F3966	10
12 x 1/8 x 1	5,092	F5231	10
14 x 1/8 x 1	4,365	F5836	10
16 x 5/32 x 1	3,820	F6861	10
18 x 3/16 x 1	3,396	F8371	10
20 x 1/8 x 1	3,066	F9241	10
20 x 3/16 x 1	3,066	F9242	10



Productive

CUTOFF WHEELS - HIGH SPEED GAS & ELECTRIC SAWS



• High Productivity

• Versatility

• Durability

TYPE 1
Use on
High Speed
Saws



Cutoff
ONLY

METAL, STAINLESS

Heavy Duty - A24/30SB

The contractors' choice - a heavy duty blade, excellent on rebar, steel pipe, sheet metal and structural steel. Excellent for production cutting.

CONCRETE, MASONRY

Heavy Duty - C30UB

A must on the job site, this heavy duty spec delivers excellent performance when cutting concrete and other masonry products, including clay pipe, brick and block. Ideal on PVC pipe.

DUCTILE, CAST IRON

HEAVY DUTY - AC24SB

A combination of aluminum oxide and silicon carbide grains reduces wheel wear and speeds cutting. Developed for use on ductile and cast iron, this heavy duty spec is excellent on concrete-lined water pipes and sewer construction.

DIMENSIONS	MAX RPM	HEAVY DUTY A24/30SB	HEAVY DUTY C30UB	DUCTILE AC24SB	BOX QTY.
12 x 1/8 x 20mm	6,300	F5078	L5315		10
12 x 1/8 x 1	6,300	F5292	L5317		10
14 x 1/8 x 20mm	5,400	F5653	L5703	L5617	10
14 x 1/8 x 1	5,400	F5687	L5727	L5619	10



• Maximum Productivity

• Premium Abrasive Grain

• Longest Life

Flexovit FLEXON High Speed Railtrack Saw Wheels are designed for fixed cutting on gas and hydraulic rail track saws.

RAILTRACK

Fast Cut - ZA30PB

Fast cut and extra long life on all types and weights of rail.

FOR FIXED RAIL CUTTING ONLY

DIMENSIONS	MAX RPM	FAST CUT ZA30PB	BOX QTY.
14 x 1/8 x 1	5,400	F5685	10
16 x 1/8 x 1	4,800	F6685	10



• Job Focused

• Optimum Performance

• For Tougher Materials

RAILTRACK

Fast Cut - A30PB

Designed for cropping, this extra fast cutting blade delivers straight, fast cuts on all sizes of railtrack.

FOR FIXED RAIL CUTTING ONLY

DIMENSIONS	MAX RPM	FAST CUT A30PB	BOX QTY.
14 x 1/8 x 1	5,400	F5681	10
16 x 1/8 x 1	4,700	F6681	10



Productive

Premium

Specialist

ABRASIVE WHEELS FOR STRAIGHT & DIE GRINDERS



• Maximum Productivity

• Premium Abrasive Grain

• Longest Life

METAL, STAINLESS, ALLOYS

Fast Cut- ZA60T, ZA46T

Developed with premium zirconia grain, FLEXON Small Diameter Wheels deliver fast cutting and exceptional life.

DIMENSIONS	MAX RPM	FAST CUT ZA60T	FAST CUT ZA46T	BOX QTY.
3 x .035 x 1/4	25,000	F0309		100
3 x .035 x 3/8	25,000	F0314		100
3 x 1/16 x 1/4	25,000		F0319	50
3 x 1/16 x 3/8	25,000		F0324	50
4 x .035 x 3/8	19,000	F0414		100

TYPE 1
Use on
Straight & Die
Grinders



• High Productivity

• Versatility

• Durability

Flexovit HIGH PERFORMANCE Small Diameter Wheels are the hardest working aluminum oxide wheels available. Choose from 3 specifications depending on the wheel thickness your job requires.

METAL, STAINLESS, ALLOYS

See Page 45 for Mandrel Adapters

Fast Cut - A60T, A46T, A36R Designed for cutting and notching, these wheels work especially well on thin walled tube and pipe.

Fast Cut, Grind - A36R

Designed for cutting, notching and peripheral grinding.

DIMENSIONS	MAX RPM	FAST CUT A60T	FAST CUT A46T	FAST CUT A36R	FAST GRIND	BOX/ CRT. QTY.
2 x .035 x 1/4	30,558	F0105				100
2 x .035 x 3/8	30,558	F0110				100
2 x 1/16 x 1/4	30,558		F0115			50
2 x 1/16 x 3/8	30,558		F0120			50
2 x 1/8 x 1/4	30,558			F0135		25
2 x 1/8 x 3/8	30,558			F0140		25
2 x 1/4 x 3/8	30,558				F0159	20
2 x 3/8 x 3/8	27,120				F0169	10
2 x 1/2 x 3/8	27,120				F0179	10
2- 1/2 x .035 x 3/8	24,446	F0210				100
2- 1/2 x 1/16 x 3/8	24,446		F0220			50
2- 1/2 x 1/8 x 3/8	24,446			F0240		25
2- 1/2 x 1/2 x 3/8	21,696				F0279	10
3 x .035 x 1/4	25,000	F0305				100
3 x .035 x 3/8	25,000	F0310				100
3 x 1/16 x 1/4	25,000		F0315			50
3 x 1/16 x 3/8	25,000		F0320			50
3 x 1/8 x 1/4	25,000			F0335		25
3 x 1/8 x 3/8	25,000			F0340		25
3 x 1/4 x 3/8	20,372				F0359	20
3 x 3/8 x 3/8	18,080				F0369	10
3 x 1/2 x 3/8	18,080				F0379	10
4 x .035 x 1/4	19,000	F0405				100
4 x .035 x 3/8	19,000	F0410				100
4 x 1/16 x 1/4	19,000		F0415			50
4 x 1/16 x 3/8	19,000		F0420			50
4 x 1/8 x 3/8	19,000			F0440		25
4 x 1/4 x 3/8	15,278				F0459	20

TYPE 1
Use on
Straight & Die
Grinders




PLUGS & CONES

METAL, STAINLESS

A24RB -

Made with aluminum oxide grain, these general purpose plugs and cones are ideal for grinding and snagging in hard to reach places. Ideal on ferrous castings and weldments where heavy stock removal is required.



Use on
Straight
Grinders



Grinding &
Snagging

METAL, STAINLESS						
DIMENSIONS	MAX RPM	TYPE 16	TYPE 17	TYPE 18	TYPE 18R	BOX QTY.
		A24RB	A24RB	A24RB	A24RB	
1- 1/4 x 3 x 3/8- 24	29,000	N0131				10
1- 1/4 x 3 x 5/8- 11	29,000	N0132				10
1- 1/2 x 2 x 3/8- 24	24,191			N3211		10
1- 1/2 x 2- 1/2 x 3/8- 24	24,191			N3221	N2221	10
1- 1/2 x 2- 1/2 x 5/8- 11	24,191			N3222	N2222	10
1- 1/2 x 3 x 3/8- 24	24,191		N1231	N3231	N2231	10
1- 1/2 x 3 x 5/8- 11	24,191		N1232	N3232	N2232	10
2 x 3 x 5/8- 11	18,100	N0432	N1432	N3432	N2432	10
2- 3/4 x 3- 1/2 x 5/8- 11	18,100	N0742				10

FLARING CUPSTONES

METAL, STAINLESS

A16QB -

This aluminum oxide spec is ideal for snagging and cleaning castings and stands up to offhand grinding on flat surfaces.

ZA16PB -

This zirconia alumina spec delivers fast stock removal on all ferrous metals

CONCRETE, MASONRY

C16PB -

Made with silicon carbide grain, this coarse spec is ideal for grinding and cleaning concrete, masonry and stone.

NONFERROUS

AC16QB -

A special mix of silicon carbide and aluminum oxide grains, the AC16QB is intended for grinding cast iron and aluminum.



TYPE 11

Use on
Angle
Grinders



Grinding &
Smoothing

DIMENSIONS	MAX RPM	METAL, STAINLESS		CONCRETE	NONFERROUS	BOX QTY.
		A16QB	ZA16PB	C16PB	AC16QB	
4 x 2 x 5/8- 11	9,072	N4250		N4255		10
4 x 2 x 5/8- 11 (Steel Back)	9,072	N4250S		N4255S		10
5 x 2 x 5/8- 11	7,258	N5250	N5265	N5255	N5253	10
5 x 2 x 5/8- 11 (Steel Back)	7,258	N5250S		N5255S		10
6 x 2 x 5/8- 11	6,048	N6250	N6265	N6255	N6253	10
6 x 2 x 5/8- 11 (Steel Back)	6,048	N6250S		N6255S		10

