# **NEER<sup>™</sup> Zinc 90° Corner Pulling Elbows**

For EMT.

NEC/CEC: Rated for Ordinary Locations

## THL: 90° Female/Female

### Application

 90° corner pulling elbows are used to facilitate pulling conductors through a sharp bend in a run of EMT. The removable cover gives ample access so that wire pulling can be achieved without any obstructions.

#### **Material/Finish**

Zinc diecast


#### **NEC/CEC Certifications and Compliances**

- UL Standard: 514B
- CSA Standard: C22.2 No. 18.3
- NEMA: FB-1



THL-500

### **Illustrated Dimensions**



Trade Size	Dimensions in Millimeters (Inches)		Catalog
(Inches)	А	В	Number
1/2	33.3 (1.31)	23.6 (0.93)	THL-500
1/2	33.3 (1.31)	23.6 (0.93)	THL-500G ①
3/4	35.6 (1.40)	30.0 (1.18)	THL-750
3/4	35.6 (1.40)	30.0 (1.18)	THL-750G ①

## CPL: 90° Set Screw

### Application

 90° corner pulling elbows are used to facilitate pulling conductors through a sharp bend in a run of EMT. These products are used where it is essential to make tight turns within limited space.

### **Material/Finish**

Zinc diecast


### **NEC/CEC Certifications and Compliances**

- UL Standard: 514B
- CSA Standard: C22.2 No. 18.3
- NEMA: FB-1





### Illustrated Dimensions



Trade Size	Dimensions in Millimeters (Inches)		Catalog
(Inches)	Α	В	Number
1/2	58.4 (2.30)	58.4 (2.30)	CPL-50
1/2	66.3 (2.61)	66.3 (2.61)	CPL-75

Appleton<sup>®</sup> 0Z/GEDNEY c

 ${\scriptstyle \textcircled{0}}$  Provided with neoprene gasket.