



A new generation for Linear LED T8 lighting.

LED InstantFit Lamps

Philips LED T8 InstantFit Lamps are an ideal energy saving choice for existing linear fluorescent fixtures.

Benefits

- Over 41% energy savings vs F32T8 electronic instant start systems (2)
- No mercury allowing for non-hazardous waste disposal.
- Emits virtually no UV rays or IR
- Glass-free for safer working conditions
- 5 year limited warranty (3)
- (2) Lamp F32T8 Electronic Instant Start System with 0.88 Ballast Factor= 58 SystemWatts (2) Philips LED T8 InstantFit = 34 SystemWatts $58 - 34 = 24$ SystemWatts Saved $24 / 58 = 41.4\%$ Energy Saved
- (3) See warranty for terms and conditions.

Features

- Instant on, no flicker or buzz
- Fits into existing linear fixtures
- Compatible with Instant Start ballasts (1) eliminating the need for rewiring and allows fixture to maintain original UL compliance.
- (1) Must follow guidelines for installation from Philips Quick Installation Guide included with lamp shipment.

Application

- Full light output in spaces with temperatures down to -22°F (-30°C)
- Perfect for applications with frequent "on/off" switching cycles
- Buildings that desire to be mercury free

LED InstantFit Lamps

Versions




G13

G13

G13

2G11





G13

G24Q-3

GX24Q-3

G13



G13

LEDtube FA8

G5

G13



FA8

G13

G13

G13

LED InstantFit Lamps

Versions



G13

G13

G13

LEDtube GX23



LEDtube GX23-2


LEDtube GX23-2

LEDtube G24Q

LEDtube G24Q

LED InstantFit Lamps


Dimensional drawing



Product	D1	D2	A1	A2	A3
17T8/AMB/48-4000 IFG 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-3000 IF 10/1 TAA/NAFTA	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-3500 IF 10/1 TAA/NAFTA	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-4000 IF 10/1 TAA/NAFTA	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-5000 IF 10/1 TAA/NAFTA	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-3000 IF 10/1 DIM TAA/NAFTA	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-3500 IF 10/1 DIM TAA/NAFTA	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-4000 IF 10/1 DIM TAA/NAFTA	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-5000 IF 10/1 DIM TAA/NAFTA	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
12T8/48-3000 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
15T8/48-5000 IF 10/1	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
16.5T8 LED/48-4000 20/1 DC Driver	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
15T8/48-3500 IF 10/1	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10.5T8/36-3000 IF 10/1	25.68 mm	28 mm	893.4 mm	900.5 mm	907.6 mm
12T8/48-5000 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10.5T8/36-4000 IF 10/1	25.68 mm	28 mm	893.4 mm	900.5 mm	907.6 mm
15T8/48-3000 IF 10/1	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
15T8/48-4000 IF 10/1	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
17T8/48-4000 IFG 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
8.5T8/24-4000 IF 10/1	25.68 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
10.5T8/36-5000 IF 10/1	25.68 mm	28 mm	893.4 mm	900.5 mm	907.6 mm
10.5T8/36-3500 IF 10/1	25.68 mm	28 mm	893.4 mm	900.5 mm	907.6 mm
12T8/48-4000 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
8.5T8/24-5000 IF 10/1	25.68 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
17T8/48-5000 IFG 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
15T8/48-3500 IF 10/1 TAA	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-3000 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-4000 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-3500 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-5000 IF 10/1	25.68 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-5000 IF 10/1 DIM	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-4000 IF 10/1 DIM	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-3000 IF 10/1 DIM	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
14T8/48-3500 IF 10/1 DIM	25.7 mm	28 mm	1198.0 mm	1205.0 mm	1212.0 mm
10T8/48-2700 IF 10/1	25.68 mm	26.3 mm	1198 mm	1205 mm	1212 mm

LED InstantFit Lamps


Dimensional drawing



Product	D1	D2	A1	A2	A3
11T5HE/34-840/ IF15/G/DIM 10/1	15.3 mm	18.4 mm	847.8 mm	854.9 mm	862 mm
11T5HE/34-830/ IF14/G/DIM 10/1	15.3 mm	18.4 mm	847.8 mm	854.9 mm	862 mm
11T5HE/34-850/ IF15/G/DIM 10/1	15.3 mm	18.4 mm	847.8 mm	854.9 mm	862 mm
11T5HE/34-835/ IF14/G/DIM 10/1	15.3 mm	18.4 mm	847.8 mm	854.9 mm	862 mm
14T5HE/46-830/ IF20/G/DIM 10/1	15.3 mm	18.4 mm	1147.8 mm	1154.9 mm	1162 mm
8T5HE/22-830/ IF10/G/DIM 10/1	15.3 mm	18.4 mm	547.8 mm	554.9 mm	562 mm
14T5HE/46-840/ IF21/G/DIM 10/1	15.3 mm	18.4 mm	1147.8 mm	1154.9 mm	1162 mm
14T5HE/46-835/ IF20/G/DIM 10/1	15.3 mm	18.4 mm	1147.8 mm	1154.9 mm	1162 mm
8T5HE/22-835/ IF10/G/DIM 10/1	15.3 mm	18.4 mm	547.8 mm	554.9 mm	562 mm
8T5HE/22-840/ IF10/G/DIM 10/1	15.3 mm	18.4 mm	547.8 mm	554.9 mm	562 mm
14T5HE/46-850/ IF21/G/DIM 10/1	15.3 mm	18.4 mm	1147.8 mm	1154.9 mm	1162 mm
8T5HE/22-850/ IF10/G/DIM 10/1	15.3 mm	18.4 mm	547.8 mm	554.9 mm	562 mm
13.5T8PER/48-840/ IF22/P/DIM CAN 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
24T5HO/46-840/ IF35/P/DIM 10/1	15.2 mm	17.8 mm	1147.8 mm	1154.9 mm	1162 mm
24T5HO/46-850/ IF35/P/DIM 10/1	15.2 mm	17.8 mm	1147.8 mm	1154.9 mm	1162 mm
24T5HO/46-830/ IF33/P/DIM 10/1	15.2 mm	17.8 mm	1147.8 mm	1154.9 mm	1162 mm
24T5HO/46-835/ IF33/P/DIM 10/1	15.2 mm	17.8 mm	1147.8 mm	1154.9 mm	1162 mm
14T8/48-3500 IF 10/1 ROT	25.68 mm	26.3 mm	1198 mm	1205 mm	1212 mm
14T8/48-3000 IF 10/1 ROT	25.68 mm	26.3 mm	1198 mm	1205 mm	1212 mm
14T8/48-4000 IF 10/1 ROT	25.68 mm	26.3 mm	1198 mm	1205 mm	1212 mm
14T8/48-5000 IF 10/1 ROT	25.68 mm	26.3 mm	1198 mm	1205 mm	1212 mm
9T8 LED/36-3000 IF 10/1	25.7 mm	26.3 mm	893.4 mm	900.5 mm	907.6 mm
9T8 LED/36-4000 IF 10/1	25.7 mm	26.3 mm	893.4 mm	900.5 mm	907.6 mm
7T8 LED/24-3000 IF 10/1	25.7 mm	26.3 mm	588.6 mm	595.7 mm	602.8 mm
7T8 LED/24-3500 IF 10/1	25.7 mm	26.3 mm	588.6 mm	595.7 mm	602.8 mm
7T8 LED/24-5000 IF 10/1	25.7 mm	26.3 mm	588.6 mm	595.7 mm	602.8 mm
9T8 LED/36-3500 IF 10/1	25.7 mm	26.3 mm	893.4 mm	900.5 mm	907.6 mm
7T8 LED/24-4000 IF 10/1	25.7 mm	26.3 mm	588.6 mm	595.7 mm	602.8 mm
9T8 LED/36-5000 IF 10/1	25.7 mm	26.3 mm	893.4 mm	900.5 mm	907.6 mm

LED InstantFit Lamps

Dimensional drawing






Product	D1	D2	A1	A2	A3
13T8 LED/48-5000 IF DIM 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
13T8 LED/48-3000 IF DIM 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
13T8 LED/48-3500 IF DIM 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
13T8 LED/48-4000 IF DIM 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
10T8 LED/48-2700 IF 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
10T8 LED/48-5000 IF 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
10T8 LED/48-3500 IF 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
10T8 LED/48-4000 IF 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
10T8 LED/48-3000 IF 1PK 10/1	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm
16.5T8 LED/48-3500 IF 10/1 UHO	25.68 mm	28 mm	1198 mm	1205 mm	1212 mm
16.5T8 LED/48-5000 IF 10/1 UHO	25.68 mm	28 mm	1198 mm	1205 mm	1212 mm
16.5T8 LED/48-4000 IF 10/1 UHO	25.68 mm	28 mm	1198 mm	1205 mm	1212 mm
20T12 EM LED/48-6500 IF G 10/1	26 mm	28 mm	1198 mm	1205 mm	1212 mm
20T12 EM LED/48-4000 IF G 10/1	26 mm	28 mm	1198 mm	1205 mm	1212 mm
16.5T8 LED/48-3000 IF 10/1 UHO	25.68 mm	28 mm	1198 mm	1205 mm	1212 mm

Product	D1	D2	A1	A2	A3
16.5T8PRO/48-850/BB21/G 10/1 FB	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
14T8PRO/48-830/BB17/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
16.5T8PRO/48-830/BB20/G 10/1 FB	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
14T8PRO/48-835/BB17/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
14T8PRO/48-840/BB18/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
16.5T8PRO/48-835/BB20/G 10/1 FB	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
14T8PRO/48-850/BB18/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
16.5T8PRO/48-840/BB21/G 10/1 FB	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
12T8/PRO/48-830/BB17/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
12T8/PRO/48-840/BB18/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
12T8/PRO/48-850/BB18/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
12T8/PRO/48-835/BB17/G 10/1 FB	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
14T8 PRO LED/48-3500 IF G 10/1	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm

LED InstantFit Lamps

Dimensional drawing



Product	D1	D2	A1	A2	A3
14T8 PRO LED/48-5000 IF G 10/1	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
17T8 LED/48-4000 IF G 10/1	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
17T8 LED/48-5000 IF G 10/1	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
14T8 PRO LED/48-3000 IF G 10/1	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
14T8 PRO LED/48-4000 IF G 10/1	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
17T8 PRO LED/48-5000 BB G 1PK 10/1	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
17T8 PRO LED/48-3000 BB G 1PK 10/1	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
17T8 PRO LED/48-3500 BB G 1PK 10/1	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm
17T8 PRO LED/48-4000 BB G 1PK 10/1	25.7 mm	26 mm	1200 mm	1207 mm	1214 mm





Product	D	D1	A1	A2	A3
5PL-S/LED/13H/830/IF5/P/2P 20/1	31.1 mm	15.8 mm	108 mm	144 mm	166 mm
5PL-S/LED/13H/835/IF5/P/2P 20/1	31.1 mm	15.8 mm	108 mm	144 mm	166 mm
5PL-S/LED/13H/840/IF5/P/2P 20/1	31.1 mm	15.8 mm	108 mm	144 mm	166 mm
5PL-S/LED/13H/827/IF5/P/2P 20/1	31.1 mm	15.8 mm	108 mm	144 mm	166 mm

Product	D	D1	A1	A2	A3
5PL-C/LED/13H/835/IF5/P/2P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm
5PL-C/LED/13H/827/IF5/P/2P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm
5PL-C/LED/13H/840/IF5/P/2P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm
5PL-C/LED/13H/830/IF5/P/2P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm

Product	D	D1	A1	A2	A3
5.5PL-C/LED/13H/835/IF5/P/4P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm
5.5PL-C/LED/13H/830/IF5/P/4P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm
5.5PL-C/LED/13H/840/IF5/P/4P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm
5.5PL-C/LED/13H/827/IF5/P/4P 20/1	27 mm	27 mm	91.5 mm	122.4 mm	137.4 mm

LED InstantFit Lamps

Dimensional drawing



Product	D	A1	A2	A3
5PL-C/LED/13V/835/IF5/P/2P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm
5PL-C/LED/13V/840/IF5/P/2P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm
5PL-C/LED/13V/830/IF5/P/2P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm
5PL-C/LED/13V/827/IF5/P/2P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm



Product	D	A1	A2	A3
5.5PL-C/LED/13V/835/IF5/P/4P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm
5.5PL-C/LED/13V/827/IF5/P/4P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm
5.5PL-C/LED/13V/840/IF5/P/4P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm
5.5PL-C/LED/13V/830/IF5/P/4P 20/1	45.7 mm	24.6 mm	101.6 mm	117.6 mm

Product	D	A	B	C
35T8/96-3000 IF FA8 10/1	27.9 mm	2366.9 mm	2375.2 mm	2383.5 mm
35T8/96-3500 IF FA8 10/1	27.9 mm	2366.9 mm	2375.2 mm	2383.5 mm
35T8/96-4000 IF FA8 10/1	27.9 mm	2366.9 mm	2375.2 mm	2383.5 mm
35T8/96-6500 IF FA8 10/1	27.9 mm	2366.9 mm	2375.2 mm	2383.5 mm
13T8/48-6500 IF FA8 10/1	27.9 mm	1150.6 mm	1156.6 mm	1168.4 mm
26T8/96-6500 IF FA8 10/1	27.9 mm	2369.8 mm	2375.8 mm	2387.6 mm

Product	D1	D2	B	A1	D
13T8 LED/24-3500 IF-6U 10/1	25.7 mm	28 mm	152 mm	570 mm	27.8 mm
13T8 LED/24-3000 IF-6U 10/1	25.7 mm	28 mm	152 mm	570 mm	27.8 mm
13T8 LED/24-5000 IF-6U 10/1	25.7 mm	28 mm	152 mm	570 mm	27.8 mm
13T8 LED/24-4000 IF-6U 10/1	25.7 mm	28 mm	152 mm	570 mm	27.8 mm
16.5T8/24-4000 IF-6U 10/1	25.68 mm	28 mm	570 mm	577.1 mm	577.1 mm
16.5T8/24-3500 IF-6U 10/1	25.68 mm	28 mm	570 mm	577.1 mm	577.1 mm
16.5T8/24-3000 IF-6U 10/1	25.68 mm	28 mm	570 mm	577.1 mm	577.1 mm
16.5T8/24-5000 IF-6U 10/1	25.68 mm	28 mm	570 mm	577.1 mm	577.1 mm

LED InstantFit Lamps

Dimensional drawing





Product	D1	D2	A1	A2	A3
10.5PL-C/T LED/26V-2700 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-4000 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-3500 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-3000 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-3500 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-4000 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-2700 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm
10.5PL-C/T LED/26V-3000 IF 4P 10/1	24.3 mm	29 mm	99.9 mm	109.9 mm	125.5 mm

Product	D1	D2	A1	A2	A3
8.5PL-C/T LED/26H-4000 IF 4P 10/1	24.3 mm	28.4 mm	128.3 mm	147.5 mm	163.1 mm
8.5PL-C/T LED/26H-3500 IF 4P 10/1	24.3 mm	28.4 mm	128.3 mm	147.5 mm	163.1 mm
8.5PL-C/T LED/26H-2700 IF 4P 10/1	24.3 mm	28.4 mm	128.3 mm	147.5 mm	163.1 mm
8.5PL-C/T LED/26H-3000 IF 4P 10/1	24.3 mm	28.4 mm	128.3 mm	147.5 mm	163.1 mm
12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	24.3 mm	28.4 mm	128.8 mm	148 mm	163.6 mm
12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	24.3 mm	28.4 mm	128.8 mm	148 mm	163.6 mm
12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	24.3 mm	28.4 mm	128.8 mm	148 mm	163.6 mm
12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	24.3 mm	28.4 mm	128.8 mm	148 mm	163.6 mm

LED InstantFit Lamps

Dimensional drawing



Product	D1	D2	A1	A2	A3
16.5PL-LED/24-3000 IF 10/1	33 mm	43.6 mm	564 mm	570.6 mm	570.6 mm
16.5PL-LED/24-3500 IF 10/1	33 mm	43.6 mm	564 mm	570.6 mm	570.6 mm
16.5PL-LED/24-4000 IF 10/1	33 mm	43.6 mm	564 mm	570.6 mm	570.6 mm

Product	D1	D2	A1	A2	A3
8.5PL-C/T LED/26H-4000 IF 4P 10/1	24.3 mm	28.4 mm	128.3 mm	147.5 mm	163.1 mm

General Information

Switching Cycle 50000X

Light Technical

Lmf At End Of Nominal Lifetime (Nom) 70 %

Temperature

T-Storage (Max) 65 °C

T-Storage (Min) -40 °C

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/ 1000 h	Energy Efficiency Label (EEL)
929001118104	8.5T8/24-4000 IF 10/1	8.5 kWh	A+
929001118204	8.5T8/24-5000 IF 10/1	10.5 kWh	A+
929001118304	10.5T8/36-3000 IF 10/1	13.5 kWh	A+
929001118404	10.5T8/36-3500 IF 10/1	13.5 kWh	A+
929001118504	10.5T8/36-4000 IF 10/1	13.5 kWh	A+
929001118604	10.5T8/36-5000 IF 10/1	13.5 kWh	A+
929001123904	12T8/48-3000 IF 10/1	14.5 kWh	A+
929001123964	10T8/48-3000 IF 10/1	- kWh	Not applicable
929001123984	10T8/48-3000 IF 10/1 TAA/NAFTA	-	Not applicable
929001124064	10T8/48-3500 IF 10/1	- kWh	Not applicable
929001124084	10T8/48-3500 IF 10/1 TAA/NAFTA	-	Not applicable
929001124104	12T8/48-4000 IF 10/1	14.5 kWh	A+

Order Code	Full Product Name	Energy Consumption kWh/ 1000 h	Energy Efficiency Label (EEL)
929001124164	10T8/48-4000 IF 10/1	- kWh	Not applicable
929001124184	10T8/48-4000 IF 10/1 TAA/NAFTA	-	Not applicable
929001124204	12T8/48-5000 IF 10/1	14.5 kWh	A+
929001124264	10T8/48-5000 IF 10/1	- kWh	Not applicable
929001124284	10T8/48-5000 IF 10/1 TAA/NAFTA	-	Not applicable
929001158504	15T8/48-3000 IF 10/1	18 kWh	A+
929001158564	14T8/48-3000 IF 10/1 DIM	18 kWh	-
929001158584	14T8/48-3000 IF 10/1 DIM TAA/ NAFTA	-	Not applicable
929001158604	15T8/48-3500 IF 10/1	18 kWh	A+
929001158634	15T8/48-3500 IF 10/1 TAA	18 kWh	A+
929001158664	14T8/48-3500 IF 10/1 DIM	18 kWh	-

LED InstantFit Lamps

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001158684	14T8/48-3500 IF 10/1 DIM TAA/NAFTA	-	Not applicable
929001158704	15T8/48-4000 IF 10/1	18 kWh	A+
929001158764	14T8/48-4000 IF 10/1 DIM	18 kWh	-
929001158784	14T8/48-4000 IF 10/1 DIM TAA/NAFTA	-	Not applicable
929001158804	15T8/48-5000 IF 10/1	18 kWh	A+
929001158864	14T8/48-5000 IF 10/1 DIM	18 kWh	-
929001158884	14T8/48-5000 IF 10/1 DIM TAA/NAFTA	-	Not applicable
929001303704	10T8/48-2700 IF 10/1	-	-
929001119604	16.5T8/24-3000 IF-6U 10/1	16.5 kWh	A+
929001119704	16.5T8/24-3500 IF-6U 10/1	16.5 kWh	A+
929001119804	16.5T8/24-4000 IF-6U 10/1	16.5 kWh	A+
929001119904	16.5T8/24-5000 IF-6U 10/1	16.5 kWh	A+
929001151103	17T8/AMB/48-4000 IFG 10/1	20 kWh	A+
929001151104	17T8/48-4000 IFG 10/1	20 kWh	A+
929001151204	17T8/48-5000 IFG 10/1	20 kWh	A+
929001151304	16.5PL-LED/24-3000 IF 10/1	21 kWh	A+
929001151404	16.5PL-LED/24-3500 IF 10/1	21 kWh	A+
929001151504	16.5PL-LED/24-4000 IF 10/1	21 kWh	A+
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	21 kWh	A+
929001181004	8.5PL-C/T LED/26H-4000 IF 4P 10/1	10.5 kWh	A+
929001388004	8.5PL-C/T LED/26H-2700 IF 4P 10/1	-	Not applicable
929001388104	8.5PL-C/T LED/26H-3000 IF 4P 10/1	-	Not applicable
929001388204	8.5PL-C/T LED/26H-3500 IF 4P 10/1	-	Not applicable
929001388304	8.5PL-C/T LED/26H-4000 IF 4P 10/1	-	Not applicable
929001819704	12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	-	-
929001819804	12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	-	-
929001819904	12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	-	-
929001820004	12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	-	-
929001181104	10.5PL-C/T LED/26V-2700 IF 4P 10/1	14.5 kWh	A+
929001181204	10.5PL-C/T LED/26V-3000 IF 4P 10/1	14.5 kWh	A+
929001181304	10.5PL-C/T LED/26V-3500 IF 4P 10/1	14.5 kWh	A+
929001181404	10.5PL-C/T LED/26V-4000 IF 4P 10/1	14.5 kWh	A+
929001388404	10.5PL-C/T LED/26V-2700 IF 4P 10/1	-	Not applicable
929001388504	10.5PL-C/T LED/26V-3000 IF 4P 10/1	-	Not applicable
929001388604	10.5PL-C/T LED/26V-3500 IF 4P 10/1	-	Not applicable
929001388704	10.5PL-C/T LED/26V-4000 IF 4P 10/1	-	Not applicable
929001820104	12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	-	-
929001820204	12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	-	-
929001820304	12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	-	-

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001820404	12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	-	-
929001226504	20T12 EM LED/48-4000 IF G 10/1	23 kWh	A+
929001226604	20T12 EM LED/48-6500 IF G 10/1	23 kWh	A+
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	20 kWh	A+
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	20 kWh	A+
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	20 kWh	A+
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	20 kWh	-
929001273412	13T8/48-6500 IF FA8 10/1	-	-
929001273612	26T8/96-6500 IF FA8 10/1	-	-
929001283704	24T5HO/46-830/IF33/P/DIM 10/1	-	-
929001283804	24T5HO/46-835/IF33/P/DIM 10/1	-	-
929001283904	24T5HO/46-840/IF35/P/DIM 10/1	-	-
929001284004	24T5HO/46-850/IF35/P/DIM 10/1	-	-
929001823104	8T5HE/22-830/IF10/G/DIM 10/1	-	-
929001823204	8T5HE/22-835/IF10/G/DIM 10/1	-	-
929001823304	8T5HE/22-840/IF10/G/DIM 10/1	-	-
929001823404	8T5HE/22-850/IF10/G/DIM 10/1	-	-
929001823504	11T5HE/34-830/IF14/G/DIM 10/1	-	-
929001823604	11T5HE/34-835/IF14/G/DIM 10/1	-	-
929001823704	11T5HE/34-840/IF15/G/DIM 10/1	-	-
929001823804	11T5HE/34-850/IF15/G/DIM 10/1	-	-
929001823904	14T5HE/46-830/IF20/G/DIM 10/1	-	-
929001824004	14T5HE/46-835/IF20/G/DIM 10/1	-	-
929001824104	14T5HE/46-840/IF21/G/DIM 10/1	-	-
929001824204	14T5HE/46-850/IF21/G/DIM 10/1	-	-
929001303304	14T8/48-3000 IF 10/1 ROT	-	-
929001303404	14T8/48-3500 IF 10/1 ROT	-	-
929001303504	14T8/48-4000 IF 10/1 ROT	-	-
929001303604	14T8/48-5000 IF 10/1 ROT	-	-
929001307704	35T8/96-3000 IF FA8 10/1	-	-
929001307804	35T8/96-3500 IF FA8 10/1	-	-
929001314604	35T8/96-4000 IF FA8 10/1	-	-
929001314704	35T8/96-6500 IF FA8 10/1	-	-
929001310804	7T8 LED/24-3000 IF 10/1	-	Not applicable
929001310904	7T8 LED/24-3500 IF 10/1	-	-
929001311004	7T8 LED/24-4000 IF 10/1	-	-
929001311104	7T8 LED/24-5000 IF 10/1	-	-
929001311304	9T8 LED/36-3000 IF 10/1	-	Not applicable
929001311404	9T8 LED/36-3500 IF 10/1	-	Not applicable
929001311504	9T8 LED/36-4000 IF 10/1	-	Not applicable
929001311604	9T8 LED/36-5000 IF 10/1	-	Not applicable
929001311804	13T8 LED/24-3000 IF-6U 10/1	-	-
929001311904	13T8 LED/24-3500 IF-6U 10/1	-	-
929001312004	13T8 LED/24-4000 IF-6U 10/1	-	-
929001312104	13T8 LED/24-5000 IF-6U 10/1	-	-
929001343004	14T8 PRO LED/48-3000 IF G 10/1	-	Not applicable
929001343104	14T8 PRO LED/48-3500 IF G 10/1	-	Not applicable
929001343204	14T8 PRO LED/48-4000 IF G 10/1	-	Not applicable
929001343304	14T8 PRO LED/48-5000 IF G 10/1	-	Not applicable

LED InstantFit Lamps

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001343504	17T8 LED/48-4000 IF G 10/1	-	Not applicable
929001343604	17T8 LED/48-5000 IF G 10/1	-	Not applicable
929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	-	-
929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	-	-
929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	-	-
929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	-	-
929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	-	-
929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	-	-
929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	-	-
929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	-	-
929001845404	14T8PRO/48-830/BB17/G 10/1 FB	-	-
929001845504	14T8PRO/48-835/BB17/G 10/1 FB	-	-
929001845604	14T8PRO/48-840/BB18/G 10/1 FB	-	-
929001845704	14T8PRO/48-850/BB18/G 10/1 FB	-	-
929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	-	-
929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	-	-
929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	-	-
929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	-	-
929001397104	10T8 LED/48-2700 IF 1PK 10/1	-	-
929001397204	10T8 LED/48-3000 IF 1PK 10/1	-	-
929001397304	10T8 LED/48-3500 IF 1PK 10/1	-	-
929001397404	10T8 LED/48-4000 IF 1PK 10/1	-	-
929001397504	10T8 LED/48-5000 IF 1PK 10/1	-	-

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	-	-
929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	-	-
929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	-	-
929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	-	-
929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	-	-
929001862804	5PL-S/LED/13H/827/IF5/P/2P 20/1	-	-
929001862904	5PL-S/LED/13H/830/IF5/P/2P 20/1	-	-
929001863004	5PL-S/LED/13H/835/IF5/P/2P 20/1	-	-
929001863104	5PL-S/LED/13H/840/IF5/P/2P 20/1	-	-
929001884504	5PL-C/LED/13H/827/IF5/P/2P 20/1	-	-
929001884604	5PL-C/LED/13H/830/IF5/P/2P 20/1	-	-
929001884704	5PL-C/LED/13H/835/IF5/P/2P 20/1	-	-
929001884804	5PL-C/LED/13H/840/IF5/P/2P 20/1	-	-
929001884904	5PL-C/LED/13V/827/IF5/P/2P 20/1	-	-
929001885004	5PL-C/LED/13V/830/IF5/P/2P 20/1	-	-
929001885104	5PL-C/LED/13V/835/IF5/P/2P 20/1	-	-
929001885204	5PL-C/LED/13V/840/IF5/P/2P 20/1	-	-
929001885304	5.5PL-C/LED/13H/827/IF5/P/4P 20/1	-	-
929001885404	5.5PL-C/LED/13H/830/IF5/P/4P 20/1	-	-
929001885504	5.5PL-C/LED/13H/835/IF5/P/4P 20/1	-	-
929001885604	5.5PL-C/LED/13H/840/IF5/P/4P 20/1	-	-
929001885704	5.5PL-C/LED/13V/827/IF5/P/4P 20/1	-	-
929001885804	5.5PL-C/LED/13V/830/IF5/P/4P 20/1	-	-
929001885904	5.5PL-C/LED/13V/835/IF5/P/4P 20/1	-	-
929001886004	5.5PL-C/LED/13V/840/IF5/P/4P 20/1	-	-

Controls and Dimming

Order Code	Full Product Name	Dimmable
929001118104	8.5T8/24-4000 IF 10/1	No
929001118204	8.5T8/24-5000 IF 10/1	No
929001118304	10.5T8/36-3000 IF 10/1	No
929001118404	10.5T8/36-3500 IF 10/1	No
929001118504	10.5T8/36-4000 IF 10/1	No
929001118604	10.5T8/36-5000 IF 10/1	No
929001123904	12T8/48-3000 IF 10/1	No
929001123964	10T8/48-3000 IF 10/1	No
929001123984	10T8/48-3000 IF 10/1 TAA/NAFTA	No
929001124064	10T8/48-3500 IF 10/1	No
929001124084	10T8/48-3500 IF 10/1 TAA/NAFTA	No
929001124104	12T8/48-4000 IF 10/1	No
929001124164	10T8/48-4000 IF 10/1	No
929001124184	10T8/48-4000 IF 10/1 TAA/NAFTA	No
929001124204	12T8/48-5000 IF 10/1	No
929001124264	10T8/48-5000 IF 10/1	No
929001124284	10T8/48-5000 IF 10/1 TAA/NAFTA	No
929001158504	15T8/48-3000 IF 10/1	Yes
929001158564	14T8/48-3000 IF 10/1 DIM	Yes

Order Code	Full Product Name	Dimmable
929001158584	14T8/48-3000 IF 10/1 DIM TAA/NAFTA	Yes
929001158604	15T8/48-3500 IF 10/1	Yes
929001158634	15T8/48-3500 IF 10/1 TAA	Yes
929001158664	14T8/48-3500 IF 10/1 DIM	Yes
929001158684	14T8/48-3500 IF 10/1 DIM TAA/NAFTA	Yes
929001158704	15T8/48-4000 IF 10/1	Yes
929001158764	14T8/48-4000 IF 10/1 DIM	Yes
929001158784	14T8/48-4000 IF 10/1 DIM TAA/NAFTA	Yes
929001158804	15T8/48-5000 IF 10/1	Yes
929001158864	14T8/48-5000 IF 10/1 DIM	Yes
929001158884	14T8/48-5000 IF 10/1 DIM TAA/NAFTA	Yes
929001303704	10T8/48-2700 IF 10/1	No
929001119604	16.5T8/24-3000 IF-6U 10/1	No
929001119704	16.5T8/24-3500 IF-6U 10/1	No
929001119804	16.5T8/24-4000 IF-6U 10/1	No
929001119904	16.5T8/24-5000 IF-6U 10/1	No
929001151103	17T8/AMB/48-4000 IFG 10/1	No
929001151104	17T8/48-4000 IFG 10/1	No
929001151204	17T8/48-5000 IFG 10/1	No

LED InstantFit Lamps

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
929001151304	16.5PL-LED/24-3000 IF 10/1	No	929001303604	14T8/48-5000 IF 10/1 ROT	No
929001151404	16.5PL-LED/24-3500 IF 10/1	No	929001307704	35T8/96-3000 IF FA8 10/1	No
929001151504	16.5PL-LED/24-4000 IF 10/1	No	929001307804	35T8/96-3500 IF FA8 10/1	No
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	Yes	929001314604	35T8/96-4000 IF FA8 10/1	No
929001181004	8.5PL-C/T LED/26H-4000 IF 4P 10/1	No	929001314704	35T8/96-6500 IF FA8 10/1	No
929001388004	8.5PL-C/T LED/26H-2700 IF 4P 10/1	No	929001310804	7T8 LED/24-3000 IF 10/1	No
929001388104	8.5PL-C/T LED/26H-3000 IF 4P 10/1	No	929001310904	7T8 LED/24-3500 IF 10/1	No
929001388204	8.5PL-C/T LED/26H-3500 IF 4P 10/1	No	929001311004	7T8 LED/24-4000 IF 10/1	No
929001388304	8.5PL-C/T LED/26H-4000 IF 4P 10/1	No	929001311104	7T8 LED/24-5000 IF 10/1	No
929001819704	12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	Yes	929001311304	9T8 LED/36-3000 IF 10/1	No
929001819804	12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	Yes	929001311404	9T8 LED/36-3500 IF 10/1	No
929001819904	12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	Yes	929001311504	9T8 LED/36-4000 IF 10/1	No
929001820004	12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	Yes	929001311604	9T8 LED/36-5000 IF 10/1	No
929001181104	10.5PL-C/T LED/26V-2700 IF 4P 10/1	No	929001311804	13T8 LED/24-3000 IF-6U 10/1	No
929001181204	10.5PL-C/T LED/26V-3000 IF 4P 10/1	No	929001311904	13T8 LED/24-3500 IF-6U 10/1	No
929001181304	10.5PL-C/T LED/26V-3500 IF 4P 10/1	No	929001312004	13T8 LED/24-4000 IF-6U 10/1	No
929001181404	10.5PL-C/T LED/26V-4000 IF 4P 10/1	No	929001312104	13T8 LED/24-5000 IF-6U 10/1	No
929001388404	10.5PL-C/T LED/26V-2700 IF 4P 10/1	No	929001343004	14T8 PRO LED/48-3000 IF G 10/1	No
929001388504	10.5PL-C/T LED/26V-3000 IF 4P 10/1	No	929001343104	14T8 PRO LED/48-3500 IF G 10/1	No
929001388604	10.5PL-C/T LED/26V-3500 IF 4P 10/1	No	929001343204	14T8 PRO LED/48-4000 IF G 10/1	No
929001388704	10.5PL-C/T LED/26V-4000 IF 4P 10/1	No	929001343304	14T8 PRO LED/48-5000 IF G 10/1	No
929001820104	12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	Yes	929001343504	17T8 LED/48-4000 IF G 10/1	No
929001820204	12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	Yes	929001343604	17T8 LED/48-5000 IF G 10/1	No
929001820304	12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	Yes	929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	No
929001820404	12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	Yes	929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	No
929001226504	20T12 EM LED/48-4000 IF G 10/1	No	929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	No
929001226604	20T12 EM LED/48-6500 IF G 10/1	No	929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	No
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	No	929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	No
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	No	929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	No
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	No	929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	No
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	No	929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	No
929001273412	13T8/48-6500 IF FA8 10/1	No	929001845404	14T8PRO/48-830/BB17/G 10/1 FB	No
929001273612	26T8/96-6500 IF FA8 10/1	No	929001845504	14T8PRO/48-835/BB17/G 10/1 FB	No
929001283704	24T5HO/46-830/IF33/P/DIM 10/1	No	929001845604	14T8PRO/48-840/BB18/G 10/1 FB	No
929001283804	24T5HO/46-835/IF33/P/DIM 10/1	No	929001845704	14T8PRO/48-850/BB18/G 10/1 FB	No
929001283904	24T5HO/46-840/IF35/P/DIM 10/1	No	929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	No
929001284004	24T5HO/46-850/IF35/P/DIM 10/1	No	929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	No
929001823104	8T5HE/22-830/IF10/G/DIM 10/1	Yes	929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	No
929001823204	8T5HE/22-835/IF10/G/DIM 10/1	Yes	929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	No
929001823304	8T5HE/22-840/IF10/G/DIM 10/1	Yes	929001397104	10T8 LED/48-2700 IF 1PK 10/1	No
929001823404	8T5HE/22-850/IF10/G/DIM 10/1	Yes	929001397204	10T8 LED/48-3000 IF 1PK 10/1	No
929001823504	11T5HE/34-830/IF14/G/DIM 10/1	Yes	929001397304	10T8 LED/48-3500 IF 1PK 10/1	No
929001823604	11T5HE/34-835/IF14/G/DIM 10/1	Yes	929001397404	10T8 LED/48-4000 IF 1PK 10/1	No
929001823704	11T5HE/34-840/IF15/G/DIM 10/1	Yes	929001397504	10T8 LED/48-5000 IF 1PK 10/1	No
929001823804	11T5HE/34-850/IF15/G/DIM 10/1	Yes	929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	No
929001823904	14T5HE/46-830/IF20/G/DIM 10/1	Yes	929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	No
929001824004	14T5HE/46-835/IF20/G/DIM 10/1	Yes	929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	No
929001824104	14T5HE/46-840/IF21/G/DIM 10/1	Yes	929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	No
929001824204	14T5HE/46-850/IF21/G/DIM 10/1	Yes	929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	No
929001303304	14T8/48-3000 IF 10/1 ROT	No	929001862804	5PL-S/LED/13H/827/IF5/P/2P 20/1	No
929001303404	14T8/48-3500 IF 10/1 ROT	No	929001862904	5PL-S/LED/13H/830/IF5/P/2P 20/1	No
929001303504	14T8/48-4000 IF 10/1 ROT	No	929001863004	5PL-S/LED/13H/835/IF5/P/2P 20/1	No

LED InstantFit Lamps

Order Code	Full Product Name	Dimmable
929001863104	5PL-S/LED/13H/840/IF5/P/2P 20/1	No
929001884504	5PL-C/LED/13H/827/IF5/P/2P 20/1	No
929001884604	5PL-C/LED/13H/830/IF5/P/2P 20/1	No
929001884704	5PL-C/LED/13H/835/IF5/P/2P 20/1	No
929001884804	5PL-C/LED/13H/840/IF5/P/2P 20/1	No
929001884904	5PL-C/LED/13V/827/IF5/P/2P 20/1	No
929001885004	5PL-C/LED/13V/830/IF5/P/2P 20/1	No
929001885104	5PL-C/LED/13V/835/IF5/P/2P 20/1	No
929001885204	5PL-C/LED/13V/840/IF5/P/2P 20/1	No

Order Code	Full Product Name	Dimmable
929001885304	5.5PL-C/LED/13H/827/IF5/P/4P 20/1	No
929001885404	5.5PL-C/LED/13H/830/IF5/P/4P 20/1	No
929001885504	5.5PL-C/LED/13H/835/IF5/P/4P 20/1	No
929001885604	5.5PL-C/LED/13H/840/IF5/P/4P 20/1	No
929001885704	5.5PL-C/LED/13V/827/IF5/P/4P 20/1	No
929001885804	5.5PL-C/LED/13V/830/IF5/P/4P 20/1	No
929001885904	5.5PL-C/LED/13V/835/IF5/P/4P 20/1	No
929001886004	5.5PL-C/LED/13V/840/IF5/P/4P 20/1	No

Operating and Electrical

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001118104	8.5T8/24-4000 IF 10/1	50 to 60 Hz	120-277 V	8.5 W	0.5 s
929001118204	8.5T8/24-5000 IF 10/1	50 to 60 Hz	120-277 V	8.5 W	0.5 s
929001118304	10.5T8/36-3000 IF 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001118404	10.5T8/36-3500 IF 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001118504	10.5T8/36-4000 IF 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001118604	10.5T8/36-5000 IF 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001123904	12T8/48-3000 IF 10/1	50 to 60 Hz	120-277 V	12 W	0.5 s
929001123964	10T8/48-3000 IF 10/1	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001123984	10T8/48-3000 IF 10/1 TAA/NAFTA	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001124064	10T8/48-3500 IF 10/1	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001124084	10T8/48-3500 IF 10/1 TAA/NAFTA	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001124104	12T8/48-4000 IF 10/1	50 to 60 Hz	120-277 V	12 W	0.5 s
929001124164	10T8/48-4000 IF 10/1	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001124184	10T8/48-4000 IF 10/1 TAA/NAFTA	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001124204	12T8/48-5000 IF 10/1	50 to 60 Hz	120-277 V	12 W	0.5 s
929001124264	10T8/48-5000 IF 10/1	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001124284	10T8/48-5000 IF 10/1 TAA/NAFTA	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001158504	15T8/48-3000 IF 10/1	50 to 60 Hz	120-277 V	15 W	0.5 s
929001158564	14T8/48-3000 IF 10/1 DIM	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158584	14T8/48-3000 IF 10/1 DIM TAA/NAFTA	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158604	15T8/48-3500 IF 10/1	50 to 60 Hz	120-277 V	15 W	0.5 s
929001158634	15T8/48-3500 IF 10/1 TAA	50 to 60 Hz	120-277 V	15 W	0.5 s

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001158664	14T8/48-3500 IF 10/1 DIM	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158684	14T8/48-3500 IF 10/1 DIM TAA/NAFTA	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158704	15T8/48-4000 IF 10/1	50 to 60 Hz	120-277 V	15 W	0.5 s
929001158764	14T8/48-4000 IF 10/1 DIM	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158784	14T8/48-4000 IF 10/1 DIM TAA/NAFTA	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158804	15T8/48-5000 IF 10/1	50 to 60 Hz	120-277 V	15 W	0.5 s
929001158864	14T8/48-5000 IF 10/1 DIM	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001158884	14T8/48-5000 IF 10/1 DIM TAA/NAFTA	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001303704	10T8/48-2700 IF 10/1	50 to 60 Hz	120-277, 347 V	10 W	0.5 s
929001119604	16.5T8/24-3000 IF-6U 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001119704	16.5T8/24-3500 IF-6U 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001119804	16.5T8/24-4000 IF-6U 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001119904	16.5T8/24-5000 IF-6U 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001151103	17T8/AMB/48-4000 IFG 10/1	50 to 60 Hz	120-277 V	17 W	0.5 s
929001151104	17T8/48-4000 IFG 10/1	50 to 60 Hz	120-277 V	17 W	0.5 s
929001151204	17T8/48-5000 IFG 10/1	50 to 60 Hz	120-277 V	17 W	0.5 s
929001151304	16.5PL-LED/24-3000 IF 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001151404	16.5PL-LED/24-3500 IF 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001151504	16.5PL-LED/24-4000 IF 10/1	50 to 60 Hz	120-277 V	16.5 W	0.5 s

LED InstantFit Lamps

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	50 to 60 Hz	25-27 V	16.5 W	0.5 s
929001181004	8.5PL-C/T LED/ 26H-4000 IF 4P 10/1	50 to 60 Hz	120-277 V	8.5 W	0.5 s
929001388004	8.5PL-C/T LED/ 26H-2700 IF 4P 10/1	20000-100000 Hz	120 V	8.5 W	0.5 s
929001388104	8.5PL-C/T LED/ 26H-3000 IF 4P 10/1	20000-100000 Hz	120 V	8.5 W	0.5 s
929001388204	8.5PL-C/T LED/ 26H-3500 IF 4P 10/1	20000-100000 Hz	120 V	8.5 W	0.5 s
929001388304	8.5PL-C/T LED/ 26H-4000 IF 4P 10/1	20000-100000 Hz	120 V	8.5 W	0.5 s
929001819704	12PLC/T LED/32H/827/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001819804	12PLC/T LED/32H/830/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001819904	12PLC/T LED/32H/835/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001820004	12PLC/T LED/32H/840/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001181104	10.5PL-C/T LED/ 26V-2700 IF 4P 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001181204	10.5PL-C/T LED/ 26V-3000 IF 4P 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001181304	10.5PL-C/T LED/ 26V-3500 IF 4P 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001181404	10.5PL-C/T LED/ 26V-4000 IF 4P 10/1	50 to 60 Hz	120-277 V	10.5 W	0.5 s
929001388404	10.5PL-C/T LED/ 26V-2700 IF 4P 10/1	20000-100000 Hz	120 V	10.5 W	0.5 s
929001388504	10.5PL-C/T LED/ 26V-3000 IF 4P 10/1	20000-100000 Hz	120 V	10.5 W	0.5 s
929001388604	10.5PL-C/T LED/ 26V-3500 IF 4P 10/1	20000-100000 Hz	120 V	10.5 W	0.5 s
929001388704	10.5PL-C/T LED/ 26V-4000 IF 4P 10/1	20000-100000 Hz	120 V	10.5 W	0.5 s
929001820104	12PLC/T LED/32V/827/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001820204	12PLC/T LED/32V/830/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001820304	12PLC/T LED/32V/835/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001820404	12PLC/T LED/32V/840/IF/4P/DI M 1PK 10/1	20000-100000 Hz	25-55 V	12 W	0.5 s
929001226504	20T12 EM LED/ 48-4000 IF G 10/1	60 Hz	120-270 V	20 W	0.5 s
929001226604	20T12 EM LED/ 48-6500 IF G 10/1	60 Hz	120-270 V	20 W	0.5 s
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	50 to 60 Hz	120-277, 347 V	16.5 W	0.5 s
929001273412	13T8/48-6500 IF FA8 10/1	47000-64000 Hz	230-290 V	13 W	0.5 s
929001273612	26T8/96-6500 IF FA8 10/1	50000-64000 Hz	280-340 V	26 W	-
929001283704	24T5HO/46-830/ IF33/P/DIM 10/1	40000-80000 Hz	39-64 V	24 W	0.5 s
929001283804	24T5HO/46-835/ IF33/P/DIM 10/1	40000-80000 Hz	39-64 V	24 W	0.5 s
929001283904	24T5HO/46-840/ IF35/P/DIM 10/1	40000-80000 Hz	39-64 V	24 W	0.5 s
929001284004	24T5HO/46-850/ IF35/P/DIM 10/1	40000-80000 Hz	39-64 V	24 W	0.5 s
929001823104	8T5HE/22-830/ IF10/G/DIM 10/1	40000-110000 Hz	40-60 V	8 W	0.5 s
929001823204	8T5HE/22-835/ IF10/G/DIM 10/1	40000-110000 Hz	40-60 V	8 W	0.5 s
929001823304	8T5HE/22-840/ IF10/G/DIM 10/1	40000-110000 Hz	40-60 V	8 W	0.5 s
929001823404	8T5HE/22-850/ IF10/G/DIM 10/1	40000-110000 Hz	40-60 V	8 W	0.5 s
929001823504	11T5HE/34-830/ IF14/G/DIM 10/1	40000-110000 Hz	50-80 V	11 W	0.5 s
929001823604	11T5HE/34-835/ IF14/G/DIM 10/1	40000-110000 Hz	50-80 V	11 W	0.5 s
929001823704	11T5HE/34-840/ IF15/G/DIM 10/1	40000-110000 Hz	50-80 V	11 W	0.5 s
929001823804	11T5HE/34-850/ IF15/G/DIM 10/1	40000-110000 Hz	50-80 V	11 W	0.5 s
929001823904	14T5HE/46-830/ IF20/G/DIM 10/1	40000-110000 Hz	70-105 V	14 W	0.5 s
929001824004	14T5HE/46-835/ IF20/G/DIM 10/1	40000-110000 Hz	70-105 V	14 W	0.5 s
929001824104	14T5HE/46-840/ IF21/G/DIM 10/1	40000-110000 Hz	70-105 V	14 W	0.5 s

LED InstantFit Lamps

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001824204	14T5HE/46-850/IF21/G/DIM 10/1	40000-110000 Hz	70-105 V	14 W	0.5 s
929001303304	14T8/48-3000 IF 10/1 ROT	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001303404	14T8/48-3500 IF 10/1 ROT	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001303504	14T8/48-4000 IF 10/1 ROT	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001303604	14T8/48-5000 IF 10/1 ROT	50 to 60 Hz	120-277, 347 V	14 W	0.5 s
929001307704	35T8/96-3000 IF FA8 10/1	50000-64000 Hz	280-410 V	35 W	-
929001307804	35T8/96-3500 IF FA8 10/1	50000-64000 Hz	280-410 V	35 W	-
929001314604	35T8/96-4000 IF FA8 10/1	50000-64000 Hz	280-410 V	35 W	-
929001314704	35T8/96-6500 IF FA8 10/1	50000-64000 Hz	280-410 V	35 W	-
929001310804	7T8 LED/24-3000 IF 10/1	20000-120000 Hz	120-277, 347 V	7 W	0.5 s
929001310904	7T8 LED/24-3500 IF 10/1	20000-120000 Hz	120-277, 347 V	7 W	0.5 s
929001311004	7T8 LED/24-4000 IF 10/1	20000-120000 Hz	120-277, 347 V	7 W	0.5 s
929001311104	7T8 LED/24-5000 IF 10/1	20000-120000 Hz	120-277, 347 V	7 W	0.5 s
929001311304	9T8 LED/36-3000 IF 10/1	20000-120000 Hz	120-277, 347 V	9 W	0.5 s
929001311404	9T8 LED/36-3500 IF 10/1	20000-120000 Hz	120-277, 347 V	9 W	0.5 s
929001311504	9T8 LED/36-4000 IF 10/1	20000-120000 Hz	120-277, 347 V	9 W	0.5 s
929001311604	9T8 LED/36-5000 IF 10/1	20000-120000 Hz	120-277, 347 V	9 W	0.5 s
929001311804	13T8 LED/24-3000 IF-6U 10/1	20000-120000 Hz	120-277, 347 V	13 W	0.5 s
929001311904	13T8 LED/24-3500 IF-6U 10/1	20000-120000 Hz	120-277, 347 V	13 W	0.5 s
929001312004	13T8 LED/24-4000 IF-6U 10/1	20000-120000 Hz	120-277, 347 V	13 W	0.5 s
929001312104	13T8 LED/24-5000 IF-6U 10/1	20000-120000 Hz	120-277, 347 V	13 W	0.5 s
929001343004	14T8 PRO LED/48-3000 IF G 10/1	20000-120000 Hz	120-277, 347 V	14 W	0.5 s
929001343104	14T8 PRO LED/48-3500 IF G 10/1	20000-120000 Hz	120-277, 347 V	14 W	0.5 s
929001343204	14T8 PRO LED/48-4000 IF G 10/1	20000-120000 Hz	120-277, 347 V	14 W	0.5 s
929001343304	14T8 PRO LED/48-5000 IF G 10/1	20000-120000 Hz	120-277, 347 V	14 W	0.5 s
929001343504	17T8 LED/48-4000 IF G 10/1	20000-120000 Hz	120-277, 347 V	17 W	0.5 s
929001343604	17T8 LED/48-5000 IF G 10/1	20000-120000 Hz	120-277, 347 V	17 W	0.5 s
929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	50 to 60 Hz	120-277 V	17 W	1 s
929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	50 to 60 Hz	120-277 V	17 W	1 s
929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	50 to 60 Hz	120-277 V	17 W	1 s
929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	50 to 60 Hz	120-277 V	17 W	1 s
929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	50 to 60 Hz	120-277 V	16.5 W	0.5 s
929001845404	14T8PRO/48-830/BB17/G 10/1 FB	50 to 60 Hz	120-277 V	14 W	0.5 s
929001845504	14T8PRO/48-835/BB17/G 10/1 FB	50 to 60 Hz	120-277 V	14 W	0.5 s
929001845604	14T8PRO/48-840/BB18/G 10/1 FB	50 to 60 Hz	120-277 V	14 W	0.5 s
929001845704	14T8PRO/48-850/BB18/G 10/1 FB	50 to 60 Hz	120-277 V	14 W	0.5 s
929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	50 to 60 Hz	120-277 V	12 W	0.5 s
929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	50 to 60 Hz	120-277 V	12 W	0.5 s
929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	50 to 60 Hz	120-277 V	12 W	0.5 s
929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	50 to 60 Hz	120-277 V	12 W	0.5 s
929001397104	10T8 LED/48-2700 IF 1PK 10/1	20000-120000 Hz	120-277V, 347 V	10 W	0.5 s
929001397204	10T8 LED/48-3000 IF 1PK 10/1	20000-120000 Hz	120-277V, 347 V	10 W	0.5 s
929001397304	10T8 LED/48-3500 IF 1PK 10/1	20000-120000 Hz	120-277V, 347 V	10 W	0.5 s
929001397404	10T8 LED/48-4000 IF 1PK 10/1	20000-120000 Hz	120-277V, 347 V	10 W	0.5 s
929001397504	10T8 LED/48-5000 IF 1PK 10/1	20000-120000 Hz	120-277V, 347 V	10 W	0.5 s

LED InstantFit Lamps

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	20000-120000 Hz	120-277V; 347 V	13 W	0.5 s
929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	20000-120000 Hz	120-277V; 347 V	13 W	0.5 s
929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	20000-120000 Hz	120-277V; 347 V	13 W	0.5 s
929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	20000-120000 Hz	120-277V; 347 V	13.5 W	0.5 s
929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	20000-120000 Hz	120-277V; 347 V	13 W	0.5 s
929001862804	5PL- S/LED/13H/827/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001862904	5PL- S/LED/13H/830/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001863004	5PL- S/LED/13H/835/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001863104	5PL- S/LED/13H/840/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001884504	5PL- C/LED/13H/827/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001884604	5PL- C/LED/13H/830/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001884704	5PL- C/LED/13H/835/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001884804	5PL- C/LED/13H/840/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001884904	5PL- C/LED/13V/827/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
929001885004	5PL- C/LED/13V/830/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001885104	5PL- C/LED/13V/835/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001885204	5PL- C/LED/13V/840/IF5/P/ 2P 20/1	50 to 60 Hz	120-277 V	5 W	0.5 s
929001885304	5.5PL- C/LED/13H/827/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001885404	5.5PL- C/LED/13H/830/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001885504	5.5PL- C/LED/13H/835/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001885604	5.5PL- C/LED/13H/840/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001885704	5.5PL- C/LED/13V/827/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001885804	5.5PL- C/LED/13V/830/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001885904	5.5PL- C/LED/13V/835/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s
929001886004	5.5PL- C/LED/13V/840/IF5/P/ 4P 20/1	25000-100000 Hz	14-60 V	5.5 W	0.5 s

General Information

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001118104	8.5T8/24-4000 IF 10/1	G13	40000 h	40000 h
929001118204	8.5T8/24-5000 IF 10/1	G13	40000 h	40000 h
929001118304	10.5T8/36-3000 IF 10/1	G13	40000 h	40000 h
929001118404	10.5T8/36-3500 IF 10/1	G13	40000 h	40000 h
929001118504	10.5T8/36-4000 IF 10/1	G13	40000 h	40000 h
929001118604	10.5T8/36-5000 IF 10/1	G13	40000 h	40000 h
929001123904	12T8/48-3000 IF 10/1	G13	50000 h	50000 h

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001123964	10T8/48-3000 IF 10/1	G13	50000 h	50000 h
929001123984	10T8/48-3000 IF 10/1 TAA/ NAFTA	G13	50000 h	50000 h
929001124064	10T8/48-3500 IF 10/1	G13	50000 h	50000 h
929001124084	10T8/48-3500 IF 10/1 TAA/ NAFTA	G13	50000 h	50000 h
929001124104	12T8/48-4000 IF 10/1	G13	50000 h	50000 h

LED InstantFit Lamps

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001124164	10T8/48-4000 IF 10/1	G13	50000 h	50000 h
929001124184	10T8/48-4000 IF 10/1 TAA/ NAFTA	G13	50000 h	50000 h
929001124204	12T8/48-5000 IF 10/1	G13	50000 h	50000 h
929001124264	10T8/48-5000 IF 10/1	G13	50000 h	50000 h
929001124284	10T8/48-5000 IF 10/1 TAA/ NAFTA	G13	50000 h	50000 h
929001158504	15T8/48-3000 IF 10/1	G13	40000 h	40000 h
929001158564	14T8/48-3000 IF 10/1 DIM	G13	50000 h	50000 h
929001158584	14T8/48-3000 IF 10/1 DIM TAA/ NAFTA	G13	50000 h	50000 h
929001158604	15T8/48-3500 IF 10/1	G13	40000 h	40000 h
929001158634	15T8/48-3500 IF 10/1 TAA	G13	40000 h	40000 h
929001158664	14T8/48-3500 IF 10/1 DIM	G13	50000 h	50000 h
929001158684	14T8/48-3500 IF 10/1 DIM TAA/ NAFTA	G13	50000 h	50000 h
929001158704	15T8/48-4000 IF 10/1	G13	40000 h	40000 h
929001158764	14T8/48-4000 IF 10/1 DIM	G13	50000 h	50000 h
929001158784	14T8/48-4000 IF 10/1 DIM TAA/ NAFTA	G13	50000 h	50000 h
929001158804	15T8/48-5000 IF 10/1	G13	40000 h	40000 h
929001158864	14T8/48-5000 IF 10/1 DIM	G13	50000 h	50000 h
929001158884	14T8/48-5000 IF 10/1 DIM TAA/ NAFTA	G13	50000 h	50000 h
929001303704	10T8/48-2700 IF 10/1	G13	50000 h	50000 h
929001119604	16.5T8/24-3000 IF-6U 10/1	G13	40000 h	40000 h
929001119704	16.5T8/24-3500 IF-6U 10/1	G13	40000 h	40000 h
929001119804	16.5T8/24-4000 IF-6U 10/1	G13	40000 h	40000 h
929001119904	16.5T8/24-5000 IF-6U 10/1	G13	40000 h	40000 h
929001151103	17T8/AMB/48-4000 IFG 10/1	G13	36000 h	36000 h
929001151104	17T8/48-4000 IFG 10/1	G13	36000 h	36000 h
929001151204	17T8/48-5000 IFG 10/1	G13	36000 h	36000 h
929001151304	16.5PL-LED/24-3000 IF 10/1	2G11	40000 h	40000 h
929001151404	16.5PL-LED/24-3500 IF 10/1	2G11	40000 h	40000 h
929001151504	16.5PL-LED/24-4000 IF 10/1	2G11	40000 h	40000 h
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	G13	50000 h	50000 h
929001181004	8.5PL-C/T LED/26H-4000 IF 4P 10/1	G24Q-3	40000 h	40000 h
929001388004	8.5PL-C/T LED/26H-2700 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001388104	8.5PL-C/T LED/26H-3000 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001388204	8.5PL-C/T LED/26H-3500 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001388304	8.5PL-C/T LED/26H-4000 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001819704	12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001819804	12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001819904	12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001820004	12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001181104	10.5PL-C/T LED/26V-2700 IF 4P 10/1	GX24Q-3	40000 h	40000 h
929001181204	10.5PL-C/T LED/26V-3000 IF 4P 10/1	GX24Q-3	40000 h	40000 h
929001181304	10.5PL-C/T LED/26V-3500 IF 4P 10/1	GX24Q-3	40000 h	40000 h
929001181404	10.5PL-C/T LED/26V-4000 IF 4P 10/1	GX24Q-3	40000 h	40000 h
929001388404	10.5PL-C/T LED/26V-2700 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001388504	10.5PL-C/T LED/26V-3000 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001388604	10.5PL-C/T LED/26V-3500 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001388704	10.5PL-C/T LED/26V-4000 IF 4P 10/1	G24Q/ GX24Q	50000 h	50000 h
929001820104	12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001820204	12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001820304	12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001820404	12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	G24Q/ GX24Q	50000 h	50000 h
929001226504	20T12 EM LED/48-4000 IF G 10/1	G13	36000 h	36000 h
929001226604	20T12 EM LED/48-6500 IF G 10/1	G13	36000 h	36000 h
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	G13	70000 h	70000 h
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	G13	70000 h	70000 h
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	G13	70000 h	70000 h
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	G13	70000 h	70000 h
929001273412	13T8/48-6500 IF FA8 10/1	FA8	36000 h	36000 h

LED InstantFit Lamps

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001273612	26T8/96-6500 IF FA8 10/1	FA8	36000 h	36000 h
929001283704	24T5HO/46-830/IF33/P/DIM 10/1	G5	50000 h	50000 h
929001283804	24T5HO/46-835/IF33/P/DIM 10/1	G5	50000 h	50000 h
929001283904	24T5HO/46-840/IF35/P/DIM 10/1	G5	50000 h	50000 h
929001284004	24T5HO/46-850/IF35/P/DIM 10/1	G5	50000 h	50000 h
929001823104	8T5HE/22-830/IF10/G/DIM 10/1	G5	50000 h	50000 h
929001823204	8T5HE/22-835/IF10/G/DIM 10/1	G5	50000 h	50000 h
929001823304	8T5HE/22-840/IF10/G/DIM 10/1	G5	50000 h	50000 h
929001823404	8T5HE/22-850/IF10/G/DIM 10/1	G5	50000 h	50000 h
929001823504	11T5HE/34-830/IF14/G/DIM 10/1	G5	50000 h	50000 h
929001823604	11T5HE/34-835/IF14/G/DIM 10/1	G5	50000 h	50000 h
929001823704	11T5HE/34-840/IF15/G/DIM 10/1	G5	50000 h	50000 h
929001823804	11T5HE/34-850/IF15/G/DIM 10/1	G5	50000 h	50000 h
929001823904	14T5HE/46-830/IF20/G/DIM 10/1	G5	50000 h	50000 h
929001824004	14T5HE/46-835/IF20/G/DIM 10/1	G5	50000 h	50000 h
929001824104	14T5HE/46-840/IF21/G/DIM 10/1	G5	50000 h	50000 h
929001824204	14T5HE/46-850/IF21/G/DIM 10/1	G5	50000 h	50000 h
929001303304	14T8/48-3000 IF 10/1 ROT	G13	50000 h	50000 h
929001303404	14T8/48-3500 IF 10/1 ROT	G13	50000 h	50000 h
929001303504	14T8/48-4000 IF 10/1 ROT	G13	50000 h	50000 h
929001303604	14T8/48-5000 IF 10/1 ROT	G13	50000 h	50000 h
929001307704	35T8/96-3000 IF FA8 10/1	FA8	50000 h	50000 h
929001307804	35T8/96-3500 IF FA8 10/1	FA8	50000 h	50000 h
929001314604	35T8/96-4000 IF FA8 10/1	FA8	50000 h	50000 h
929001314704	35T8/96-6500 IF FA8 10/1	FA8	50000 h	50000 h
929001310804	7T8 LED/24-3000 IF 10/1	G13	50000 h	50000 h
929001310904	7T8 LED/24-3500 IF 10/1	G13	50000 h	50000 h
929001311004	7T8 LED/24-4000 IF 10/1	G13	50000 h	50000 h
929001311104	7T8 LED/24-5000 IF 10/1	G13	50000 h	50000 h
929001311304	9T8 LED/36-3000 IF 10/1	G13	50000 h	50000 h
929001311404	9T8 LED/36-3500 IF 10/1	G13	50000 h	50000 h
929001311504	9T8 LED/36-4000 IF 10/1	G13	50000 h	50000 h
929001311604	9T8 LED/36-5000 IF 10/1	G13	50000 h	50000 h
929001311804	13T8 LED/24-3000 IF-6U 10/1	G13	50000 h	50000 h
929001311904	13T8 LED/24-3500 IF-6U 10/1	G13	50000 h	50000 h
929001312004	13T8 LED/24-4000 IF-6U 10/1	G13	50000 h	50000 h
929001312104	13T8 LED/24-5000 IF-6U 10/1	G13	50000 h	50000 h

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001343004	14T8 PRO LED/48-3000 IF G 10/1	G13	50000 h	50000 h
929001343104	14T8 PRO LED/48-3500 IF G 10/1	G13	50000 h	50000 h
929001343204	14T8 PRO LED/48-4000 IF G 10/1	G13	50000 h	50000 h
929001343304	14T8 PRO LED/48-5000 IF G 10/1	G13	50000 h	50000 h
929001343504	17T8 LED/48-4000 IF G 10/1	G13	36000 h	36000 h
929001343604	17T8 LED/48-5000 IF G 10/1	G13	36000 h	36000 h
929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	G13	50000 h	50000 h
929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	G13	50000 h	50000 h
929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	G13	50000 h	50000 h
929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	G13	50000 h	50000 h
929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	G13	50000 h	50000 h
929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	G13	50000 h	50000 h
929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	G13	50000 h	50000 h
929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	G13	50000 h	50000 h
929001845404	14T8PRO/48-830/BB17/G 10/1 FB	G13	50000 h	50000 h
929001845504	14T8PRO/48-835/BB17/G 10/1 FB	G13	50000 h	50000 h
929001845604	14T8PRO/48-840/BB18/G 10/1 FB	G13	50000 h	50000 h
929001845704	14T8PRO/48-850/BB18/G 10/1 FB	G13	50000 h	50000 h
929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	G13	50000 h	50000 h
929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	G13	50000 h	50000 h
929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	G13	50000 h	50000 h
929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	G13	50000 h	50000 h
929001397104	10T8 LED/48-2700 IF 1PK 10/1	G13	70000 h	70000 h
929001397204	10T8 LED/48-3000 IF 1PK 10/1	G13	70000 h	70000 h
929001397304	10T8 LED/48-3500 IF 1PK 10/1	G13	70000 h	70000 h
929001397404	10T8 LED/48-4000 IF 1PK 10/1	G13	70000 h	70000 h
929001397504	10T8 LED/48-5000 IF 1PK 10/1	G13	70000 h	70000 h
929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	G13	70000 h	70000 h

LED InstantFit Lamps

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	G13	70000 h	70000 h	929001884904	5PL-C/LED/13V/827/IF5/P/2P 20/1	GX23-2	50000 h	50000 h
929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	G13	70000 h	70000 h	929001885004	5PL-C/LED/13V/830/IF5/P/2P 20/1	GX23-2	50000 h	50000 h
929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	G13	70000 h	70000 h	929001885104	5PL-C/LED/13V/835/IF5/P/2P 20/1	GX23-2	50000 h	50000 h
929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	G13	70000 h	70000 h	929001885204	5PL-C/LED/13V/840/IF5/P/2P 20/1	GX23-2	50000 h	50000 h
929001862804	5PL-S/LED/13H/827/IF5/P/2P 20/1	GX23	50000 h	50000 h	929001885304	5.5PL-C/LED/13H/827/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001862904	5PL-S/LED/13H/830/IF5/P/2P 20/1	GX23	50000 h	50000 h	929001885404	5.5PL-C/LED/13H/830/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001863004	5PL-S/LED/13H/835/IF5/P/2P 20/1	GX23	50000 h	50000 h	929001885504	5.5PL-C/LED/13H/835/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001863104	5PL-S/LED/13H/840/IF5/P/2P 20/1	GX23	50000 h	50000 h	929001885604	5.5PL-C/LED/13H/840/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001884504	5PL-C/LED/13H/827/IF5/P/2P 20/1	GX23-2	50000 h	50000 h	929001885704	5.5PL-C/LED/13V/827/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001884604	5PL-C/LED/13H/830/IF5/P/2P 20/1	GX23-2	50000 h	50000 h	929001885804	5.5PL-C/LED/13V/830/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001884704	5PL-C/LED/13H/835/IF5/P/2P 20/1	GX23-2	50000 h	50000 h	929001885904	5.5PL-C/LED/13V/835/IF5/P/4P 20/1	G24Q	50000 h	50000 h
929001884804	5PL-C/LED/13H/840/IF5/P/2P 20/1	GX23-2	50000 h	50000 h	929001886004	5.5PL-C/LED/13V/840/IF5/P/4P 20/1	G24Q	50000 h	50000 h

Light Technical (1/2)

Order Code	Full Product Name	Beam Angle	Beam Angle	Correlated Color		Color Rendering		Luminous Flux	
		(Max)	(Nom)	Color Code	Temperature (Nom)	Index (Nom)	Luminous Flux (Nom)	(Rated) (Nom)	
929001118104	8.5T8/24-4000 IF 10/1	-	160 °	840	4000 K	83	1050 lm	1050 lm	
929001118204	8.5T8/24-5000 IF 10/1	-	160 °	850	5000 K	83	1100 lm	1100 lm	
929001118304	10.5T8/36-3000 IF 10/1	-	160 °	830	3000 K	83	1100 lm	1100 lm	
929001118404	10.5T8/36-3500 IF 10/1	-	160 °	835	3500 K	83	1160 lm	1160 lm	
929001118504	10.5T8/36-4000 IF 10/1	-	160 °	840	4000 K	83	1200 lm	1200 lm	
929001118604	10.5T8/36-5000 IF 10/1	-	160 °	850	5000 K	83	1270 lm	1270 lm	
929001123904	12T8/48-3000 IF 10/1	-	-	830	3000 K	83	1500 lm	1500 lm	
929001123964	10T8/48-3000 IF 10/1	-	-	830	3000 K	82	1500 lm	1500 lm	
929001123984	10T8/48-3000 IF 10/1 TAA/NAFTA	-	-	830	3000 K	82	1500 lm	1500 lm	
929001124064	10T8/48-3500 IF 10/1	-	-	835	3500 K	82	1500 lm	1500 lm	
929001124084	10T8/48-3500 IF 10/1 TAA/NAFTA	-	-	835	3500 K	82	1500 lm	1500 lm	
929001124104	12T8/48-4000 IF 10/1	-	-	840	4000 K	83	1600 lm	1600 lm	
929001124164	10T8/48-4000 IF 10/1	-	-	840	4000 K	82	1600 lm	1600 lm	
929001124184	10T8/48-4000 IF 10/1 TAA/NAFTA	-	-	840	4000 K	82	1600 lm	1600 lm	
929001124204	12T8/48-5000 IF 10/1	-	-	850	5000 K	83	1650 lm	1650 lm	
929001124264	10T8/48-5000 IF 10/1	-	-	850	5000 K	82	1600 lm	1600 lm	
929001124284	10T8/48-5000 IF 10/1 TAA/NAFTA	-	-	850	5000 K	82	1600 lm	1600 lm	
929001158504	15T8/48-3000 IF 10/1	-	160 °	830	3000 K	82	2000 lm	2000 lm	
929001158564	14T8/48-3000 IF 10/1 DIM	-	160 °	830	3000 K	82	2000 lm	2000 lm	
929001158584	14T8/48-3000 IF 10/1 DIM TAA/NAFTA	-	-	830	3000 K	82	2000 lm	2000 lm	
929001158604	15T8/48-3500 IF 10/1	-	160 °	835	3500 K	82	2000 lm	2000 lm	

LED InstantFit Lamps

Order Code	Full Product Name	Beam Angle	Beam Angle	Correlated Color		Color Rendering		Luminous Flux
		(Max)	(Nom)	Color Code	Temperature (Nom)	Index (Nom)	Luminous Flux (Nom)	(Rated) (Nom)
929001158634	15T8/48-3500 IF 10/1 TAA	-	160 °	835	3500 K	82	2000 lm	2000 lm
929001158664	14T8/48-3500 IF 10/1 DIM	-	160 °	835	3500 K	82	2000 lm	2000 lm
929001158684	14T8/48-3500 IF 10/1 DIM TAA/NAFTA	-	-	835	3500 K	82	2000 lm	2000 lm
929001158704	15T8/48-4000 IF 10/1	-	160 °	840	4000 K	82	2100 lm	2100 lm
929001158764	14T8/48-4000 IF 10/1 DIM	-	160 °	840	4000 K	82	2100 lm	2100 lm
929001158784	14T8/48-4000 IF 10/1 DIM TAA/NAFTA	-	-	840	4000 K	82	2100 lm	2100 lm
929001158804	15T8/48-5000 IF 10/1	-	160 °	850	5000 K	82	2100 lm	2100 lm
929001158864	14T8/48-5000 IF 10/1 DIM	-	160 °	850	5000 K	82	2100 lm	2100 lm
929001158884	14T8/48-5000 IF 10/1 DIM TAA/NAFTA	-	-	850	5000 K	82	2100 lm	2100 lm
929001303704	10T8/48-2700 IF 10/1	-	-	827	2700 K	82	1400 lm	1400 lm
929001119604	16.5T8/24-3000 IF-6U 10/1	-	160 °	830	3000 K	83	2000 lm	2000 lm
929001119704	16.5T8/24-3500 IF-6U 10/1	-	160 °	835	3500 K	83	2000 lm	2000 lm
929001119804	16.5T8/24-4000 IF-6U 10/1	-	160 °	840	4000 K	83	2100 lm	2100 lm
929001119904	16.5T8/24-5000 IF-6U 10/1	-	160 °	850	5000 K	83	2150 lm	2150 lm
929001151103	17T8/AMB/48-4000 IFG 10/1	-	-	840	4000 K	82	2100 lm	2100 lm
929001151104	17T8/48-4000 IFG 10/1	-	240 °	840	4000 K	82	2100 lm	2100 lm
929001151204	17T8/48-5000 IFG 10/1	-	240 °	850	5000 K	82	2100 lm	2100 lm
929001151304	16.5PL-LED/24-3000 IF 10/1	-	160 °	830	3000 K	82	1900 lm	1900 lm
929001151404	16.5PL-LED/24-3500 IF 10/1	-	160 °	835	3500 K	82	2000 lm	2000 lm
929001151504	16.5PL-LED/24-4000 IF 10/1	-	160 °	840	4000 K	82	2100 lm	2100 lm
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	-	160 °	840	4000 K	82	2100 lm	2100 lm
929001181004	8.5PL-C/T LED/26H-4000 IF 4P 10/1	-	120 °	840	4000 K	82	950 lm	950 lm
929001388004	8.5PL-C/T LED/26H-2700 IF 4P 10/1	-	-	827	2700 K	82	850 lm	850 lm
929001388104	8.5PL-C/T LED/26H-3000 IF 4P 10/1	-	-	830	3000 K	82	900 lm	900 lm
929001388204	8.5PL-C/T LED/26H-3500 IF 4P 10/1	-	-	835	3500 K	82	900 lm	900 lm
929001388304	8.5PL-C/T LED/26H-4000 IF 4P 10/1	-	-	840	4000 K	82	950 lm	950 lm
929001819704	12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	-	-	827	2700 K	82	1300 lm	1300 lm
929001819804	12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	-	-	830	3000 K	82	1350 lm	1350 lm
929001819904	12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	-	-	835	3500 K	82	1400 lm	1400 lm
929001820004	12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	-	-	840	4000 K	82	1450 lm	1450 lm
929001181104	10.5PL-C/T LED/26V-2700 IF 4P 10/1	-	120 °	827	2700 K	82	1200 lm	1200 lm
929001181204	10.5PL-C/T LED/26V-3000 IF 4P 10/1	-	120 °	830	3000 K	82	1200 lm	1200 lm
929001181304	10.5PL-C/T LED/26V-3500 IF 4P 10/1	-	120 °	835	3500 K	82	1200 lm	1200 lm
929001181404	10.5PL-C/T LED/26V-4000 IF 4P 10/1	-	120 °	840	4000 K	82	1300 lm	1300 lm
929001388404	10.5PL-C/T LED/26V-2700 IF 4P 10/1	-	-	827	2700 K	82	1200 lm	1200 lm
929001388504	10.5PL-C/T LED/26V-3000 IF 4P 10/1	-	-	830	3000 K	82	1200 lm	1200 lm
929001388604	10.5PL-C/T LED/26V-3500 IF 4P 10/1	-	-	835	3500 K	82	1200 lm	1200 lm
929001388704	10.5PL-C/T LED/26V-4000 IF 4P 10/1	-	-	840	4000 K	82	1300 lm	1300 lm
929001820104	12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	-	-	827	2700 K	82	1350 lm	1350 lm
929001820204	12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	-	-	830	3000 K	82	1400 lm	1400 lm
929001820304	12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	-	-	835	3500 K	82	1450 lm	1450 lm
929001820404	12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	-	-	840	4000 K	82	1500 lm	1500 lm
929001226504	20T12 EM LED/48-4000 IF G 10/1	-	240 °	840	4000 K	82	2100 lm	2100 lm
929001226604	20T12 EM LED/48-6500 IF G 10/1	-	240 °	865	6500 K	82	2100 lm	2100 lm
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	-	160 °	835	3500 K	82	2400 lm	2400 lm
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	-	160 °	840	4000 K	82	2500 lm	2500 lm
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	-	160 °	850	5000 K	82	2500 lm	2500 lm
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	160 °	160 °	830	3000 K	82	2300 lm	2300 lm
929001273412	13T8/48-6500 IF FA8 10/1	-	-	865	6500 K	82	1600 lm	1600 lm
929001273612	26T8/96-6500 IF FA8 10/1	-	-	865	6500 K	82	3200 lm	3200 lm
929001283704	24T5HO/46-830/IF33P/DIM 10/1	-	-	830	3000 K	82	3300 lm	3300 lm

LED InstantFit Lamps

Order Code	Full Product Name	Beam Angle	Beam Angle	Correlated Color		Color Rendering		Luminous Flux
		(Max)	(Nom)	Color Code	Temperature (Nom)	Index (Nom)	Luminous Flux (Nom)	(Rated) (Nom)
929001283804	24T5HO/46-835/IF33/P/DIM 10/1	-	-	835	3500 K	82	3300 lm	3300 lm
929001283904	24T5HO/46-840/IF35/P/DIM 10/1	-	-	840	4000 K	82	3500 lm	3500 lm
929001284004	24T5HO/46-850/IF35/P/DIM 10/1	-	-	850	5000 K	82	3500 lm	3500 lm
929001823104	8T5HE/22-830/IF10/G/DIM 10/1	-	200 °	830	3000 K	82	1000 lm	1000 lm
929001823204	8T5HE/22-835/IF10/G/DIM 10/1	-	200 °	835	3500 K	82	1000 lm	1000 lm
929001823304	8T5HE/22-840/IF10/G/DIM 10/1	-	200 °	840	4000 K	82	1050 lm	1050 lm
929001823404	8T5HE/22-850/IF10/G/DIM 10/1	-	200 °	850	5000 K	82	1050 lm	1050 lm
929001823504	11T5HE/34-830/IF14/G/DIM 10/1	-	200 °	830	3000 K	82	1400 lm	1400 lm
929001823604	11T5HE/34-835/IF14/G/DIM 10/1	-	200 °	835	3500 K	82	1400 lm	1400 lm
929001823704	11T5HE/34-840/IF15/G/DIM 10/1	-	200 °	840	4000 K	82	1500 lm	1500 lm
929001823804	11T5HE/34-850/IF15/G/DIM 10/1	-	200 °	850	5000 K	82	1500 lm	1500 lm
929001823904	14T5HE/46-830/IF20/G/DIM 10/1	-	200 °	830	3000 K	82	2000 lm	2000 lm
929001824004	14T5HE/46-835/IF20/G/DIM 10/1	-	200 °	835	3500 K	82	2000 lm	2000 lm
929001824104	14T5HE/46-840/IF21/G/DIM 10/1	-	200 °	840	4000 K	82	2100 lm	2100 lm
929001824204	14T5HE/46-850/IF21/G/DIM 10/1	-	200 °	850	5000 K	82	2100 lm	2100 lm
929001303304	14T8/48-3000 IF 10/1 ROT	-	-	830	3000 K	82	2000 lm	2000 lm
929001303404	14T8/48-3500 IF 10/1 ROT	-	-	835	3500 K	82	2000 lm	2000 lm
929001303504	14T8/48-4000 IF 10/1 ROT	-	-	840	4000 K	82	2100 lm	2100 lm
929001303604	14T8/48-5000 IF 10/1 ROT	-	-	850	5000 K	82	2100 lm	2100 lm
929001307704	35T8/96-3000 IF FA8 10/1	-	-	830	3000 K	82	3900 lm	3900 lm
929001307804	35T8/96-3500 IF FA8 10/1	-	-	835	3500 K	82	4000 lm	4000 lm
929001314604	35T8/96-4000 IF FA8 10/1	-	-	840	4000 K	82	4200 lm	4200 lm
929001314704	35T8/96-6500 IF FA8 10/1	-	-	865	6500 K	82	4200 lm	4200 lm
929001310804	7T8 LED/24-3000 IF 10/1	-	-	830	3000 K	82	1050 lm	1050 lm
929001310904	7T8 LED/24-3500 IF 10/1	-	-	835	3500 K	82	1050 lm	1050 lm
929001311004	7T8 LED/24-4000 IF 10/1	-	-	840	4000 K	82	1150 lm	1150 lm
929001311104	7T8 LED/24-5000 IF 10/1	-	-	850	5000 K	82	1150 lm	1150 lm
929001311304	9T8 LED/36-3000 IF 10/1	-	-	830	3000 K	82	1100 lm	1100 lm
929001311404	9T8 LED/36-3500 IF 10/1	-	-	835	3500 K	82	1100 lm	1100 lm
929001311504	9T8 LED/36-4000 IF 10/1	-	-	840	4000 K	82	1200 lm	1200 lm
929001311604	9T8 LED/36-5000 IF 10/1	-	-	850	5000 K	82	1200 lm	1200 lm
929001311804	13T8 LED/24-3000 IF-6U 10/1	-	-	830	3000 K	82	2000 lm	2000 lm
929001311904	13T8 LED/24-3500 IF-6U 10/1	-	-	835	3500 K	82	2000 lm	2000 lm
929001312004	13T8 LED/24-4000 IF-6U 10/1	-	-	840	4000 K	82	2100 lm	2100 lm
929001312104	13T8 LED/24-5000 IF-6U 10/1	-	-	850	5000 K	82	2100 lm	2100 lm
929001343004	14T8 PRO LED/48-3000 IF G 10/1	-	-	830	3000 K	80	2000 lm	2000 lm
929001343104	14T8 PRO LED/48-3500 IF G 10/1	-	-	835	3500 K	80	2000 lm	2000 lm
929001343204	14T8 PRO LED/48-4000 IF G 10/1	-	-	840	4000 K	80	2100 lm	2100 lm
929001343304	14T8 PRO LED/48-5000 IF G 10/1	-	-	850	5000 K	80	2100 lm	2100 lm
929001343504	17T8 LED/48-4000 IF G 10/1	-	-	840	4000 K	80	2100 lm	2100 lm
929001343604	17T8 LED/48-5000 IF G 10/1	-	240 °	850	5000 K	80	2100 lm	2100 lm
929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	-	-	830	3000 K	80	2000 lm	2000 lm
929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	-	240 °	830	3000 K	80	2000 lm	2000 lm
929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	-	-	835	3500 K	80	2000 lm	2000 lm
929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	-	240 °	835	3500 K	80	2000 lm	2000 lm
929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	-	-	840	4000 K	80	2100 lm	2100 lm
929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	-	240 °	840	4000 K	80	2100 lm	2100 lm
929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	-	-	850	5000 K	80	2100 lm	2100 lm
929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	-	240 °	850	5000 K	80	2100 lm	2100 lm
929001845404	14T8PRO/48-830/BB17/G 10/1 FB	-	240 °	830	3000 K	80	1700 lm	1700 lm
929001845504	14T8PRO/48-835/BB17/G 10/1 FB	-	240 °	835	3500 K	80	1700 lm	1700 lm

LED InstantFit Lamps

Order Code	Full Product Name	Beam Angle	Beam Angle	Correlated Color		Color Rendering		Luminous Flux	
		(Max)	(Nom)	Color Code	Temperature (Nom)	Index (Nom)	Luminous Flux (Nom)	(Rated) (Nom)	
929001845604	14T8PRO/48-840/BB18/G 10/1 FB	-	240 °	840	4000 K	80	1800 lm	1800 lm	
929001845704	14T8PRO/48-850/BB18/G 10/1 FB	-	240 °	850	5000 K	80	1800 lm	1800 lm	
929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	-	240 °	830	3000 K	80	1700 lm	1700 lm	
929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	-	240 °	835	3500 K	80	1700 lm	1700 lm	
929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	-	240 °	840	4000 K	80	1800 lm	1800 lm	
929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	-	240 °	850	5000 K	80	1800 lm	1800 lm	
929001397104	10T8 LED/48-2700 IF 1PK 10/1	-	-	827	2700 K	82	1400 lm	1400 lm	
929001397204	10T8 LED/48-3000 IF 1PK 10/1	-	-	830	3000 K	82	1500 lm	1500 lm	
929001397304	10T8 LED/48-3500 IF 1PK 10/1	-	-	835	3500 K	82	1500 lm	1500 lm	
929001397404	10T8 LED/48-4000 IF 1PK 10/1	-	-	840	4000 K	82	1600 lm	1600 lm	
929001397504	10T8 LED/48-5000 IF 1PK 10/1	-	-	850	5000 K	82	1600 lm	1600 lm	
929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	-	-	830	3000 K	82	2000 lm	2000 lm	
929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	-	-	835	3500 K	82	2000 lm	2000 lm	
929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	-	-	840	4000 K	82	2100 lm	2100 lm	
929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	-	-	840	4000 K	82	2200 lm	2200 lm	
929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	-	-	850	5000 K	82	2100 lm	2100 lm	
929001862804	5PL-S/LED/13H/827/IF5/P/2P 20/1	-	120 °	827	2700 K	82	520 lm	520 lm	
929001862904	5PL-S/LED/13H/830/IF5/P/2P 20/1	-	120 °	830	3000 K	82	540 lm	540 lm	
929001863004	5PL-S/LED/13H/835/IF5/P/2P 20/1	-	120 °	835	3500 K	82	560 lm	560 lm	
929001863104	5PL-S/LED/13H/840/IF5/P/2P 20/1	-	120 °	840	4000 K	82	580 lm	580 lm	
929001884504	5PL-C/LED/13H/827/IF5/P/2P 20/1	-	150 °	827	2700 K	82	520 lm	520 lm	
929001884604	5PL-C/LED/13H/830/IF5/P/2P 20/1	-	150 °	830	3000 K	82	550 lm	550 lm	
929001884704	5PL-C/LED/13H/835/IF5/P/2P 20/1	-	150 °	835	3500 K	82	550 lm	550 lm	
929001884804	5PL-C/LED/13H/840/IF5/P/2P 20/1	-	150 °	840	4000 K	82	580 lm	580 lm	
929001884904	5PL-C/LED/13V/827/IF5/P/2P 20/1	-	150 °	827	2700 K	82	520 lm	520 lm	
929001885004	5PL-C/LED/13V/830/IF5/P/2P 20/1	-	150 °	830	3000 K	82	550 lm	550 lm	
929001885104	5PL-C/LED/13V/835/IF5/P/2P 20/1	-	150 °	835	3500 K	82	550 lm	550 lm	
929001885204	5PL-C/LED/13V/840/IF5/P/2P 20/1	-	150 °	840	4000 K	82	580 lm	580 lm	
929001885304	5.5PL-C/LED/13H/827/IF5/P/4P 20/1	-	150 °	827	2700 K	82	520 lm	520 lm	
929001885404	5.5PL-C/LED/13H/830/IF5/P/4P 20/1	-	150 °	830	3000 K	82	550 lm	550 lm	
929001885504	5.5PL-C/LED/13H/835/IF5/P/4P 20/1	-	150 °	835	3500 K	82	550 lm	550 lm	
929001885604	5.5PL-C/LED/13H/840/IF5/P/4P 20/1	-	150 °	840	4000 K	82	580 lm	580 lm	
929001885704	5.5PL-C/LED/13V/827/IF5/P/4P 20/1	-	150 °	827	2700 K	82	520 lm	520 lm	
929001885804	5.5PL-C/LED/13V/830/IF5/P/4P 20/1	-	150 °	830	3000 K	82	550 lm	550 lm	
929001885904	5.5PL-C/LED/13V/835/IF5/P/4P 20/1	-	150 °	835	3500 K	82	550 lm	550 lm	
929001886004	5.5PL-C/LED/13V/840/IF5/P/4P 20/1	-	150 °	840	4000 K	82	580 lm	580 lm	

Light Technical (2/2)

Order Code	Full Product Name	Rated Beam Angle	Order Code	Full Product Name	Rated Beam Angle
929001118104	8.5T8/24-4000 IF 10/1	160 °	929001124104	12T8/48-4000 IF 10/1	-
929001118204	8.5T8/24-5000 IF 10/1	160 °	929001124164	10T8/48-4000 IF 10/1	-
929001118304	10.5T8/36-3000 IF 10/1	160 °	929001124184	10T8/48-4000 IF 10/1 TAA/NAFTA	-
929001118404	10.5T8/36-3500 IF 10/1	160 °	929001124204	12T8/48-5000 IF 10/1	-
929001118504	10.5T8/36-4000 IF 10/1	160 °	929001124264	10T8/48-5000 IF 10/1	-
929001118604	10.5T8/36-5000 IF 10/1	160 °	929001124284	10T8/48-5000 IF 10/1 TAA/NAFTA	-
929001123904	12T8/48-3000 IF 10/1	-	929001158504	15T8/48-3000 IF 10/1	160 °
929001123964	10T8/48-3000 IF 10/1	-	929001158564	14T8/48-3000 IF 10/1 DIM	160 °
929001123984	10T8/48-3000 IF 10/1 TAA/NAFTA	-	929001158584	14T8/48-3000 IF 10/1 DIM TAA/NAFTA	-
929001124064	10T8/48-3500 IF 10/1	-	929001158604	15T8/48-3500 IF 10/1	160 °
929001124084	10T8/48-3500 IF 10/1 TAA/NAFTA	-	929001158634	15T8/48-3500 IF 10/1 TAA	160 °

LED InstantFit Lamps

Order Code	Full Product Name	Rated Beam Angle	Order Code	Full Product Name	Rated Beam Angle
929001158664	14T8/48-3500 IF 10/1 DIM	160 °	929001284004	24T5HO/46-850/IF35/P/DIM 10/1	-
929001158684	14T8/48-3500 IF 10/1 DIM TAA/NAFTA	-	929001823104	8T5HE/22-830/IF10/G/DIM 10/1	200 °
929001158704	15T8/48-4000 IF 10/1	160 °	929001823204	8T5HE/22-835/IF10/G/DIM 10/1	200 °
929001158764	14T8/48-4000 IF 10/1 DIM	160 °	929001823304	8T5HE/22-840/IF10/G/DIM 10/1	200 °
929001158784	14T8/48-4000 IF 10/1 DIM TAA/NAFTA	-	929001823404	8T5HE/22-850/IF10/G/DIM 10/1	200 °
929001158804	15T8/48-5000 IF 10/1	160 °	929001823504	11T5HE/34-830/IF14/G/DIM 10/1	200 °
929001158864	14T8/48-5000 IF 10/1 DIM	160 °	929001823604	11T5HE/34-835/IF14/G/DIM 10/1	200 °
929001158884	14T8/48-5000 IF 10/1 DIM TAA/NAFTA	-	929001823704	11T5HE/34-840/IF15/G/DIM 10/1	200 °
929001303704	10T8/48-2700 IF 10/1	-	929001823804	11T5HE/34-850/IF15/G/DIM 10/1	200 °
929001119604	16.5T8/24-3000 IF-6U 10/1	160 °	929001823904	14T5HE/46-830/IF20/G/DIM 10/1	200 °
929001119704	16.5T8/24-3500 IF-6U 10/1	160 °	929001824004	14T5HE/46-835/IF20/G/DIM 10/1	200 °
929001119804	16.5T8/24-4000 IF-6U 10/1	160 °	929001824104	14T5HE/46-840/IF21/G/DIM 10/1	200 °
929001119904	16.5T8/24-5000 IF-6U 10/1	160 °	929001824204	14T5HE/46-850/IF21/G/DIM 10/1	200 °
929001151103	17T8/AMB/48-4000 IFG 10/1	-	929001303304	14T8/48-3000 IF 10/1 ROT	-
929001151104	17T8/48-4000 IFG 10/1	240 °	929001303404	14T8/48-3500 IF 10/1 ROT	-
929001151204	17T8/48-5000 IFG 10/1	240 °	929001303504	14T8/48-4000 IF 10/1 ROT	-
929001151304	16.5PL-LED/24-3000 IF 10/1	160 °	929001303604	14T8/48-5000 IF 10/1 ROT	-
929001151404	16.5PL-LED/24-3500 IF 10/1	160 °	929001307704	35T8/96-3000 IF FA8 10/1	-
929001151504	16.5PL-LED/24-4000 IF 10/1	160 °	929001307804	35T8/96-3500 IF FA8 10/1	-
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	160 °	929001314604	35T8/96-4000 IF FA8 10/1	-
929001181004	8.5PL-C/T LED/26H-4000 IF 4P 10/1	120 °	929001314704	35T8/96-6500 IF FA8 10/1	-
929001388004	8.5PL-C/T LED/26H-2700 IF 4P 10/1	-	929001310804	7T8 LED/24-3000 IF 10/1	-
929001388104	8.5PL-C/T LED/26H-3000 IF 4P 10/1	-	929001310904	7T8 LED/24-3500 IF 10/1	-
929001388204	8.5PL-C/T LED/26H-3500 IF 4P 10/1	-	929001311004	7T8 LED/24-4000 IF 10/1	-
929001388304	8.5PL-C/T LED/26H-4000 IF 4P 10/1	-	929001311104	7T8 LED/24-5000 IF 10/1	-
929001819704	12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	-	929001311304	9T8 LED/36-3000 IF 10/1	-
929001819804	12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	-	929001311404	9T8 LED/36-3500 IF 10/1	-
929001819904	12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	-	929001311504	9T8 LED/36-4000 IF 10/1	-
929001820004	12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	-	929001311604	9T8 LED/36-5000 IF 10/1	-
929001181104	10.5PL-C/T LED/26V-2700 IF 4P 10/1	120 °	929001311804	13T8 LED/24-3000 IF-6U 10/1	-
929001181204	10.5PL-C/T LED/26V-3000 IF 4P 10/1	120 °	929001311904	13T8 LED/24-3500 IF-6U 10/1	-
929001181304	10.5PL-C/T LED/26V-3500 IF 4P 10/1	120 °	929001312004	13T8 LED/24-4000 IF-6U 10/1	-
929001181404	10.5PL-C/T LED/26V-4000 IF 4P 10/1	120 °	929001312104	13T8 LED/24-5000 IF-6U 10/1	-
929001388404	10.5PL-C/T LED/26V-2700 IF 4P 10/1	-	929001343004	14T8 PRO LED/48-3000 IF G 10/1	-
929001388504	10.5PL-C/T LED/26V-3000 IF 4P 10/1	-	929001343104	14T8 PRO LED/48-3500 IF G 10/1	-
929001388604	10.5PL-C/T LED/26V-3500 IF 4P 10/1	-	929001343204	14T8 PRO LED/48-4000 IF G 10/1	-
929001388704	10.5PL-C/T LED/26V-4000 IF 4P 10/1	-	929001343304	14T8 PRO LED/48-5000 IF G 10/1	-
929001820104	12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	-	929001343504	17T8 LED/48-4000 IF G 10/1	-
929001820204	12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	-	929001343604	17T8 LED/48-5000 IF G 10/1	240 °
929001820304	12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	-	929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	-
929001820404	12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	-	929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	240 °
929001226504	20T12 EM LED/48-4000 IF G 10/1	240 °	929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	-
929001226604	20T12 EM LED/48-6500 IF G 10/1	240 °	929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	240 °
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	160 °	929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	-
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	160 °	929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	240 °
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	160 °	929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	-
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	160 °	929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	240 °
929001273412	13T8/48-6500 IF FA8 10/1	-	929001845404	14T8PRO/48-830/BB17/G 10/1 FB	240 °
929001273612	26T8/96-6500 IF FA8 10/1	-	929001845504	14T8PRO/48-835/BB17/G 10/1 FB	240 °
929001283704	24T5HO/46-830/IF33/P/DIM 10/1	-	929001845604	14T8PRO/48-840/BB18/G 10/1 FB	240 °
929001283804	24T5HO/46-835/IF33/P/DIM 10/1	-	929001845704	14T8PRO/48-850/BB18/G 10/1 FB	240 °
929001283904	24T5HO/46-840/IF35/P/DIM 10/1	-	929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	240 °

LED InstantFit Lamps

Order Code	Full Product Name	Rated Beam Angle
929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	240 °
929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	240 °
929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	240 °
929001397104	10T8 LED/48-2700 IF 1PK 10/1	-
929001397204	10T8 LED/48-3000 IF 1PK 10/1	-
929001397304	10T8 LED/48-3500 IF 1PK 10/1	-
929001397404	10T8 LED/48-4000 IF 1PK 10/1	-
929001397504	10T8 LED/48-5000 IF 1PK 10/1	-
929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	-
929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	-
929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	-
929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	-
929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	-
929001862804	5PL-S/LED/13H/827/IF5/P/2P 20/1	120 °
929001862904	5PL-S/LED/13H/830/IF5/P/2P 20/1	120 °
929001863004	5PL-S/LED/13H/835/IF5/P/2P 20/1	120 °
929001863104	5PL-S/LED/13H/840/IF5/P/2P 20/1	120 °

Order Code	Full Product Name	Rated Beam Angle
929001884504	5PL-C/LED/13H/827/IF5/P/2P 20/1	150 °
929001884604	5PL-C/LED/13H/830/IF5/P/2P 20/1	150 °
929001884704	5PL-C/LED/13H/835/IF5/P/2P 20/1	150 °
929001884804	5PL-C/LED/13H/840/IF5/P/2P 20/1	150 °
929001884904	5PL-C/LED/13V/827/IF5/P/2P 20/1	150 °
929001885004	5PL-C/LED/13V/830/IF5/P/2P 20/1	150 °
929001885104	5PL-C/LED/13V/835/IF5/P/2P 20/1	150 °
929001885204	5PL-C/LED/13V/840/IF5/P/2P 20/1	150 °
929001885304	5.5PL-C/LED/13H/827/IF5/P/4P 20/1	150 °
929001885404	5.5PL-C/LED/13H/830/IF5/P/4P 20/1	150 °
929001885504	5.5PL-C/LED/13H/835/IF5/P/4P 20/1	150 °
929001885604	5.5PL-C/LED/13H/840/IF5/P/4P 20/1	150 °
929001885704	5.5PL-C/LED/13V/827/IF5/P/4P 20/1	150 °
929001885804	5.5PL-C/LED/13V/830/IF5/P/4P 20/1	150 °
929001885904	5.5PL-C/LED/13V/835/IF5/P/4P 20/1	150 °
929001886004	5.5PL-C/LED/13V/840/IF5/P/4P 20/1	150 °

Temperature

Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001118104	8.5T8/24-4000 IF 10/1	45 °C	-20 °C	50 °C
929001118204	8.5T8/24-5000 IF 10/1	45 °C	-20 °C	50 °C
929001118304	10.5T8/36-3000 IF 10/1	45 °C	-20 °C	50 °C
929001118404	10.5T8/36-3500 IF 10/1	45 °C	-20 °C	50 °C
929001118504	10.5T8/36-4000 IF 10/1	45 °C	-20 °C	50 °C
929001118604	10.5T8/36-5000 IF 10/1	45 °C	-20 °C	50 °C
929001123904	12T8/48-3000 IF 10/1	45 °C	-20 °C	50 °C
929001123964	10T8/48-3000 IF 10/1	45 °C	-20 °C	40 °C
929001123984	10T8/48-3000 IF 10/1 TAA/NAFTA	45 °C	-20 °C	40 °C
929001124064	10T8/48-3500 IF 10/1	45 °C	-20 °C	40 °C
929001124084	10T8/48-3500 IF 10/1 TAA/NAFTA	45 °C	-20 °C	40 °C
929001124104	12T8/48-4000 IF 10/1	45 °C	-20 °C	40 °C
929001124164	10T8/48-4000 IF 10/1	45 °C	-20 °C	40 °C
929001124184	10T8/48-4000 IF 10/1 TAA/NAFTA	45 °C	-20 °C	40 °C
929001124204	12T8/48-5000 IF 10/1	45 °C	-20 °C	40 °C
929001124264	10T8/48-5000 IF 10/1	45 °C	-20 °C	40 °C
929001124284	10T8/48-5000 IF 10/1 TAA/NAFTA	45 °C	-20 °C	40 °C
929001158504	15T8/48-3000 IF 10/1	45 °C	-20 °C	50 °C
929001158564	14T8/48-3000 IF 10/1 DIM	45 °C	-20 °C	45 °C
929001158584	14T8/48-3000 IF 10/1 DIM TAA/NAFTA	45 °C	-20 °C	45 °C
929001158604	15T8/48-3500 IF 10/1	45 °C	-20 °C	50 °C
929001158634	15T8/48-3500 IF 10/1 TAA	45 °C	-20 °C	50 °C
929001158664	14T8/48-3500 IF 10/1 DIM	45 °C	-20 °C	45 °C

Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001158684	14T8/48-3500 IF 10/1 DIM TAA/NAFTA	45 °C	-20 °C	45 °C
929001158704	15T8/48-4000 IF 10/1	45 °C	-20 °C	50 °C
929001158764	14T8/48-4000 IF 10/1 DIM	45 °C	-20 °C	45 °C
929001158784	14T8/48-4000 IF 10/1 DIM TAA/NAFTA	45 °C	-20 °C	45 °C
929001158804	15T8/48-5000 IF 10/1	45 °C	-20 °C	50 °C
929001158864	14T8/48-5000 IF 10/1 DIM	45 °C	-20 °C	45 °C
929001158884	14T8/48-5000 IF 10/1 DIM TAA/NAFTA	45 °C	-20 °C	45 °C
929001303704	10T8/48-2700 IF 10/1	45 °C	-20 °C	40 °C
929001119604	16.5T8/24-3000 IF-6U 10/1	45 °C	-20 °C	50 °C
929001119704	16.5T8/24-3500 IF-6U 10/1	45 °C	-20 °C	50 °C
929001119804	16.5T8/24-4000 IF-6U 10/1	45 °C	-20 °C	50 °C
929001119904	16.5T8/24-5000 IF-6U 10/1	45 °C	-20 °C	50 °C
929001151103	17T8/AMB/48-4000 IFG 10/1	45 °C	-20 °C	60 °C
929001151104	17T8/48-4000 IFG 10/1	35 °C	-20 °C	60 °C
929001151204	17T8/48-5000 IFG 10/1	35 °C	-20 °C	60 °C
929001151304	16.5PL-LED/24-3000 IF 10/1	45 °C	-20 °C	65 °C
929001151404	16.5PL-LED/24-3500 IF 10/1	45 °C	-20 °C	65 °C
929001151504	16.5PL-LED/24-4000 IF 10/1	45 °C	-20 °C	65 °C
929001175104	16.5T8 LED/48-4000 20/1 DC Driver	45 °C	-20 °C	45 °C
929001181004	8.5PL-C/T LED/26H-4000 IF 4P 10/1	35 °C	-20 °C	67 °C
929001388004	8.5PL-C/T LED/26H-2700 IF 4P 10/1	45 °C	-20 °C	60 °C
929001388104	8.5PL-C/T LED/26H-3000 IF 4P 10/1	45 °C	-20 °C	60 °C

LED InstantFit Lamps

Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001388204	8.5PL-C/T LED/26H-3500 IF 4P 10/1	45 °C	-20 °C	60 °C
929001388304	8.5PL-C/T LED/26H-4000 IF 4P 10/1	45 °C	-20 °C	60 °C
929001819704	12PLC/T LED/32H/827/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001819804	12PLC/T LED/32H/830/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001819904	12PLC/T LED/32H/835/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001820004	12PLC/T LED/32H/840/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001181104	10.5PL-C/T LED/26V-2700 IF 4P 10/1	35 °C	-20 °C	77 °C
929001181204	10.5PL-C/T LED/26V-3000 IF 4P 10/1	35 °C	-20 °C	77 °C
929001181304	10.5PL-C/T LED/26V-3500 IF 4P 10/1	35 °C	-20 °C	77 °C
929001181404	10.5PL-C/T LED/26V-4000 IF 4P 10/1	35 °C	-20 °C	77 °C
929001388404	10.5PL-C/T LED/26V-2700 IF 4P 10/1	45 °C	-20 °C	60 °C
929001388504	10.5PL-C/T LED/26V-3000 IF 4P 10/1	45 °C	-20 °C	60 °C
929001388604	10.5PL-C/T LED/26V-3500 IF 4P 10/1	45 °C	-20 °C	60 °C
929001388704	10.5PL-C/T LED/26V-4000 IF 4P 10/1	45 °C	-20 °C	60 °C
929001820104	12PLC/T LED/32V/827/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001820204	12PLC/T LED/32V/830/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001820304	12PLC/T LED/32V/835/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001820404	12PLC/T LED/32V/840/IF/4P/DIM 1PK 10/1	45 °C	-20 °C	-
929001226504	20T12 EM LED/48-4000 IF G 10/1	-20 °C	35 °C	65 °C
929001226604	20T12 EM LED/48-6500 IF G 10/1	-20 °C	35 °C	65 °C
929001226704	16.5T8 LED/48-3500 IF 10/1 UHO	-	-	45 °C

Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001226804	16.5T8 LED/48-4000 IF 10/1 UHO	-	-	45 °C
929001226904	16.5T8 LED/48-5000 IF 10/1 UHO	-	-	45 °C
929001304404	16.5T8 LED/48-3000 IF 10/1 UHO	55 °C	-20 °C	45 °C
929001273412	13T8/48-6500 IF FA8 10/1	45 °C	-20 °C	-
929001273612	26T8/96-6500 IF FA8 10/1	-	-	-
929001283704	24T5HO/46-830/IF33/P/DIM 10/1	45 °C	-20 °C	-
929001283804	24T5HO/46-835/IF33/P/DIM 10/1	45 °C	-20 °C	-
929001283904	24T5HO/46-840/IF35/P/DIM 10/1	45 °C	-20 °C	-
929001284004	24T5HO/46-850/IF35/P/DIM 10/1	45 °C	-20 °C	-
929001823104	8T5HE/22-830/IF10/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823204	8T5HE/22-835/IF10/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823304	8T5HE/22-840/IF10/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823404	8T5HE/22-850/IF10/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823504	11T5HE/34-830/IF14/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823604	11T5HE/34-835/IF14/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823704	11T5HE/34-840/IF15/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823804	11T5HE/34-850/IF15/G/DIM 10/1	45 °C	-20 °C	70 °C
929001823904	14T5HE/46-830/IF20/G/DIM 10/1	45 °C	-20 °C	70 °C
929001824004	14T5HE/46-835/IF20/G/DIM 10/1	45 °C	-20 °C	70 °C
929001824104	14T5HE/46-840/IF21/G/DIM 10/1	45 °C	-20 °C	70 °C
929001824204	14T5HE/46-850/IF21/G/DIM 10/1	45 °C	-20 °C	70 °C
929001303304	14T8/48-3000 IF 10/1 ROT	45 °C	-20 °C	45 °C
929001303404	14T8/48-3500 IF 10/1 ROT	45 °C	-20 °C	45 °C
929001303504	14T8/48-4000 IF 10/1 ROT	45 °C	-20 °C	45 °C
929001303604	14T8/48-5000 IF 10/1 ROT	45 °C	-20 °C	45 °C
929001307704	35T8/96-3000 IF FA8 10/1	-	-	-
929001307804	35T8/96-3500 IF FA8 10/1	-	-	-
929001314604	35T8/96-4000 IF FA8 10/1	-	-	-
929001314704	35T8/96-6500 IF FA8 10/1	-	-	-
929001310804	7T8 LED/24-3000 IF 10/1	45 °C	-20 °C	50 °C
929001310904	7T8 LED/24-3500 IF 10/1	45 °C	-20 °C	50 °C

LED InstantFit Lamps

Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001311004	7T8 LED/24-4000 IF 10/1	45 °C	-20 °C	50 °C
929001311104	7T8 LED/24-5000 IF 10/1	45 °C	-20 °C	50 °C
929001311304	9T8 LED/36-3000 IF 10/1	45 °C	-20 °C	50 °C
929001311404	9T8 LED/36-3500 IF 10/1	45 °C	-20 °C	50 °C
929001311504	9T8 LED/36-4000 IF 10/1	45 °C	-20 °C	50 °C
929001311604	9T8 LED/36-5000 IF 10/1	45 °C	-20 °C	50 °C
929001311804	13T8 LED/24-3000 IF-6U 10/1	45 °C	-20 °C	50 °C
929001311904	13T8 LED/24-3500 IF-6U 10/1	45 °C	-20 °C	50 °C
929001312004	13T8 LED/24-4000 IF-6U 10/1	45 °C	-20 °C	50 °C
929001312104	13T8 LED/24-5000 IF-6U 10/1	45 °C	-20 °C	50 °C
929001343004	14T8 PRO LED/48-3000 IF G 10/1	45 °C	-20 °C	50 °C
929001343104	14T8 PRO LED/48-3500 IF G 10/1	45 °C	-20 °C	50 °C
929001343204	14T8 PRO LED/48-4000 IF G 10/1	45 °C	-20 °C	50 °C
929001343304	14T8 PRO LED/48-5000 IF G 10/1	45 °C	-20 °C	50 °C
929001343504	17T8 LED/48-4000 IF G 10/1	45 °C	-20 °C	60 °C
929001343604	17T8 LED/48-5000 IF G 10/1	45 °C	-20 °C	60 °C
929001363104	17T8 PRO LED/48-3000 BB G 1PK 10/1	45 °C	-20 °C	55 °C
929001363134	16.5T8PRO/48-830/BB20/G 10/1 FB	45 °C	-20 °C	70 °C
929001363204	17T8 PRO LED/48-3500 BB G 1PK 10/1	45 °C	-20 °C	55 °C
929001363234	16.5T8PRO/48-835/BB20/G 10/1 FB	45 °C	-20 °C	70 °C
929001363304	17T8 PRO LED/48-4000 BB G 1PK 10/1	45 °C	-20 °C	55 °C
929001363334	16.5T8PRO/48-840/BB21/G 10/1 FB	45 °C	-20 °C	70 °C
929001363404	17T8 PRO LED/48-5000 BB G 1PK 10/1	45 °C	-20 °C	55 °C
929001363434	16.5T8PRO/48-850/BB21/G 10/1 FB	45 °C	-20 °C	70 °C
929001845404	14T8PRO/48-830/BB17/G 10/1 FB	45 °C	-20 °C	70 °C
929001845504	14T8PRO/48-835/BB17/G 10/1 FB	45 °C	-20 °C	70 °C
929001845604	14T8PRO/48-840/BB18/G 10/1 FB	45 °C	-20 °C	70 °C
929001845704	14T8PRO/48-850/BB18/G 10/1 FB	45 °C	-20 °C	70 °C
929001876804	12T8/PRO/48-830/BB17/G 10/1 FB	45 °C	-20 °C	70 °C
929001876904	12T8/PRO/48-835/BB17/G 10/1 FB	45 °C	-20 °C	70 °C
929001877004	12T8/PRO/48-840/BB18/G 10/1 FB	45 °C	-20 °C	70 °C


Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001877104	12T8/PRO/48-850/BB18/G 10/1 FB	45 °C	-20 °C	70 °C
929001397104	10T8 LED/48-2700 IF 1PK 10/1	45 °C	-20 °C	50 °C
929001397204	10T8 LED/48-3000 IF 1PK 10/1	45 °C	-20 °C	50 °C
929001397304	10T8 LED/48-3500 IF 1PK 10/1	45 °C	-20 °C	50 °C
929001397404	10T8 LED/48-4000 IF 1PK 10/1	45 °C	-20 °C	50 °C
929001397504	10T8 LED/48-5000 IF 1PK 10/1	45 °C	-20 °C	50 °C
929001397604	13T8 LED/48-3000 IF DIM 1PK 10/1	45 °C	-20 °C	50 °C
929001397704	13T8 LED/48-3500 IF DIM 1PK 10/1	45 °C	-20 °C	50 °C
929001397804	13T8 LED/48-4000 IF DIM 1PK 10/1	45 °C	-20 °C	50 °C
929001397824	13.5T8PER/48-840/IF22/P/DIM CAN 10/1	45 °C	-20 °C	50 °C
929001397904	13T8 LED/48-5000 IF DIM 1PK 10/1	45 °C	-20 °C	50 °C
929001862804	5PL-S/LED/13H/827/IF5/P/2P 20/1	45 °C	-20 °C	75 °C
929001862904	5PL-S/LED/13H/830/IF5/P/2P 20/1	45 °C	-20 °C	75 °C
929001863004	5PL-S/LED/13H/835/IF5/P/2P 20/1	45 °C	-20 °C	75 °C
929001863104	5PL-S/LED/13H/840/IF5/P/2P 20/1	45 °C	-20 °C	75 °C
929001884504	5PL-C/LED/13H/827/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001884604	5PL-C/LED/13H/830/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001884704	5PL-C/LED/13H/835/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001884804	5PL-C/LED/13H/840/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001884904	5PL-C/LED/13V/827/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001885004	5PL-C/LED/13V/830/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001885104	5PL-C/LED/13V/835/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001885204	5PL-C/LED/13V/840/IF5/P/2P 20/1	45 °C	-20 °C	70 °C
929001885304	5.5PL- C/LED/13H/827/IF5/P/4P 20/1	45 °C	-20 °C	75 °C
929001885404	5.5PL- C/LED/13H/830/IF5/P/4P 20/1	45 °C	-20 °C	75 °C

LED InstantFit Lamps


Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001885504	5.5PL- C/LED/13H/835/IF5/P/4P 20/1	45 °C	-20 °C	75 °C
929001885604	5.5PL- C/LED/13H/840/IF5/P/4P 20/1	45 °C	-20 °C	75 °C
929001885704	5.5PL- C/LED/13V/827/IF5/P/4P 20/1	45 °C	-20 °C	70 °C

Order Code	Full Product Name	T-Ambient (Max)	T-Ambient (Min)	T-Case Maximum (Nom)
929001885804	5.5PL- C/LED/13V/830/IF5/P/4P 20/1	45 °C	-20 °C	70 °C
929001885904	5.5PL- C/LED/13V/835/IF5/P/4P 20/1	45 °C	-20 °C	70 °C
929001886004	5.5PL- C/LED/13V/840/IF5/P/4P 20/1	45 °C	-20 °C	70 °C


Light Distribution Diagrams




LEDtube 600 mm 8.5 W /840




LEDtube 600 mm 8.5 W /850




LEDtube 900 mm 10.5 W /830




LEDtube 900 mm 10.5 W /835





LEDtube 900 mm 10.5 W /840








LEDtube 900 mm 10.5 W /850



LEDtube 600mm 16.5 W







Light Distribution Diagrams






LEDtube 1200mm 17 W

LEDtube 500mm 16.5 W 2G11



LED InstantFit T8 1200mm 16.5 W, 600mm 8.5 W /840










Light Distribution Diagrams









LED InstantFit PL-C/T 100mm 8.5 W

LED InstantFit PL-C/T 100mm 10.5 W

LEDtube 1200mm 18 W T8 C W G






Light Distribution Diagrams



LEDtube 1200mm 17W G13 2100lm


Mains DLC 17W 2000-2100lm 3000_5000K ND



LEDtube PLC 100mm 9W G24Q GX24Q 827 850lm


LEDtube PLC 100mm 11W G24Q GX24Q 827 1200lm

LEDtube 10W G13 827 1P 1200lm




LEDtube 13W G13 830-850 IF DIM


Light Distribution Diagrams




LEDtube PLC/T 12W G24Q 827 32H DIM




LEDtube PLC/T 12W G24Q 827 32V DIM




LEDtube 8W G5 830 200D DIM IF10




LEDtube 14W G13 830 ND BB17




LEDtube PLS 5W GX23 827 2P 12D ND



LEDtube PRO 12W G13 830 24D ND



LEDtube PLC 13H 5W GX23-2 827 15D ND



LEDtube PLC 13V 5W GX23-2 827 15D ND

