




# Rigid conduit

## Conduit fittings and accessories




| Cat. no.  | Trade size (in.) | Dimensions (in.) |         |         |         |
|---|------------------|------------------|---------|---------|---------|
|   |                  | A                | B       | C       |         |
| <b>Rigid conduit fittings – “LB” type (cast aluminum)</b>   |                  |                  |         |         |         |
| <br>CILBA-1/2 / CILBA-2      CIELBA-2 1/2 / CIELBA-4 | CILBA-1/2        | 1/2              | 4 5/16  | 1 1/2   | 1 3/8   |
|   | CILBA-3/4        | 3/4              | 4 15/16 | 1 7/8   | 1 3/8   |
|   | CILBA-1          | 1                | 6 1/16  | 2 1/16  | 1 13/16 |
|   | CILBA-1-1/4      | 1 1/4            | 7 7/8   | 2 15/16 | 2 1/2   |
|   | CILBA-1-1/2      | 1 1/2            | 7 7/8   | 3 1/16  | 2 1/2   |
|   | CILBA-2          | 2                | 10      | 3 3/4   | 3 3/16  |
|   | CIELBA-2-1/2     | 2 1/2            | 13 3/8  | 5 1/4   | 5 1/8   |
|   | CIELBA-3         | 3                | 13 3/8  | 5 1/4   | 5 1/8   |
|   | CIELBA-3-1/2     | 3 1/2            | 16 1/8  | 6 11/16 | 5 7/8   |
|   | CIELBA-4         | 4                | 16 1/8  | 6 11/16 | 5 7/8   |

| Cat. no.  | Trade size (in.) | Dimensions (in.) |         |       |        |
|---|------------------|------------------|---------|-------|--------|
|   |                  | A                | B       | C     |        |
| <b>Rigid conduit fittings – “T” type (cast aluminum)</b>  |                  |                  |         |       |        |
| <br>CITA-1/2 / CITA-4 | CITA-1/2         | 1/2              | 4 7/8   | 1 3/8 | 2 1/16 |
|   | CITA-3/4         | 3/4              | 5 9/16  | 1 3/4 | 2 1/8  |
|   | CITA-1           | 1                | 6 1/2   | 2     | 2 1/2  |
|   | CITA-1-1/4       | 1 1/4            | 8 11/16 | 2 5/8 | 3 1/2  |
|   | CITA-1-1/2       | 1 1/2            | 8 11/16 | 3     | 3 3/16 |
|   | CITA-2           | 2                | 10 7/8  | 3 1/4 | 4 3/16 |
|   | CITA-2-1/2       | 2 1/2            | 12 2/8  | 6 3/8 | 5 3/4  |
|   | CITA-3           | 3                | 12 2/8  | 6 3/8 | 5 3/4  |
|   | CITA-3-1/2       | 3 1/2            | 14 7/8  | 7 7/8 | 6 3/4  |
|   | CITA-4           | 4                | 14 7/8  | 7 7/8 | 6 3/4  |

| Cat. no.   | Trade size (in.) | Dimensions (in.) |        |        |         |
|--|------------------|------------------|--------|--------|---------|
|  |                  | A                | B      | C      |         |
| <b>Rigid conduit fittings – “TB” type (cast aluminum)</b>  |                  |                  |        |        |         |
| <br>CITBA-1/2 / CITBA-2 | CITBA-1/2        | 1/2              | 4 3/8  | 1 3/8  | 1 3/8   |
|  | CITBA-3/4        | 3/4              | 5 1/8  | 2 1/8  | 1 9/16  |
|  | CITBA-1          | 1                | 6      | 2 1/2  | 1 13/16 |
|  | CITBA-1-1/4      | 1 1/4            | 8 3/8  | 3 1/2  | 2 1/2   |
|  | CITBA-1-1/2      | 1 1/2            | 8 3/8  | 3 1/2  | 2 1/2   |
|  | CITBA-2          | 2                | 10 1/4 | 4 5/16 | 3 3/8   |


Gaskets and covers are included with all rigid conduit fittings  
 CILBA and CITA-1/2 to CITA-2 are also suitable for use with EMT conduit



| Cat. no.   | Trade size (in.) |       |
|--|------------------|-------|
| <b>Blank covers for aluminum conduit fittings (stamped aluminum)</b>                                     |                  |       |
| <br>CIBC-1/2 / CIBC-2 | CIBC-1/2         | 1/2   |
|  | CIBC-3/4         | 3/4   |
|  | CIBC-1           | 1     |
|  | CIBC-1-1/4       | 1 1/4 |
|  | CIBC-2           | 2     |

For 1 1/2 inch, use CIBC-1-1/4  
 Screws not included





| Cat. no.  | Trade size (in.) |       |
|---|------------------|-------|
| <b>Gaskets for aluminum conduit fittings (neoprene)</b>   |                  |       |
| <br>CIG-1/2 / CIG-2 | CIG-1/2          | 1/2   |
|   | CIG-3/4          | 3/4   |
|   | CIG-1            | 1     |
|   | CIG-1-1/4        | 1 1/4 |
|   | CIG-2            | 2     |

For 1 1/2 inch, use CIBC-1-1/4

## Rigid conduit

### Accessories



|  | Cat. no. | Trade size (in.) |
|--|----------|------------------|
| <b>Reducing washers (steel)</b>  |          |                  |
|  <p>CI6R4 / CI24R20</p>     | WA-110 * | ½ x ¾            |
|  | CI6R4    | ¾ x ½            |
|  | CI8R4    | 1 x ½            |
|  | CI8R6    | 1 x ¾            |
|  | CI10R4   | 1¼ x ½           |
|  | CI10R6   | 1¼ x ¾           |
|  | CI10R8   | 1¼ x 1           |
|  | CI12R4   | 1½ x ½           |
|  | CI12R6   | 1½ x ¾           |
|  | CI12R8   | 1½ x 1           |
|  | CI12R10  | 1½ x 1¼          |
|  | CI16R4   | 2 x ½            |
|  | CI16R6   | 2 x ¾            |
|  | CI16R8   | 2 x 1            |
|  | CI16R10  | 2 x 1¼           |
|  | CI16R12  | 2 x 1½           |
|  | CI20R4   | 2½ x ½           |
|  | CI20R6   | 2½ x ¾           |
|  | CI20R8   | 2½ x 1           |
|  | CI20R10  | 2½ x 1¼          |
|  | CI20R12  | 2½ x 1½          |
|  | CI20R16  | 2½ x 2           |
|  | CI24R4   | 3 x ½            |
|  | CI24R6   | 3 x ¾            |
| CI24R8   | 3 x 1    |                  |
| CI24R10  | 3 x 1¼   |                  |
| CI24R12  | 3 x 1½   |                  |
| CI24R16  | 3 x 2    |                  |
| CI24R20  | 3 x 2½   |                  |
| <b>Knockout closures (steel)</b>   |          |                  |
|  <p>CI3504* / CI3516*</p> | CI3504 * | ½                |
|  | CI3506 * | ¾                |
|  | CI3508 * | 1                |
|  | CI3510 * | 1¼               |
|  | CI3512 * | 1½               |
|  | CI3516 * | 2                |


\* Not CSA certified

# Rigid conduit

## Accessories



| Cat. no.                            | Trade size (in.) | Jaw opening (in.) | Tap base and back | Dimensions (in.) |        |         |
|-------------------------------------|------------------|-------------------|-------------------|------------------|--------|---------|
|                                     |                  |                   |                   | A                | B      | C       |
| <b>Beam clamps (malleable iron)</b> |                  |                   |                   |                  |        |         |
| 500-SC                              | ¼ NC             | 15/16             | ¼-20              | 1                | 1¼     | 17/16   |
| 501                                 | 5/16 NC          | 7/8               | 5/16-18           | 1 9/16           | 1 9/16 | 1 11/16 |
| 502                                 | ¾ NC             | 1                 | ¾-16              | 2                | 1 7/8  | 1 ¾     |
| 503-SC                              | ½ NC             | 1                 | ½-13              | 2 ½              | 2 ¾    | 2 ¾     |



500-SC / 503-SC



| Cat. no.                                    | Trade size (in.) |
|---|------------------|
| <b>RCS type beam clamps (steel)</b>         |                  |
| RCS-1/2                                     | ½                |
| RCS-3/4                                     | ¾                |
| RCS-1                                       | 1                |
| RCS-1-1/4                                   | 1¼               |
| RCS-1-1/2                                   | 1½               |
| RCS-2                                       | 2                |
| <b>PC type beam clamps (malleable iron)</b> |                  |
| PC-3/8                                      | ¾                |
| PC-1/2                                      | ½                |
| PC-3/4                                      | ¾                |
| PC-1  | 1                |
| PC-1-1/4                                    | 1¼               |
| PC-1-1/2                                    | 1½               |
| PC 2SC                                      | 2                |
| PC-2-1/2                                    | 2½               |
| PC-3  | 3                |
| PC-3-1/2                                    | 3½               |
| PC-4  | 4                |



RCS-1/2 / RCS-2



PC-3/8 / PC-4



| Cat. no.                                    | Trade size (in.) |
|---|------------------|
| <b>EC type beam clamps (malleable iron)</b> |                  |
| EC-1/2                                      | ½                |
| EC-3/4                                      | ¾                |
| EC-1  | 1                |
| EC-1-1/4                                    | 1¼               |
| EC-1-1/2                                    | 1½               |
| EC-2  | 2                |
| EC-2-1/2                                    | 2½               |
| EC-3  | 3                |
| <b>RC type beam clamps (malleable iron)</b> |                  |
| RC-1/2                                      | ½                |
| RC-3/4                                      | ¾                |
| RC-1  | 1                |
| RC-1-1/4                                    | 1¼               |
| RC-1-1/2                                    | 1½               |
| RC-2-SC                                     | 2                |
| RC-2-1/2                                    | 2½               |
| RC-3  | 3                |
| RC-3-1/2                                    | 3½               |
| RC-4-SC                                     | 4                |



EC-1/2 / EC-3



RC-1/2 / RC-4-SC