


# Rigid conduit


## Conduit fittings and accessories




| Cat. no.  | Trade size (in.) | Dimensions (in.)                |                                 |                                 |
|---|------------------|---------------------------------|---------------------------------|---------------------------------|
|   |                  | A                               | B                               | C                               |
| <b>Rigid conduit fittings – “LB” type (cast aluminum)</b> |                  |                                 |                                 |                                 |
| CILBA-1/2   | 1/2              | 4 <sup>5</sup> / <sub>16</sub>  | 1 1/2                           | 1 3/8                           |
| CILBA-3/4   | 3/4              | 4 <sup>15</sup> / <sub>16</sub> | 1 7/8                           | 1 9/16                          |
| CILBA-1   | 1                | 6 <sup>1</sup> / <sub>16</sub>  | 2 <sup>1</sup> / <sub>16</sub>  | 1 <sup>13</sup> / <sub>16</sub> |
| CILBA-1-1/4   | 1 1/4            | 7 <sup>7</sup> / <sub>8</sub>   | 2 <sup>15</sup> / <sub>16</sub> | 2 1/2                           |
| CILBA-1-1/2   | 1 1/2            | 7 <sup>7</sup> / <sub>8</sub>   | 3 <sup>1</sup> / <sub>16</sub>  | 2 1/2                           |
| CILBA-2   | 2                | 10                              | 3 3/4                           | 3 3/16                          |
| CIELBA-2-1/2  | 2 1/2            | 13 <sup>3</sup> / <sub>8</sub>  | 5 1/4                           | 5 1/8                           |
| CIELBA-3  | 3                | 13 <sup>3</sup> / <sub>8</sub>  | 5 1/4                           | 5 1/8                           |
| CIELBA-3-1/2  | 3 1/2            | 16 <sup>1</sup> / <sub>8</sub>  | 6 <sup>11</sup> / <sub>16</sub> | 5 7/8                           |
| CIELBA-4  | 4                | 16 <sup>1</sup> / <sub>8</sub>  | 6 <sup>11</sup> / <sub>16</sub> | 5 7/8                           |



|  |       |                                 |       |        |
|--|-------|---------------------------------|-------|--------|
| <b>Rigid conduit fittings – “T” type (cast aluminum)</b> |       |                                 |       |        |
| CITA-1/2   | 1/2   | 4 <sup>7</sup> / <sub>8</sub>   | 1 3/8 | 2 1/16 |
| CITA-3/4   | 3/4   | 5 <sup>9</sup> / <sub>16</sub>  | 1 3/4 | 2 1/8  |
| CITA-1   | 1     | 6 1/2                           | 2     | 2 1/2  |
| CITA-1-1/4   | 1 1/4 | 8 <sup>11</sup> / <sub>16</sub> | 2 5/8 | 3 1/2  |
| CITA-1-1/2   | 1 1/2 | 8 <sup>11</sup> / <sub>16</sub> | 3     | 3 3/16 |
| CITA-2   | 2     | 10 <sup>7</sup> / <sub>8</sub>  | 3 1/4 | 4 3/16 |
| CITA-2-1/2   | 2 1/2 | 12 <sup>2</sup> / <sub>8</sub>  | 6 3/8 | 5 3/4  |
| CITA-3   | 3     | 12 <sup>2</sup> / <sub>8</sub>  | 6 3/8 | 5 3/4  |
| CITA-3-1/2   | 3 1/2 | 14 <sup>7</sup> / <sub>8</sub>  | 7 7/8 | 6 3/4  |
| CITA-4   | 4     | 14 <sup>7</sup> / <sub>8</sub>  | 7 7/8 | 6 3/4  |



|   |       |                                |                                |                                 |
|---|-------|--------------------------------|--------------------------------|---------------------------------|
| <b>Rigid conduit fittings – “TB” type (cast aluminum)</b> |       |                                |                                |                                 |
| CITBA-1/2   | 1/2   | 4 <sup>3</sup> / <sub>8</sub>  | 1 3/8                          | 1 3/8                           |
| CITBA-3/4   | 3/4   | 5 <sup>1</sup> / <sub>8</sub>  | 2 1/8                          | 1 9/16                          |
| CITBA-1   | 1     | 6                              | 2 1/2                          | 1 <sup>13</sup> / <sub>16</sub> |
| CITBA-1-1/4   | 1 1/4 | 8 <sup>3</sup> / <sub>8</sub>  | 3 1/2                          | 2 1/2                           |
| CITBA-1-1/2   | 1 1/2 | 8 <sup>3</sup> / <sub>8</sub>  | 3 1/2                          | 2 1/2                           |
| CITBA-2   | 2     | 10 <sup>1</sup> / <sub>4</sub> | 4 <sup>5</sup> / <sub>16</sub> | 3 3/8                           |



Gaskets and covers are included with all rigid conduit fittings  
 CILBA and CITA-1/2 to CITA-2 are also suitable for use with EMT conduit



| Cat. no.   | Trade size (in.) |
|--|------------------|
| <b>Blank covers for aluminum conduit fittings (stamped aluminum)</b> |                  |
| CIBC-1/2   | 1/2              |
| CIBC-3/4   | 3/4              |
| CIBC-1   | 1                |
| CIBC-1-1/4   | 1 1/4            |
| CIBC-2   | 2                |



For 1 1/2 inch, use CIBC-1-1/4  
 Screws not included



| Cat. no.  | Trade size (in.) |
|---|------------------|
| <b>Gaskets for aluminum conduit fittings (neoprene)</b> |                  |
| CIG-1/2   | 1/2              |
| CIG-3/4   | 3/4              |
| CIG-1   | 1                |
| CIG-1-1/4   | 1 1/4            |
| CIG-2   | 2                |





For 1 1/2 inch, use CIBC-1-1/4

## Rigid conduit

### Accessories



|  | Cat. no. | Trade size (in.) |
|--|----------|------------------|
| <b>Reducing washers (steel)</b>  |          |                  |
|  <p>CI6R4 / CI24R20</p>     | WA-110 * | ½ x ¾            |
|  | CI6R4    | ¾ x ½            |
|  | CI8R4    | 1 x ½            |
|  | CI8R6    | 1 x ¾            |
|  | CI10R4   | 1¼ x ½           |
|  | CI10R6   | 1¼ x ¾           |
|  | CI10R8   | 1¼ x 1           |
|  | CI12R4   | 1½ x ½           |
|  | CI12R6   | 1½ x ¾           |
|  | CI12R8   | 1½ x 1           |
|  | CI12R10  | 1½ x 1¼          |
|  | CI16R4   | 2 x ½            |
|  | CI16R6   | 2 x ¾            |
|  | CI16R8   | 2 x 1            |
|  | CI16R10  | 2 x 1¼           |
|  | CI16R12  | 2 x 1½           |
|  | CI20R4   | 2½ x ½           |
|  | CI20R6   | 2½ x ¾           |
|  | CI20R8   | 2½ x 1           |
|  | CI20R10  | 2½ x 1¼          |
|  | CI20R12  | 2½ x 1½          |
|  | CI20R16  | 2½ x 2           |
|  | CI24R4   | 3 x ½            |
|  | CI24R6   | 3 x ¾            |
|  | CI24R8   | 3 x 1            |
|  | CI24R10  | 3 x 1¼           |
|  | CI24R12  | 3 x 1½           |
| CI24R16  | 3 x 2    |                  |
| CI24R20  | 3 x 2½   |                  |
| <b>Knockout closures (steel)</b>   |          |                  |
|  <p>CI3504* / CI3516*</p> | CI3504 * | ½                |
|  | CI3506 * | ¾                |
|  | CI3508 * | 1                |
|  | CI3510 * | 1¼               |
|  | CI3512 * | 1½               |
|  | CI3516 * | 2                |


\* Not CSA certified

# Rigid conduit

## Accessories



| Cat. no.                            | Trade size (in.) | Jaw opening (in.) | Tap base and back | Dimensions (in.) |        |         |
|-------------------------------------|------------------|-------------------|-------------------|------------------|--------|---------|
|                                     |                  |                   |                   | A                | B      | C       |
| <b>Beam clamps (malleable iron)</b> |                  |                   |                   |                  |        |         |
| 500-SC                              | ¼ NC             | 15/16             | ¼-20              | 1                | 1¼     | 17/16   |
| 501                                 | 5/16 NC          | 7/8               | 5/16-18           | 1 9/16           | 1 1/16 | 1 11/16 |
| 502                                 | ¾ NC             | 1                 | ¾-16              | 2                | 1 7/8  | 1 ¾     |
| 503-SC                              | ½ NC             | 1                 | ½-13              | 2 ½              | 2 3/8  | 2 3/8   |



500-SC / 503-SC



| Cat. no.                                    | Trade size (in.) |
|---|------------------|
| <b>RCS type beam clamps (steel)</b>         |                  |
| RCS-1/2                                     | ½                |
| RCS-3/4                                     | ¾                |
| RCS-1                                       | 1                |
| RCS-1-1/4                                   | 1¼               |
| RCS-1-1/2                                   | 1½               |
| RCS-2                                       | 2                |
| <b>PC type beam clamps (malleable iron)</b> |                  |
| PC-3/8                                      | 3/8              |
| PC-1/2                                      | ½                |
| PC-3/4                                      | ¾                |
| PC-1  | 1                |
| PC-1-1/4                                    | 1¼               |
| PC-1-1/2                                    | 1½               |
| PC 2SC                                      | 2                |
| PC-2-1/2                                    | 2½               |
| PC-3  | 3                |
| PC-3-1/2                                    | 3½               |
| PC-4  | 4                |



RCS-1/2 / RCS-2



PC-3/8 / PC-4



| Cat. no.                                    | Trade size (in.) |
|---|------------------|
| <b>EC type beam clamps (malleable iron)</b> |                  |
| EC-1/2                                      | ½                |
| EC-3/4                                      | ¾                |
| EC-1  | 1                |
| EC-1-1/4                                    | 1¼               |
| EC-1-1/2                                    | 1½               |
| EC-2  | 2                |
| EC-2-1/2                                    | 2½               |
| EC-3  | 3                |
| <b>RC type beam clamps (malleable iron)</b> |                  |
| RC-1/2                                      | ½                |
| RC-3/4                                      | ¾                |
| RC-1  | 1                |
| RC-1-1/4                                    | 1¼               |
| RC-1-1/2                                    | 1½               |
| RC-2-SC                                     | 2                |
| RC-2-1/2                                    | 2½               |
| RC-3  | 3                |
| RC-3-1/2                                    | 3½               |
| RC-4-SC                                     | 4                |



EC-1/2 / EC-3



RC-1/2 / RC-4-SC