

PRODUCT-DETAILS

7LMCE2LD1

LED COMBO EXIT C/W RG72/2 LED 4W



General Information

Extended Product Type	7LMCE2LD1
Product ID	7TBA133180R0549
EAN	0624616268601
Catalog Description	LED COMBO EXIT C/W RG72/2 LED 4W
Long Description	Exit Combination Unit, self-powered, 120/347VAC, Battery Type: lead-calcium, Voltage DC: 6V, Battery Wattage: 72W, two lamps, Lamp Type: MR16 LED, Lamp Voltage: 6V, Lamp Wattage: 4W, Head Style: standard, Colour: factory white, Legend Colour: red, Battery Run Time: 30 minutes

Ordering

EAN	0624616268601
Customs Tariff Number	9405604000

Dimensions

Product Net Weight	12 lb 5.442 kg
--------------------	-------------------

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Institutional, Industrial, Commercial, Hospitality
Battery Chemical Composition	Lead-Calcium
Brand / Label	Lumacell
Color	Factory white
Lamp Type	MR16 LED
Legend	On
Material	Housing/Faceplate: Steel
Mounting Type	Universal
Number of Batteries	0
Number of Lamps	2
	72 W
Power Watt	4 W
Product Name	EXITSIGN ILLUMINATE STEEL HOUSING
Product Type	Exit Combination Unit
Size	13-1/2 Inches Height x 13-3/8 Inches Width
Standards	CSA
Text Color	Red
UPC	624616268601
Voltage Rating	120/347 V AC 6 V DC

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	7LMCE2LD1
Instructions and Manuals	7LMCE2LD1

Classifications

ETIM 6	EC001957 - Emergency luminaire
ETIM 7	EC001957 - Emergency luminaire
UNSPSC	39111707
IDEA Granular Category Code (IGCC)	3938 >> Combo light unit exit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

