
PASSIVE INFRARED CEILING SENSORS

CI-200/CI-205 Series | [Wattstopper](#)



FEATURES & BENEFITS

Wattstopper's CI-200 Series Passive infrared (PIR) Ceiling Sensors provide 360° coverage to detect occupancy in the controlled area. These low profile sensors reliably control lighting in a variety of applications.

- 360° coverage
- User-adjustable time delay and sensitivity
- Low-profile design
- Built-in light level sensor
- Isolated relay for use with HVAC or other control systems
- ASIC enhances reliability and helps eliminate false triggers
- Automatic or manual-on operation when used with a BZ-150 Power Pack

SPECIFICATIONS

MODELS

Product Number: CI-200, CI-200-U, CI-200-1, CI-205, CI-205-U, CI-205-1

GENERAL INFO

Typical Applications: Open Office Spaces, Computer Rooms, Conference Rooms, Classrooms, Warehouses

Special Features: Dual element, temperature compensated pyroelectric sensor, 360 degree coverage, built-in light level sensor, optional isolated relay.

TECHNICAL INFORMATION

IR Range On Axis: 1200 SqFt

LightOutput 1FCD: Automatic On/Off

Load: 1 Amp @ 24VDC/VAC

Response Time: 15 secs to 30 minutes