

Mighty-Rite[®] Steel Split Grounding Bushings

Install your bushings before or after pulling wire and making connections. Mighty-Rite's innovative hinged design adjusts and aligns easier – even in tight spots. Our adjustable lay-in lugs accept and position conductors for simple access. Mighty-Rite's unique split design and ease-of-use allows shorter facility downtime when upgrading existing power and data systems.

cULus File No. E20412

Steel / Aluminum Alloy Lug

Grounding Lug Wire Capacity Std.					
Catalog	Min. Max.	Trade	Unit	Pkg.	
Number	Solid Strand	Size	Qty.	Qty.	
SGBS-381CL	14 to 4	1/2"	25	250	
SGBS-382CL	14 to 4	3/4"	25	250	
SGBS-383CL	14 to 4	1"	25	250	
SGBS-38414	14 to 4	1 1/4"	20	200	
SGBS-384CL	14 to 1/0	1 1/4"	20	200	
SGBS-38514	14 to 4	1 1/2"	20	200	
SGBS-385CL	14 to 1/0	1 1/2"	20	200	
SGBS-38614	14 to 4	2"	10	100	
SGBS-386CL	14 to 1/0	2"	10	100	
SGBS-38740	6 to 250 MCM	2 1/2"		25	
SGBS-387CL	14 to 1/0	2 1/2"		25	
SGBS-38840	6 to 250 MCM	3"		25	
SGBS-388CL	14 to 1/0	3"		25	
SGBS-38940	6 to 250 MCM	3 1/2"		25	
SGBS-389CL	6 to 3/0	3 1/2"		25	
SGBS-39040	6 to 250 MCM	4"		20	
SGBS-390CL	6 to 3/0	4"		20	
SGBS-39050	350 to 500MCM	4"		10	
SGBS-39150	350 to 500MCM	5"		10	
SGBS-39250	350 to 500MCM	6"		10	

LOOK FOR Bridgeport orange



FOR PRODUCT INFORMATION ON DEMAND VISIT: YOUTUBE.COM/BRIDGEPORTFITTINGS

SEE THE DIFFERENCE ORANGE MAKES™ MIGHTY-RITE® NONMETALLIC SPLIT

BUSHINGS



SB SERIES

JOB SITE

WHAT MAKES IT DIFFERENT? DOES MORE THAN JUST PROTECT CONDUCTORS.

- No more burning through bushings or fighting with pullers
- Can be installed before or after pulling wire
- Self-aligning latch provides a simple, one-handed install
- cULus Listed
- Patented

FOR MORE INFORMATION, VISIT: WWW.BPTFITTINGS.COM



Mighty-Rite[®] Nonmetallic Split Bushings

Patented split design allows for installation after conductors have been pulled. Used with a locknut to terminate threaded rigid and IMC to a box or enclosure. Used with a connector to prevent damage to wire insulation. Rated 105°C.

cULus File No. E9391

Catalog	Trade	Unit	Std. Pkg.			
Number	Size	Qty.	Qty.			
SB-383NM	1"	25	250			
SB-384NM	1 1/4"	20	200			
SB-385NM	1 1/2"	20	200			
SB-386NM	2"	10	100			
SB-387NM	2 1/2"		25			
SB-388NM	3"		25			
SB-389NM	3 1/2"		25			
SB-390NM	4"		20			

Nonmetallic Split Bushing





FOR PRODUCT INFORMATION ON DEMAND VISIT: YOUTUBE.COM/BRIDGEPORTFITTINGS