



BOLTS, NUTS AND WASHERS

Double Arming Bolts

5/8" Diameter

Cat No.	Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K316-10	10	124	25
K316-12	12	138	25
K316-14	14	152	25
K316-16	16	165	25
K316-18	18	180	25
K316-20	20	195	25
K316-22	22	210	25
K316-24	24	225	25
K316-26	26	252	25
K316-28	28	260	25
K316-30	30	270	25



3/4" Diameter

Cat No.	Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K317-12	12	230	25
K317-14	14	250	25
K317-16	16	270	25
K317-18	18	290	25
K317-20	20	310	25
K317-22	22	330	25
K317-24	24	350	25
K317-26	26	370	25
K317-28	28	390	25
K317-30	30	410	25

- ◆ C.S.A standard
- ◆ Full thread
- ◆ 4 nuts per bolt
- ◆ Both ends cone pointed
- ◆ Hot dip galvanized

Carriage Bolts

3/8" Diameter

Cat No.	Length Inches	Thread Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K311-3	3	1	13	100
K311-3.5	3 -1/2	1	15	100
K311-4	4	1	16	100
K311-4.5	4 -1/2	1	17	100
K311-5	5	1	19	100
K311.5.5	5 -1/2	1	20	100
K311-6	6	1	24	100



1/2" Diameter

Cat No.	Length Inches	Thread Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K312-3	3	1 -1/4	25	100
K312-3.5	3 -1/2	1 -1/4	28	100
K312-4	4	1 -1/4	32	100
K312-4.5	4 -1/2	1 -1/4	33	100
K312-5	5	1 -1/4	35	100
K312.5.5	5 -1/2	1 -1/4	38	100
K312-6	6	1 -1/4	42	100

- ◆ C.S.A. Standard
- ◆ Drop forged steel
- ◆ Hot dip galvanized
- ◆ Full thread upon request



BOLTS, NUTS AND WASHERS

Oval Eye Bolts

5/8" Diameter

Cat No.	Length Inches	Thread Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K321-6	6	3	122	25
K321-8	8	4	136	25
K321-10	10	4	150	25
K321-12	12	6	168	25
K321-14	14	6	186	25
K321-16	16	6	204	25
K321-18	18	6	222	25
K321-20	20	6	250	25
K321-22	22	6	270	25

3/4" Diameter

Cat No.	Length Inches	Thread Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K322-6	6	3	185	25
K322-8	8	4	205	25
K322-10	10	4	225	25
K322-12	12	6	250	25
K322-14	14	6	275	25
K322-16	16	6	295	25
K322-18	18	6	320	25
K322-20	20	6	345	25
K322-22	22	6	370	25



- ◆ Oval eyes are drop forged
- ◆ Eye bolts are cone pointed
- ◆ Lengths are measured under eye
- ◆ Inside eye 1 1/2" x 2"

Double Arming Oval Eye Bolts

5/8" Diameter

Cat No.	Length Inches	Thread Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K323-14	14	12	212	20
K323-16	16	14	224	20
K323-18	18	16	240	20
K323-20	20	18	252	20
K323-22	22	20	282	20
K323-24	24	22	320	20
K323-26	26	24	350	20
K323-28	28	26	375	20

3/4" Diameter

Cat No.	Length Inches	Thread Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K324-16	16	14	304	20
K324-18	18	16	330	20
K324-20	20	18	370	20
K324-22	22	20	384	15
K324-24	24	22	390	15
K324-26	26	24	425	15
K324-28	28	26	460	15
K324-30	30	28	493	15
K324-32	32	30	530	10



- ◆ C.S.A. standard
- ◆ Eye bolts are cone pointed
- ◆ Oval eyes are drop forged
- ◆ Inside eye 1 1/2" x 2"
- ◆ Lengths are measured under eye
- ◆ 4 nuts per bolt

BOLTS, NUTS AND WASHERS

Straight Thimble Eye Bolts



5/8" Diameter

Cat No.	Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K329-8	8	205	25
K329-10	10	225	25
K329-12	12	250	25
K329-14	14	275	25
K329-16	16	295	25
K329-18	18	320	25
K329-20	20	345	25

- ◆ C.S.A. standard
- ◆ Drop forged steel cone pointed
- ◆ Threads are 6" long
- ◆ Each bolt supplied with one nut
- ◆ Hot dip galvanized

3/4" Diameter

Cat No.	Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K330-10	10	210	25
K330-12	12	235	25
K330-14	14	260	25
K330-16	16	285	25
K330-18	18	310	25
K330-20	20	330	25

Angle Thimble Eye Bolts



5/8" Diameter

Cat No.	Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K332-8	8	130	25
K332-10	10	148	25
K332-12	12	166	25
K332-14	14	184	25
K332-16	16	202	25
K332-18	18	220	25
K332-20	20	238	25

- ◆ C.S.A. standard
- ◆ Drop forged steel cone pointed
- ◆ Hot dip galvanized
- ◆ Thread length is 6" min.
- ◆ Each bolt supplied with one nut
- ◆ Bent at 45° angle

3/4" Diameter

Cat No.	Length Inches	Shipping Wt. lbs (100 pcs)	Std. Pkg
K333-10	10	200	25
K333-12	12	225	25
K333-14	14	250	25
K333-16	16	275	25
K333-18	18	300	25
K333-20	20	330	25