

# Anchors

## Alligator

All-purpose expandable anchor. The strongest anchor in concrete and solid walls. Rust-resistant screws.


**Application:** For drywall, tile, plaster, concrete, block, and brick.

- Load Capacity – Wall Mounted/Drywall: Max. 68 lb
- Load Capacity – Ceiling Mounted/Drywall: Max. 19 lb
- Load Capacity – Wall Mounted/Concrete: 280 lb
- Load Capacity – Ceiling Mounted/Concrete: 256 lb

PRODUCT	SCREW SIZE	QTY/BOX
TGA14	#6-8-10-12	1000
TGA14J	#6-8-10-12	75
TGA14VA	#6-8-10-12	30
TGA14VDJ	#6-8-10-12	75
TGA14VVA*	#6-8-10-12	30
TGA516	#8-10-12-14-1/4	1000
TGA516J	#8-10-12-14-1/4	50
TGA516VA	#8-10-12-14-1/4	20
TGA516VDJ**	#8-10-12-14-1/4	50
TGA516VVA**	#8-10-12-14-1/4	20

\* Includes #8 X 1-1/2" rust-resistant screw.

\*\* Includes #12 X 2" rust-resistant screw.



Other formats may be available at [www.richelieu.com](http://www.richelieu.com).

# Concrete Accessories

## Gator Hexagonal Concrete Screws

Gator drive screws are the optimal solution for a wide range of concrete, hollow block, or brick applications. Quick installation and high resistance to tearing and corrosion.

- Hi-low threads mechanically link to concrete or masonry
- Environmentally friendly, corrosion resistant blue coating
- Resist ACQ in pressure treated lumber
- Available in 3/16" and 1/4" diameters

**Application:** Wood furring strips, exterior insulation systems, electrical components (clips or boxes), hose reels, lighting fixtures.

### DRIVE TYPE: HEX WITH SLOT

PRODUCT	DRILLING SIZE	Ø	SCREW LENGTH	HEAD SIZE	QTY/BOX
HCBL14114	3/16"	1/4"	1-1/4"	1/4"	3500
HCBL14114BDJ*	3/16"	1/4"	1-1/4"	1/4"	100
HCBL14114BDMX*	3/16"	1/4"	1-1/4"	1/4"	25
HCBL14134	3/16"	1/4"	1-3/4"	1/4"	2500
HCBL14134BDJ*	3/16"	1/4"	1-3/4"	1/4"	100
HCBL14134BDMX*	3/16"	1/4"	1-3/4"	1/4"	25
HCBL14214	3/16"	1/4"	2-1/4"	1/4"	2000
HCBL14214BDJ*	3/16"	1/4"	2-1/4"	1/4"	100
HCBL14214BDMX*	3/16"	1/4"	2-1/4"	1/4"	25
HCBL14234	3/16"	1/4"	2-3/4"	1/4"	1200
HCBL14234BDJ*	3/16"	1/4"	2-3/4"	1/4"	100
HCBL14234BDMX*	3/16"	1/4"	2-3/4"	1/4"	25
HCBL14314	3/16"	1/4"	3-1/4"	1/4"	1000
HCBL14314BDJ*	3/16"	1/4"	3-1/4"	1/4"	100
HCBL14314BDMX*	3/16"	1/4"	3-1/4"	1/4"	25
HCBL144	3/16"	1/4"	4"	1/4"	800
HCBL144BDJ*	3/16"	1/4"	4"	1/4"	100
HCBL144BDMX*	3/16"	1/4"	4"	1/4"	25
HCBL316114	5/32"	3/16"	1-1/4"	3/16"	4500
HCBL316114BDJ*	5/32"	3/16"	1-1/4"	3/16"	100
HCBL316114BDMX*	5/32"	3/16"	1-1/4"	3/16"	25
HCBL316134	5/32"	3/16"	1-3/4"	3/16"	3500
HCBL316134BDJ*	5/32"	3/16"	1-3/4"	3/16"	100
HCBL316134BDMX*	5/32"	3/16"	1-3/4"	3/16"	25
HCBL316214	5/32"	3/16"	2-1/4"	3/16"	2500
HCBL316214BDJ*	5/32"	3/16"	2-1/4"	3/16"	100
HCBL316214BDMX*	5/32"	3/16"	2-1/4"	3/16"	25
HCBL316234	5/32"	3/16"	2-3/4"	3/16"	2000
HCBL316234BDJ*	5/32"	3/16"	2-3/4"	3/16"	100
HCBL316234BDMX*	5/32"	3/16"	2-3/4"	3/16"	25
HCBL316314	5/32"	3/16"	3-1/4"	3/16"	1500
HCBL316314BDJ*	5/32"	3/16"	3-1/4"	3/16"	100
HCBL316314BDMX*	5/32"	3/16"	3-1/4"	3/16"	25
HCBL3164	5/32"	3/16"	4"	3/16"	1000
HCBL3164BDJ*	5/32"	3/16"	4"	3/16"	100
HCBL3164BDMX*	5/32"	3/16"	4"	3/16"	25

\* Concrete drill bit Included

Other formats may be available at [www.richelieu.com](http://www.richelieu.com).

**1**  
ASSEMBLY  
SCREWS

**2**  
SCREWS  
FOR HINGES,  
DRAWER  
SLIDES AND  
HARDWARE

**3**  
EURO  
SCREWS

**4**  
DRAWER  
FRONT  
ADJUSTERS

**5**  
INSTALLATION  
SCREWS

**6**  
HANDLE  
AND KNOB  
SCREWS

**7**  
POCKET-  
HOLE  
SCREWS

**8**  
KREG  
TOOLS

**9**  
METAL  
SCREWS

**10**  
JOINT  
FASTENERS

**11**  
CONNECTORS

**12**  
ASSEMBLY  
FITTINGS

**13**  
DOWELS  
AND  
BISCUITS


**14**  
BRACKETS

**15**  
COVER  
CAPS

**16**  
ANCHORS

**17**  
CONCRETE  
ACCESSORIES

**18**  
DRIVE BITS



# Concrete Accessories

## Gator Flat Head Concrete Screw

Gator drive screws are the optimal solution for a wide range of concrete, hollow block, or brick applications. Quick installation and high resistance to tearing and corrosion.

- Hi-low threads mechanically link to concrete or masonry
- Environmentally friendly, corrosion resistant blue coating
- Resist ACQ in pressure treated lumber
- Available in 3/16" and 1/4" diameters

**Application:** Wood furring strips, exterior insulation systems, electrical components (clips or boxes), hose reels, lighting fixtures.

### DRIVE TYPE: COMBINED PHILLIPS AND SQUARE

PRODUCT	DRILLING SIZE	Ø	SCREW LENGTH	HEAD SIZE	QTY/BOX
FQCBL14114	3/16"	1/4"	1-1/4"	1/4"	3500
FQCBL14114BDJ*	3/16"	1/4"	1-1/4"	1/4"	100
FQCBL14114BDMX*	3/16"	1/4"	1-1/4"	1/4"	25
FQCBL14134	3/16"	1/4"	1-3/4"	1/4"	2500
FQCBL14134BDJ*	3/16"	1/4"	1-3/4"	1/4"	100
FQCBL14134BDMX*	3/16"	1/4"	1-3/4"	1/4"	25
FQCBL14214	3/16"	1/4"	2-1/4"	1/4"	2000
FQCBL14214BDJ*	3/16"	1/4"	2-1/4"	1/4"	100
FQCBL14214BDMX*	3/16"	1/4"	2-1/4"	1/4"	25
FQCBL14234	3/16"	1/4"	2-3/4"	1/4"	1200
FQCBL14234BDJ*	3/16"	1/4"	2-3/4"	1/4"	100
FQCBL14234BDMX*	3/16"	1/4"	2-3/4"	1/4"	25
FQCBL14314	3/16"	1/4"	3-1/4"	1/4"	1000
FQCBL14314BDJ*	3/16"	1/4"	3-1/4"	1/4"	100
FQCBL14314BDMX*	3/16"	1/4"	3-1/4"	1/4"	25
FQCBL144	3/16"	1/4"	4"	1/4"	800
FQCBL144BDJ*	3/16"	1/4"	4"	1/4"	100
FQCBL144BDMX*	3/16"	1/4"	4"	1/4"	25
FQCBL316114	5/32"	3/16"	1-1/4"	3/16"	4500
FQCBL316114BDJ*	5/32"	3/16"	1-1/4"	3/16"	100
FQCBL316114BDMX*	5/32"	3/16"	1-1/4"	3/16"	25
FQCBL316134	5/32"	3/16"	1-3/4"	3/16"	3500
FQCBL316134BDJ*	5/32"	3/16"	1-3/4"	3/16"	100
FQCBL316134BDMX*	5/32"	3/16"	1-3/4"	3/16"	25
FQCBL316214	5/32"	3/16"	2-1/4"	3/16"	2500
FQCBL316214BDJ*	5/32"	3/16"	2-1/4"	3/16"	100
FQCBL316214BDMX*	5/32"	3/16"	2-1/4"	3/16"	25
FQCBL316234	5/32"	3/16"	2-3/4"	3/16"	2000
FQCBL316234BDJ*	5/32"	3/16"	2-3/4"	3/16"	100
FQCBL316234BDMX*	5/32"	3/16"	2-3/4"	3/16"	25
FQCBL316314	5/32"	3/16"	3-1/4"	3/16"	1500
FQCBL316314BDJ*	5/32"	3/16"	3-1/4"	3/16"	100
FQCBL316314BDMX*	5/32"	3/16"	3-1/4"	3/16"	25
FQCBL3164	5/32"	3/16"	4"	3/16"	1000
FQCBL3164BDJ*	5/32"	3/16"	4"	3/16"	100
FQCBL3164BDMX*	5/32"	3/16"	4"	3/16"	25

\* Concrete drill bit Included

Other formats may be available at [www.richelieu.com](http://www.richelieu.com).

