

Innovative design,
irresistible
price.



PHILIPS SLIMSTYLE A-SHAPE DIMMABLE LED BULBS



Philips SlimStyle A-Shape Dimmable LED Bulb is the same size as a traditional A19 light bulb in a new slim design. Its innovative shape provides energy efficiency and quality light in a durable shape. Its dimmable, comfortable light is ideal for use in table and floor lamps, wall sconces, and pendant lighting.

Long lasting, energy efficient light

- Replaces 40 Watt and 60 Watt incandescent bulbs
- Last up to 22.8 years*
- Low yearly energy costs

Easy to experience

- Provides soft, quality light similar to incandescents
 - Available in Soft White (2700K)
- Long life reduces the hassle of replacing bulbs so often
- Will not fade fabrics or furnishings
- Contains no mercury
- Dimmable**

Innovative design

- Slim shape fits in most fixtures with a medium base
- Rugged design ensures durability and is ideal for households that want to provide a sense of security for their family
- Provides light all-around□

(*; **, □ See next page for footnotes)



PHILIPS

PHILIPS SLIMSTYLE A-SHAPE DIMMABLE LED BULBS

Ordering, Electrical and Technical Data (Subject to change without notice)

| Product Number | Ordering Code | Nom. Watts | Volts | Lamp Type | Base | Rated Avg. Life (Hrs.) ¹ | Approx. Lumens ² | CRI | Color Temp. | Dim. | MOL (in.) |
|--|-----------------------|------------|-------|-----------|------|-------------------------------------|-----------------------------|-----|-------------|------|-----------|
| Standard Incandescent 40W Equivalency[‡] | | | | | | | | | | | |
| <input type="checkbox"/> 43367-2 | 8A19/SLIM/2700 DIM | 8 | 120 | A-Type | Med. | 25,000 | 450 | 80 | 2700K | Y | 4.2 |
| Standard Incandescent 60W Equivalency[‡] | | | | | | | | | | | |
| <input type="checkbox"/> 43327-6 | 10.5A19/SLIM/2700 DIM | 10.5 | 120 | A-Type | Med. | 25,000 | 800 | 80 | 2700K | Y | 4.2 |

1. Rated average life based on engineering testing and probability analysis.

2. Based on photometric testing consistent with IES LM-79.

This lamp is currently in ENERGY STAR® testing

‡ All Philips LED A-Type bulb equivalencies for light output are based upon the ENERGY STAR® Integral LED Lamp Center Beam Intensity Benchmark tool which can be found at: www.EnergyStar.gov/LEDbulbs, LED Light Bulbs for Partners, Program Requirements PDF, Pg 11. A-shape bulbs are calculated on lumen values, not the ENERGY STAR® Integral LED Lamp Center Beam Intensity Benchmark tool.

* 22.8 years means rated average life based on engineering testing and probability analysis where the lamp is used on average 3 hrs/day, 7 days/week

**Dimmable when using leading edge dimmers (see Philips Website: www.philips.com/ledtechguide for compatible leading edge dimmers).

This lamp provides a measured light distribution of 300 degrees. In use, this lamp give the appearance of light all-around (360 degrees).

Shipping Data (Subject to change without notice)

| E* Testing | Product Number | SKU UPC (0-46677) | Outer Bar Code (5-00-46677) | Case Qty. | Case Weight (lbs.) | Case Cube (cu. ft.) | Pallet Qty. | SKUs per Layer | Layers High | SKU Dimensions (W x D x H) (In.) | Case Dimensions (W x D x H) (In.) | Pallet Dimensions (W x D x H) (In.) |
|------------|----------------|-------------------|-----------------------------|-----------|--------------------|---------------------|-------------|----------------|-------------|----------------------------------|-----------------------------------|-------------------------------------|
| Yes | 43367-2 | 43367-3 | 43367-8 | 10 | 1.84 | 0.1578 | 2040 | 340 | 6 | 2.8 x 1.6 x 4.8 | 5.9 x 8.5 x 5.4 | 39.4 x 47.2 x 39.8 |
| Yes | 43327-6 | 43327-7 | 43327-2 | 10 | 1.84 | 0.1578 | 2040 | 340 | 6 | 2.8 x 1.6 x 4.8 | 5.9 x 8.5 x 5.4 | 39.4 x 47.2 x 39.8 |

WARNINGS & CAUTIONS:

- Suitable for damp locations
- Not for use in totally enclosed luminaires (fixtures)
- This bulb is not intended for use with emergency exit fixtures or emergency lights.
- Before replacing, turn off power and let bulb cool to avoid electrical shock or burn.

CAUTION: Risk of electric shock—Do Not Use Where Directly Exposed To Water.

NOTES: This device complies with Part 15 of the FCC rule. Operation is subject to the following two conditions: (1) device may not cause harmful interference, and (2) This device must accept any interference received, including, interference that may cause undesired operation. This Class B digital apparatus complies with Canadian ICES-003.



© 2014 Koninklijke Philips N.V.

All rights reserved.

Specifications are subject to change without notice.

PLt-1339BN 1/14

Philips Lighting
North America Corporation
200 Franklin Square Drive
Somerset, NJ 08873
Phone: 855-486-2216

Philips Lighting
281 Hillmount Road
Markham ON, Canada L6C 2S3
Phone: 800-668-9008