




Gryphon I GM4400 2D Models and Kits	
Gryphon GM4400, 2D, 433 MHz, Black	GM4400-BK-433
Gryphon GM4400, 2D, 433 MHz, Health Care	GM4400-HC-433
Gryphon GM4400, 2D, 910 MHz, Black	GM4401-BK-910
Gryphon GM4400, 2D, 910 MHz, Health Care	GM4401-HC-910
Gryphon GM4400, 2D, 910 MHz, White	GM4401-WH-910
Gryphon GM4400, BPOC Kit, USB, 910 MHz (Kit includes scanner, BC4011 base, cable 90A052065)	GM4411-HCK10-BPOC
Gryphon GM4400, Kit, RS-232, 2D, 433 MHz, Black (Kit includes scanner, BC4030 base, cable 90G000008, power supply and European line cord)	GM4430-BK-433K2
Gryphon GM4400, Kit, RS-232, 2D, 910 MHz, Black (Kit includes scanner, BC4031 base, cable 90G000008, power supply and US line cord)	GM4431-BK-910K2
Gryphon GM4400, Kit, USB, 2D, 433 MHz, Black (Kit includes scanner, BC4030 base and cable 90A052065)	GM4430-BK-433K1
Gryphon GM4400, Kit, USB, 2D, 910 MHz, Black (Kit includes scanner, BC4031 base and cable 90A052065)	GM4431-BK-910K1
Gryphon GM4400, Kit, USB, 433 MHz, Healthcare (Kit includes scanner, BC4030 base, and cable 90A052065.)	GM4430-HC-433K1

BASE STATION	
Base/Charger, 433 Mhz, BC4032 Multi-Interface, Black, Not for use in the US	BC4032-BK-433
Base/Charger, 433 Mhz, BC4032, Multi-Interface, Health Care, Not for use in the US	BC4032-HC-433
Base/Charger, 433 Mhz, BC4032, Multi-Interface, White, Not for use in the US	BC4032-WH-433
Base/Charger, 910 Mhz, BC4011, Multi-Interface, IBM, Black	BC4011-BK-910
Base/Charger, 910 Mhz, BC4011, Multi-Interface, IBM, White	BC4011-WH-910
Base/Charger, 910 Mhz, BC4032, Multi Interface, Health Care	BC4032-HC-910
Base/Charger, 910 Mhz, BC4032, Multi-Interface, Black	BC4032-BK-910
Base/Charger, 910 Mhz, BC4032, Multi-Interface, White	BC4032-WH-910
BC4031 Base/Charger, RS232/USB/KBW/Wand Emulation Multi-Interface, White	BC4031-WH-910
BC4032-BT Base/Charger, RS-232/USB/KBW/Wand Emulation Multi-Interface, White	BC4032-WH-BT

EASEOFCARE AGREEMENTS	
Gryphon GM4400 EofC 2 Days Comprehensive, 1 Year Renewal	W-GM44-R
Gryphon GM4400 EofC 5 Days, 1 Year Renewal	E-GM44-R
Gryphon GM4400 EofC Overnight Replacement Comprehensive, 1 Year Renewal	Q-GM44-R
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, 3 YRS	W-BC4-3
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, 5 YRS	W-BC4-5
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, RENEWAL	W-BC4-R
GRYPHON I GM4XXX BASE EofC 5 DAYS, 3 YRS	E-BC4-3
GRYPHON I GM4XXX BASE EofC 5 DAYS, 5 YRS	E-BC4-5
GRYPHON I GM4XXX BASE EofC 5 DAYS, RENEWAL	E-BC4-R
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 3 YRS	Q-BC4-3
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 5 YRS	Q-BC4-5
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, RENEWAL	Q-BC4-R
MINIMUM REPAIR CHARGE,GRYPHON 44XX M/BT	35512-80
WHOLE UNIT REPAIR,GRYPHON 44XX M/BT	35512-81

BATTERIES/BATTERY CHARGERS		
	Battery Pack, Removable	RBP-GM40
	Battery Pack, Removable	RBP-GM42
	Charging Only Base Station, Black	CHR-GM40-BK
	Charging Only Base Station, White	CHR-GM40-WH

CABLES	
CAB-424E ENHANCED USB TYPE A, 9' COILED	90A052043
Cable, IBM 46xx, Port 9B, CAB-446, 12 ft., Coiled	90A052042
Cable, IBM AT/XT, KBW, Din Connector, Straight, CAB-322, 7 ft.	90G001020
Cable, IBM PS/2, KBW, Minidin Connector, Coiled, CAB-365, 6 ft.	90A051360
Cable, IBM PS/2, KBW, Minidin Connector, External Power Supply, Coiled, CAB-391, 11 ft.	90A051740
Cable, IBM VDT. 3151, 34XX, KBW, 8-pin Telephone Connector, Straight, CAB-325, 11 ft.	90G001050
Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340
Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.	90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232,6' (For Magellan)	90G001092
Cable, USB, PowerPlus, Straight, 6', CAB-413E	90A052045
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters	90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, TPUW, Straight, 2M, Black	90A052258
Cable, Wand Emulation, 9P, Male, Coiled, CAB-348, 3.2 ft.	90A051210
Cable, Wand Emulation, 9P, Male, Straight, CAB-323, 6 ft.	90G001030