




Clean and lubricate all shoe landings. This will ensure smooth operation of the shoes. Lubricate all parking brake hardware and shoe adjusters to prevent binding & corrosion.

Synthetic Brake & Caliper Grease



Synthetic Brake & Caliper Grease

Lubricate backs of all shimmed disc pads. This will prevent corrosion and brake noise.

Disc Brake Quiet

Use on all non-shimmed disc pads.

Freeze-Off® Super Penetrant

Super penetrant breaks through corrosion, for easier adjusting and dis-assembly.



Synthetic Brake & Caliper Grease

Synthetic grease prevents caliper binding, vibration and corrosion. Contains molybdenum, PTFE and graphite for an extreme temperature range of -40 °C to 204 °C. Use on every brake job!

75353 340 g tub with brush 12/cs
75359 227 g brush-top bottle 6/cs



Disc Brake Quiet

Forms a water resistant, high-temperature film that instantly absorbs vibrations and quiets disc brake squeaks and squeals. For use on the back of non-shimmed disc pads and brake pad contact points.

75016 118 mL bottle 12/cs
75017 ▲ 255 g aerosol 12/cs



Silaramic® Ceramic Fortified Brake System Grease

A synthetic, dry-film, ceramic lubricant formulated to reduce brake noise and vibrations by dampening all brake vibrating frequencies. Will not run off or wash out. Works in extreme temp ranges from -50 to 3000 °F. Protects against uneven pad wear.

75363 255 g tub w brush 12/cs



Freeze-Off® Super Penetrant

Immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing the lubricating solvent to penetrate faster and work more effectively than the competition. Low VOC formula.

75222 326 g aerosol 12/cs

▲ This product is very flammable. Do not apply while equipment is energized.



Battery Cleaner With Acid Indicator



Yellow foaming cleaner instantly detects acid leaks and turns pink upon acid contact. Neutralizes acid and effectively cleans terminals, connectors, cases and hold downs. Penetrates and removes corrosion allowing for maximum current flow.

75097 312 g aerosol 12/cs



Battery Maintenance Twin Pack ▲

Cleans and protects all battery components. Improves battery performance. Yellow foaming cleaner detects acid leaks and turns pink upon acid contact. Single-use packs have just the right amount of application for single jobs.

75048 284 g aerosol 6/cs



Technician Grade Di-Electric Grease



Seals, lubricates, protects and insulates electrical contacts, spark plugs, battery terminals and fasteners from moisture and corrosion. Maintains optimum electrical connections in extreme conditions to protect against arcing. Patented delivery system is great for hard-to-reach places.

75106 94 g aerosol 12/cs



Battery Terminal Protector ▲



Lead-free, long-lasting red film coating. Protects battery terminals, cables and bulkhead connectors from corrosion, a leading cause of hard starting and battery failure.

75046 213 g aerosol 12/cs



SensorKleen™ Mass Air Flow Sensor Cleaner ▲



The *original* MAF sensor cleaner. Safely cleans and protects MAF sensors. Dyno proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging. Improves fuel mileage. Plastic safe, leaves no residue.

75110 312 g aerosol 12/cs



Lectra-Motive™ Electric Parts Cleaner



Aggressive cleaner for electric motors, alternators, solenoids, starters, electric tools and machinery. Non-flammable. Dissolves grease, oil, dirt and wax that may cause electrical failure. Evaporates quickly, no residue. Do not use to clean plastic or sensitive electronic components, use QD™ Electronic Cleaner instead.

75018 539 g aerosol 12/cs
75022 19 L pail 1 each



QD™ Electronic Cleaner Quick Dry Cleaner ▲



Instantly penetrates hard-to-reach areas to safely dissolve dirt and debris from sensitive electronic components. Cleans contacts, connectors and sensitive electronic equipment. Helps prevent contact failure. Quick drying, plastic safe formula leaves no residue.

75012 128 g aerosol 12/cs
75102 312 g aerosol 12/cs



Duster Moisture-Free Dust & Lint Remover



Quickly and safely blasts away dirt, dust, lint and other contaminants from any surface. Ideal for sensitive electronics. Penetrates hard-to-reach cracks and crevices that normal hand-dusting cannot reach. Non-flammable. Safe for use on plastics.

74085 227 g aerosol 12/cs



RTV Silicone Adhesive/Sealants



CRC Room Temperature Vulcanizing (RTV) Adhesive/Sealants are designed for a wide range of sealing, bonding, protecting and waterproofing applications. Clear and white are for general purpose applications. Red is excellent for applications where a low odor, non-corrosive, high pressure sealant is required.



The red formulation is also suitable for high temperature applications.

- Clear – Forms a barely visible water-tight seal
- White – Designed for high moisture, indoor/outdoor applications
- Red – High temperature low odor, non-corrosive gasket sealant



CRC's revolutionary packaging is a convenient alternative to caulking tubes. Dispenses a uniform bead for consistent results. Pressurized package keeps silicone fresh so it won't dry out. Self-sealing plug.

74055 Clear 205 g pressurized tube 12/cs
74056 White 205 g pressurized tube 12/cs
74059 Red 248 g pressurized tube 12/cs

▲ This product is very flammable. Do not apply while equipment is energized.



White Lithium Grease ▲



A high purity, NLGI Grade 2 white lithium grease. Excellent water and heat resistance for use in any weather or temperature. Makes surfaces friction resistant and protects against corrosion. Ideal for metal to metal applications. Will not break down or run out.

14200 284 g aerosol 12/cs



Power Lube Multi-Purpose Lubricant



All-in-one product quickly cleans, penetrates, lubricates, and protects against corrosion. Stops squeals and loosens rusted parts. Clings to surface to deliver long-lasting lubrication with less mess. Displaces moisture. Low odor.

75005	312 g aerosol	12/cs
75007	3.785 L bottle	4/cs
75009	19 L pail	1 each
05011	208L drum	1 each



Nickel Anti-Seize & Lubricating Compound



Nickel-based formula that is free of copper, lead, sulfides and chlorides. Extremely high temperature and excellent chemical resistance. Effective up to 1315°C. Brush-top cap.

72911 227 g brush-top bottle 12/cs



Heavy Duty Silicone Lubricant ▲



Clear, non-staining film lubricates metal, rubber, nylon and wood to eliminate squeaks and binding caused by friction. Water resistant film perfect for applications exposed to the elements.

75074 213 g aerosol 12/cs



Freeze-Off® Super Penetrant



Immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing the lubricating solvent to penetrate faster and work more effectively than the competition. Low VOC formula.

75222 326 g aerosol 12/cs



Knock'er Loose™ Penetrating Solvent



Low viscosity lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. It quickly dissolves rust, scale, gum, grease and corrosion. Lubricates and prevents rust.

73020 369 g aerosol 12/cs



Screwloose™ Super Penetrant ▲



Super-fast, powerful, concentrated penetrating solvent. Attacks and penetrates tough rust, gum and corrosion on contact to free corroded fasteners and mechanical components.

75330 312 g aerosol 12/cs



Dry Graphite Lubricant ▲



A dry film lubricant that is ideal for applications where petroleum products must be avoided. Dry Graphite Lube bonds instantly to metal, rubber, plastic and most substrates to form a dirt repelling barrier that lubricates and protects the surface from pressure and friction.

75101 320 g aerosol 12/cs



Kool Tap™ FOAMY Cutting Fluid



Excellent extreme duty cutting fluid developed for ease of application. Works well on both ferrous and non-ferrous metals. Foaming action penetrates deep into the cut to extend cutting tool life and promote a superior finish.

74410 369 g aerosol 12/cs



Copper Anti-Seize Aerosol & Lubricating Compound



A general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. Copper based, safe for use on ferrous and non-ferrous metals. Electrically conductive - does not insulate or interrupt current flow.

72095	340 g aerosol	12/cs
72901	227 g bottle	12/cs



Roll-Up Door Lubricant



Prevents friction and wear. Its unique viscosity allows it to cover more surface area and penetrate deep into the surface of all metal components found on roll-up and overhead doors. Displaces moisture, improves equipment life.

74029 312 g aerosol 12/cs



Heavy Duty Corrosion Inhibitors

SP-400™ Corrosion Inhibitor

Long term indoor/outdoor corrosion inhibitor (up to 2 years outdoors). Firm, waxy film is highly resistant to corrosive atmospheres.

73282 ▲	284 g aerosol	12/cs
73286	19 L pail	1 each
03288	208 L drum	1 each



SP-350™ Corrosion Inhibitor

Superior lubrication and heavy duty corrosion protection for metal parts and assemblies stored indoors (up to two years). Withstands up to 567 kg of pressure in Falex test method.

73262	312 g aerosol	12/cs
03266	19 L pail	1 each
03268	208 L drum	1 each

▲ This product is very flammable. Do not apply while equipment is energized.