


RAB[®] DESIGN

SpaceLite PRO

60 second install, mounts to existing junction boxes.



INTEGRATED
SENSOR

MOTION ACTIVATED

SPECIFICATIONS

Watts	12
Lumens	1037
Colour Temp.	2700K
Voltage	120V



DESCRIPTION

Slim LED Ceiling light with occupancy sensor that automatically detects motion & turns light On & Off. Installs in 60 seconds.

APPLICATIONS



Pantries



Laundry
Rooms



Work
Rooms



Closets



Garbage
Chutes



Crawl
Spaces



Storage
Sheds




Stairwells

FEATURES

- Contemporary low profile design
- 60 second install, mounts to existing junction boxes.
- Mounts flush to ceiling for indoor or outdoor applications
- Replaces up to 100 watt incandescent lamp delivers 1037 lumens 2700k
- Die cast aluminum housing with polycarbonate lens.
- Sensor is set to leave the light on for 3 minutes of inactivity, after which the light is turned off.
- Rated for damp locations

DIMENSIONS

MOTION ACTIVATED



60 SECOND INSTALLATION

1. Attach universal mounting plate to the junction box.



2. Connect power.



3. Complete installation by snapping fixture onto mounting plate.



AMPERAGE DRAW

CURRENT (A)	
	120V
SPLRP-LED	0.11A

LUMEN MAINTENANCE



SPLRP-LED	>50,000 Hours
-----------	---------------

WEIGHT (lbs)

SPLRP-LED	0.6
-----------	-----

PHOTOMETRICS

MOTION ACTIVATED



ORDERING GUIDE

SPLRP						
WATTS	VOLTAGE	COLOUR TEMP.	FINISH	CONTROLS	Stock Code 080738	
LED12	A - 120V	2.7K - 2700K	WHT - WHITE	SMS - MOTION SENSOR		

Version with no sensor available.