



6" IC NEW REMODEL HOUSING IC23R LEDT24

Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____

COMPATIBLE WITH
J6RL & J6RLE 600, 900 LUMEN SERIES,
J6RL (WD) & J6RLE (WD) SERIES,
6RLD SERIES



PRODUCT DESCRIPTION

IC Air-Loc® Remodel Housing for use with Juno retrofit LED trim modules • Energy efficient, sealed housing • IC Remodel Housing for remodel application where back side of ceiling is not accessible • Installs through an opening in the ceiling from below • Secured in place by factory installed remodel springs • Can be completely covered with insulation • Fully sealed housing stops exfiltration of air, reducing heating and air cooling costs without the use of additional gaskets.



PRODUCT SPECIFICATIONS

Electrical Connections Features non-screw base 120V plug-in connector • Compatible with Juno retrofit LED trim modules

Labels U.L. listed for U.S. and Canada for through-branch wiring and damp locations. • Meets high efficacy requirements of California T24.

Testing All reports are based on published industry procedures; field performance may differ from laboratory performance.



Specifications subject to change without notice.

INSTALLATION

Junction Box Pre-wired junction box, UL and cUL listed for through-branch wiring maximum 4 No. 12 AWG 90° C branch circuit conductors (2 in, 2 out) • Junction box provided with removable access plate, (5) 1/2" knockouts, (4) Non-metallic sheathed cable connectors and ground wire • Knockouts equipped with pryout slots • Push-in electrical connectors supplied as standard for fast, secure installation.

Housing IC aluminum housing, sealed for Air-Loc Compliance • Double stack adjustable feature enables remodel spring to accommodate up to 1 3/4" ceiling thickness.

DIMENSIONS



6 3/4" CEILING CUTOUT

PRODUCT CODES

Catalog Number	Input Voltage
IC23R LEDT24 6" Remodel IC Housing	120V

Housing and trim can be ordered together or separate, but will always ship separately.

6" IC NEW REMODEL HOUSING IC23R LEDT24

COMPATIBLE WITH
J6RL & J6RLE 600, 900 LUMEN SERIES,
J6RL (VD) & J6RLE (VD) SERIES, 6RLD SERIES

COMPATIBLE LED MODULES (To order, specify catalog number)

Catalog Number	Description
6RLD G2 06LM 27K 90CRI 120 FRPC WWH	6" Juno Basics Retrofit Downlights, 600 Nominal Lumens, 2700K, White Baffle, White Trim Ring
6RLD G2 06LM 30K 90CRI 120 FRPC WWH	6" Juno Basics Retrofit Downlights, 600 Nominal Lumens, 3000K, White Baffle, White Trim Ring
6RLD G2 06LM 35K 90CRI 120 FRPC WWH	6" Juno Basics Retrofit Downlights, 600 Nominal Lumens, 3500K, White Baffle, White Trim Ring
6RLD G2 09LM 27K 90CRI 120 FRPC WWH	6" Juno Basics Retrofit Downlights, 900 Nominal Lumens, 2700K, White Baffle, White Trim Ring
6RLD G2 09LM 30K 90CRI 120 FRPC WWH	6" Juno Basics Retrofit Downlights, 900 Nominal Lumens, 3000K, White Baffle, White Trim Ring
6RLD G2 09LM 35K 90CRI 120 FRPC WWH	6" Juno Basics Retrofit Downlights, 900 Nominal Lumens, 3500K, White Baffle, White Trim Ring
J6RL G4 DB 06LM 27K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 2700K, White Baffle, White Trim Ring
J6RL G4 DB 06LM 27K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 2700K, Black Baffle, White Trim Ring
J6RL G4 DC 06LM 27K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 2700K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 06LM 27K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 2700K, White Cone, White Trim Ring
J6RL G4 DC 06LM 27K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 2700K, Haze Cone, White Trim Ring
J6RL G4 DC 06LM 27K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 2700K, Wheat Haze Cone, White Trim Ring
J6RL G4 DB 06LM 30K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3000K, White Baffle, White Trim Ring
J6RL G4 DB 06LM 30K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3000K, Black Baffle, White Trim Ring
J6RL G4 DC 06LM 30K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3000K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 06LM 30K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3000K, White Cone, White Trim Ring
J6RL G4 DC 06LM 30K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3000K, Haze Cone, White Trim Ring
J6RL G4 DC 06LM 30K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3000K, Wheat Haze Cone, White Trim Ring
J6RL G4 DB 06LM 35K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3500K, White Baffle, White Trim Ring
J6RL G4 DB 06LM 35K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3500K, Black Baffle, White Trim Ring
J6RL G4 DC 06LM 35K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3500K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 06LM 35K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3500K, White Cone, White Trim Ring
J6RL G4 DC 06LM 35K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3500K, Haze Cone, White Trim Ring
J6RL G4 DC 06LM 35K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 3500K, Wheat Haze, White Trim Ring
J6RL G4 DB 06LM 40K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 4000K, White Baffle, White Trim Ring
J6RL G4 DB 06LM 40K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 4000K, Black Baffle, White Trim Ring
J6RL G4 DC 06LM 40K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 4000K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 06LM 40K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 4000K, White Cone, White Trim Ring
J6RL G4 DC 06LM 40K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 4000K, Haze Cone, White Trim Ring
J6RL G4 DC 06LM 40K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 600 Nominal Lumens, 4000K, Wheat Haze Cone, White Trim Ring
J6RL G4 DB 09LM 27K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 2700K, White Baffle, White Trim Ring
J6RL G4 DB 09LM 27K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 2700K, Black Baffle, White Trim Ring
J6RL G4 DC 09LM 27K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 2700K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 09LM 27K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 2700K, White Cone, White Trim Ring
J6RL G4 DC 09LM 27K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 2700K, Haze Cone, White Trim Ring
J6RL G4 DC 09LM 27K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 2700K, Wheat Haze Cone, White Trim Ring
J6RL G4 DB 09LM 30K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3000K, White Baffle, White Trim Ring
J6RL G4 DB 09LM 30K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3000K, Black Baffle, White Trim Ring
J6RL G4 DC 09LM 30K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3000K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 09LM 30K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3000K, White Cone, White Trim Ring
J6RL G4 DC 09LM 30K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3000K, Haze Cone, White Trim Ring
J6RL G4 DC 09LM 30K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3000K, Wheat Haze Cone, White Trim Ring

6" IC NEW REMODEL HOUSING IC23R LEDT24

COMPATIBLE WITH
J6RL & J6RLE 600, 900 LUMEN SERIES,
J6RL (WD) & J6RLE (WD) SERIES, 6RLD SERIES

Catalog Number	Description
J6RL G4 DB 09LM 35K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3500K, White Baffle, White Trim Ring
J6RL G4 DB 09LM 35K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3500K, Black Baffle, White Trim Ring
J6RL G4 DC 09LM 35K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3500K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 09LM 35K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3500K, White Cone, White Trim Ring
J6RL G4 DC 09LM 35K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3500K, Haze Cone, White Trim Ring
J6RL G4 DC 09LM 35K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 3500K, Wheat Haze Cone, White Trim Ring
J6RL G4 DB 09LM 40K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 4000K, White Baffle, White Trim Ring
J6RL G4 DB 09LM 40K 90CRI 120 FRPC BWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 4000K, Black Baffle, White Trim Ring
J6RL G4 DC 09LM 40K 90CRI 120 FRPC CWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 4000K, Clear Alzak Cone, White Trim Ring
J6RL G4 DC 09LM 40K 90CRI 120 FRPC WWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 4000K, White Cone, White Trim Ring
J6RL G4 DC 09LM 40K 90CRI 120 FRPC HZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 4000K, Haze Cone, White Trim Ring
J6RL G4 DC 09LM 40K 90CRI 120 FRPC WHZWH	6" LED Retrofit Downlight Trim Module, 900 Nominal Lumens, 4000K, Wheat Haze Cone, White Trim Ring
J6RLE G4 06LM 27K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 600 Nominal Lumens, 2700K, White Trim Ring
J6RLE G4 06LM 30K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 600 Nominal Lumens, 3000K, White Trim Ring
J6RLE G4 06LM 35K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 600 Nominal Lumens, 3500K, White Trim Ring
J6RLE G4 06LM 40K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 600 Nominal Lumens, 4000K, White Trim Ring
J6RLE G4 09LM 27K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 900 Nominal Lumens, 2700K, White Trim Ring
J6RLE G4 09LM 30K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 900 Nominal Lumens, 3000K, White Trim Ring
J6RLE G4 09LM 35K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 900 Nominal Lumens, 3500K, White Trim Ring
J6RLE G4 09LM 40K 90CRI 120 FRPC WH	6" LED Retrofit Eyeball Trim Module, 900 Nominal Lumens, 4000K, White Trim Ring
J6RL WD G4N DB 06LM 30K 90CRI 120 FRPC WWH	6" LED Retrofit WarmDim Downlight Trim Module, 600 Nominal Lumens, 3000K, White Baffle, White Trim Ring
J6RL WD G4N DB 06LM 30K 90CRI 120 FRPC BWH	6" LED Retrofit WarmDim Downlight Trim Module, 600 Nominal Lumens, 3000K, Black Baffle, White Trim Ring
J6RL WD G4N DC 06LM 30K 90CRI 120 FRPC CWH	6" LED Retrofit WarmDim Downlight Trim Module, 600 Nominal Lumens, 3000K, Clear Alzak Cone, White Trim Ring
J6RL WD G4N DC 06LM 30K 90CRI 120 FRPC WWH	6" LED Retrofit WarmDim Downlight Trim Module, 600 Nominal Lumens, 3000K, White Cone, White Trim Ring
J6RL WD G4N DC 06LM 30K 90CRI 120 FRPC HZWH	6" LED Retrofit WarmDim Downlight Trim Module, 600 Nominal Lumens, 3000K, Haze Cone, White Trim Ring
J6RL WD G4N DC 06LM 30K 90CRI 120 FRPC WHZWH	6" LED Retrofit WarmDim Downlight Trim Module, 600 Nominal Lumens, 3000K, Wheat Haze Cone, White Trim Ring
J6RLE WD G4N 06LM 30K 90CRI 120 FRPC WH	6" LED Retrofit WarmDim Eyeball Trim Module, 600 Nominal Lumens, 3000K, White Trim Ring