
SCEPTER PVC CONDUIT SOLVENT CEMENTS DATA SHEET



SCEPTER PVC CONDUIT SOLVENT CEMENTS DATA SHEET



Choosing the correct SOLVENT CEMENT is Vital!

Choosing the correct cement is a vital link in a thermoplastic piping system. Although cement is one of the most critical components of a piping system, it is most often overlooked.

Cements are formulated to best meet specific needs for example, general-purpose cement is thinner and less aggressive in bonding than heavy-duty industrial cement.

IPEX offers a wide range of high strength solvent cements for thermoplastic piping systems. Regular, medium, heavy or extra heavy cements are specially formulated for PVC pipe and fittings up to 900 mm (36") diameter for both pressure and non-pressure applications, CPVC through 300 mm (12") diameter and ABS through 200 mm (8") diameter.

IPEX offers a complete range of cements, primers and applicators so installers can choose the RIGHT ONE for their project and, following the basic steps, be assured of a good joint every time. A copy of our Solvent Cementing Guide is available on www.ipexinc.com.

Call your nearest IPEX representative for assistance with this critical part of your plastic piping system. On-the-job training, videos and instruction booklets are all available to help ensure you achieve perfect results.

Check out our training center by visiting www.ipexinc.com.

SCEPTER PVC CONDUIT SOLVENT CEMENTS DATA SHEET

IPEX 100 PVC CONDUIT SOLVENT CEMENT

CLEAR

Low VOC, 3 Year Shelf Life

IPEX PVC Conduit Solvent Cement is CSA approved for electrical applications as set out in CSA Standards C22.2 No. 211.1 and C22.2 No. 211.2 and meets ASTM D2564 requirements for solvent cement welding of PVC electrical conduit applications.

Use IPEX 100 Conduit Cement to create solid, waterproof joints when connecting electrical PVC conduit pipe. The cement is approved for use with rigid PVC conduit such as IPEX's Scepter Rigid PVC conduit & fittings, CORLINE ENT and Kwikon ENT fittings, and Super Duct DB-2 duct & fittings.

	ml	U.S.	Product Code	Units per Case
	125	1/4 pint	074717	24
*	250	1/2 pint	074713	24
*	475	pint	074714	12
*	950	quart	074715	12
*	4L	gallon	074716	4

^{*}c/w screw top & dauber



45 70695