

And improved. And improved. And improved. And improved. Longer life hinge. And improved. And improved. And improved. And improved. Full-size, self-closing handle. And improved. Cover opens a full 180.º And improved. And improved. Accommodates multiple infloor systems. And improved. And improved. And improved. Expanded color palette. And improved. And improved. And improved.



FloorPort™ Series Color Options

Our new palette upholds your design integrity. Choose from six resilient color options, including nickel, bronze, brass, grey, black and brushed aluminum. And the use of powder coat paint reduces environmental impact.




Flanged Blank Nickel



Flanged Cutout Black



Flanged Blank Brass



Flangeless Blank Brass



Flanged Blank Gray



Flanged Blank Black



Flanged Blank
Brushed Aluminum



Flangeless Cutout Bronze




Flanged Furniture Feed Black




Flanged Blank Bronze







Durable design

The hinge is more durable to withstand most high traffic areas. The die-cast, articulated design allows you to open the cover a full 180° to lie flat for easy access to all compartments and reduces trip hazards.












Consistent flexibility

FloorPort covers support a variety of flooring applications. Flanged trims can be used on carpeted floors to prevent fraying or in applications exposed to heavy loads, while flangeless trims are used on tile floors. The FloorPort Series works interchangeably with multiple infloor systems including RFB® Floor Boxes and WalkerCell® Cellular Raceway Systems for a seamlessly integrated look.











Fully capable

A full-size handle makes our cover easy to open and close. The self-closing feature further enhances the handle's functionality. We've also improved the latching mechanism to ensure longevity.










Protect & serve

Two large egress openings can accommodate bigger cables, while locking in the "up" position to protect cables.

And TopGuard™ protection safeguards power and communication compartments against water, dust and debris, exceeding UL® scrub water standards.









□ legrand Wiremold

Legrand/Wiremold

60 Woodlawn Street West Hartford, CT 06110 Phone: 1.800.621.0049

Fax: 1.860.232.206

Legrand Canada

570 Applewood Crescent Vaughan, ON, L4K 4B4 Phone: 905.738.9195 Fax: 905.738.9721