

Rittal – The System.

Faster – better – everywhere.

Twin castors – DK 7495.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Twin castors – DK 7495.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	For mobile use, can be mounted directly on the enclosure. M12 x 20 fastening screw thread.
Color:	Black
Suitable for Model No.:	CP 6106.200 CP 6106.300
Mounting tip:	When mounting on a TS base/plinth, the base/plinth adapter is required
Supply includes:	4 twin castors, 2 x with, 2 x without locks. Assembly components

Product features

Suitable for:	Enclosure type: TS Enclosure type: SE Enclosure type: PC Enclosure type: TP pedestals Enclosure type: IW Enclosure type: Data Rack Enclosure type: Chiller
Thread:	Type: M12 x 20
Floor clearance:	125 mm (4.9 ")
Load capacity:	static (max. per component): 1200 N (1200 N)
Packaging unit:	1 pc(s).

Weight/packaging unit:	1.96 kg (4.3 lb.)
EAN:	4028177131200
Customs tariff number:	83024900
ETIM 6.0:	EC002621
ETIM 5.0:	EC002621
eCl@ss 8.0/8.1:	27189262
eCl@ss 7.0/7.1:	27182003
eCl@ss 6.0/6.1:	27182003
eCl@ss 5.1/5.1.4:	27189251
Product description (long):	DK Twin castors, M12, each 2 with/without Lock