

Rittal – The System.

Faster – better – everywhere.

► Wall mounting bracket For KL, EB, BG, and wall-mounted housing EL – KL 1594.000

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall mounting bracket For KL, EB, BG, and wall-mounted housing EL – KL 1594.000

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Material: Stainless steel 1.4301 (AISI 304)

Protection category NEMA: NEMA 4X

Supply includes: Assembly components for mounting on the enclosure.

Note: For hygiene reasons, and in view of the protection category, the stainless steel housings do not have any drilled holes for the wall mounting brackets.

Product features

Wall distance: 8 mm (0.31 ")

Packaging unit: 4 pc(s).

Weight/packaging unit: 0.14 kg (0.3 lb.)

EAN: 4028177011175

Customs tariff number: 83024900

ETIM 6.0: EC002625

ETIM 5.0: EC002625

eCl@ss 8.0/8.1:	27189234
eCl@ss 7.0/7.1:	27182405
eCl@ss 6.0/6.1:	27182405
eCl@ss 5.1/5.1.4:	27189234
Product description (long):	KL Wall mounting bracket, stainless steel, 1.4301, Wall distance 8 mm
Approvals	
Certificates:	EAC