

Rittal – The System.

Faster – better – everywhere.

► Wiring plan lectern for TS, SE, CM, TP, PC – PS 4120.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wiring plan lectern for TS, SE, CM, TP, PC – PS 4120.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	Provides a working surface for wiring plans during maintenance work. The wiring plan lectern can be bayed depending on the door width.
Material:	Utility tray: Polypropylene Mounting bracket: Die-cast zinc
Color:	Similar to RAL 7035
Supply includes:	Wiring plan lectern Fasteners

Product features

Suitable for:	Enclosure type: TS Enclosure type: SE Enclosure type: CM Enclosure type: TP Enclosure type: PC
Dimensions:	Height: 365 mm (14 ") Width: 207 mm (8.1 ") Depth: 24 mm (0.94 ")
Installation options:	On the tubular door frame Door width 400/500 mm = 1 wiring board Door width 600 mm = 2 wiring boards Door width 800 mm = 2–3 wiring boards Door width 1,000 mm = 3 wiring boards

Suitable for door width:	400 mm (16 ") 500 mm (20 ") 600 mm (24 ") 800 mm (31 ") 1000 mm (39 ")
---------------------------------	--

Packaging unit:	1 pc(s).
------------------------	----------

Weight/packaging unit:	0.88 kg (1.9 lb.)
-------------------------------	-------------------

EAN:	4028177091887
-------------	---------------

Customs tariff number:	39269097
-------------------------------	----------

ETIM 6.0:	EC000317
------------------	----------

ETIM 5.0:	EC000317
------------------	----------

eCl@ss 8.0/8.1:	27189267
------------------------	----------

eCl@ss 7.0/7.1:	27189267
------------------------	----------

eCl@ss 6.0/6.1:	27189267
------------------------	----------

eCl@ss 5.1/5.1.4:	27189201
--------------------------	----------

Product description (long):	PS Wiring plan lectern, for TS, CM, SE, PC, TP, for door width: 400 mm
------------------------------------	--
