

# Rittal – The System.

Faster – better – everywhere.

## Mounting plate attachment for TS, SE – TS 4593.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Mounting plate attachment for TS, SE – TS 4593.000

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Description:</b>	For additional clamping and to reduce potential vibration in the mounting plate. Select according to mounting position, installation type and enclosure.
<b>Material:</b>	Carbon steel
<b>Surface finish:</b>	Zinc-plated
<b>Supply includes:</b>	Assembly components
<b>Note:</b>	Slide in between the bar and plate from below or above or from the side, and secure with screws. Also required: Support strips, punched sections with mounting flanges, punched rails or punched sections without mounting flanges

## Product features

<b>Suitable for:</b>	Enclosure type: TS 8 Enclosure type: SE
<b>Installation options:</b>	all-round Set forward on a 25 mm hole pattern
<b>Packaging unit:</b>	10 pc(s).
<b>Weight/packaging unit:</b>	1.39 kg (3.1 lb.)
<b>EAN:</b>	4028177103702

<b>Customs tariff number:</b>	73269098
<b>ETIM 6.0:</b>	EC002620
<b>ETIM 5.0:</b>	EC002625
<b>eCl@ss 8.0/8.1:</b>	27189261
<b>eCl@ss 7.0/7.1:</b>	27409216
<b>eCl@ss 6.0/6.1:</b>	27409216
<b>eCl@ss 5.1/5.1.4:</b>	27189231
<b>Product description (long):</b>	TS Mounting plate attachment, installation: all-round/set forward on a 25 mm pitch pattern