

# Rittal – The System.

Faster – better – everywhere.

## Utility tray for TS, SE, CM, PC – PS 4638.800

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Utility tray for TS, SE, CM, PC – PS 4638.800

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** For programming devices etc. Quickly folds out during servicing while providing maximum surface space. Saves space by folding down in between tubular door frames when not in use.

**Material:** Carbon steel

**Color:** RAL 7035

## Product features

**Suitable for:** Enclosure type: TS 8  
Enclosure type: SE  
Enclosure type: CM  
Enclosure type: PC

**Installation options:** On the tubular door frame  
For external mounting on surfaces.

**Suitable for door width:** 800 mm (31 ")

**Support area:** Width: 613 mm (24 ")  
Depth: 400 mm (16 ")

**Load capacity:** max. 300 N

**Packaging unit:** 1 pc(s).

**Weight/packaging unit:** 3.8 kg (8.4 lb.)

<b>EAN:</b>	4028177107519
<b>Customs tariff number:</b>	94039010
<b>ETIM 6.0:</b>	EC000784
<b>ETIM 5.0:</b>	EC000784
<b>eCl@ss 8.0/8.1:</b>	27180504
<b>eCl@ss 7.0/7.1:</b>	27182290
<b>eCl@ss 6.0/6.1:</b>	27182290
<b>eCl@ss 5.1/5.1.4:</b>	27189201
<b>Product description (long):</b>	PS Utility lectern, for TS, SE, CM, PC, for door width 800 mm