Rittal - The System.

Faster – better – everywhere.

Interconnecting rodsTS 4918.000

Date: May 24, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Interconnecting rods – TS 4918.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:To extend locking from the main enclosure to the adjacent enclosures of a baying suite. An interconnecting red corresponding to the width of the anglesure is required for each adjacent

interconnecting rod corresponding to the width of the enclosure is required for each adjacent enclosure.

Product features

Suitable for: Width: 800 mm (31 ")

Installation options: To extend locking from the main enclosure to the adjacent enclosures of a bayed suite. An

interconnecting rod corresponding to the width of the enclosure is required for each adjacent

enclosure.

Packaging unit: 10 pc(s).

Weight/packaging

unit:

4.01 kg (8.8 lb.)

EAN: 4028177114005

Customs tariff number:

73269098

ETIM 6.0: EC000327

ETIM 5.0: EC000327

eCl@ss 8.0/8.1: 27409217

eCl@ss 7.0/7.1: 27189290

© Rittal 2018

e Cl@ss 6.0/6.1:	27189290
e Cl@ss 5.1/5.1.4:	27189255
Product description (long):	TS Interconnecting rod, for door-locking of bayed enlcosure combinations, for W: 800 mm

© Rittal 2018 2