

Rittal – The System.

Faster – better – everywhere.

➤ **C rails 30/15 to EN 60
715 for TS, SE – SZ
4943.000**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



C rails 30/15 to EN 60 715 for TS, SE – SZ 4943.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material: Carbon steel

Surface finish: Zinc-plated

Product features

Suitable for: Enclosure type: TS
Enclosure type: SE
Width: 500 mm (20 ")
Depth: 500 mm (20 ")

Dimensions: Length: 455 mm (18 ")

Installation options: On the vertical TS, SE enclosure section via snap-on nuts TS 8800.808 or adapter rail for PS compatibility.
On the horizontal TS enclosure section
In the case of SE, it may be additionally fitted to the horizontal section in the width at the bottom and top, or in the depth at the bottom (without the mounting plate) and at the top using snap-on nut 8800.808
On base configuration rail for CM

Packaging unit: 6 pc(s).

Weight/packaging unit: 1.9 kg (4.2 lb.)

EAN: 4028177114579

Customs tariff number: 73269098

ETIM 6.0:	EC000386
ETIM 5.0:	EC000386
eCl@ss 8.0/8.1:	27400602
eCl@ss 7.0/7.1:	23159101
eCl@ss 6.0/6.1:	23159101
eCl@ss 5.1/5.1.4:	27189250
Product description (long):	SZ C rail 30/15 to EN 60 715, for TS, SE, for W/D: 500 mm, L: 455 mm