

Rittal – The System.

Faster – better – everywhere.

Cam lock – SZ 2430.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cam lock – SZ 2430.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material: Fiberglass-reinforced polyamide

Color: RAL 7035

Product features

Suitable for: Enclosure type: AE with cam
Enclosure type: Basic AE with cam
Enclosure type: Wall-mounted housing AE with cam

Lock Insert: with cylinder insert, lock no. 3524 E

Packaging unit: 1 pc(s).

Weight/packaging unit: 0.08 kg (0.2 lb.)

EAN: 4028177022928

Customs tariff number: 83015000

ETIM 6.0: EC000327

ETIM 5.0: EC000327

eCl@ss 8.0/8.1: 27409217

eCl@ss 7.0/7.1: 27409218

eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Product description (long):	SZ Cam lock, glassfibre reinforced polyamid, with lock cylinder insert, Lock no. 3524 E
Approvals	
Certificates:	EAC