

# Rittal – The System.

Faster – better – everywhere.

## Twin castors – CP 6148.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Twin castors – CP 6148.000

created: 24.05.2018 build on www.rittal.com/us-en



## Product description

<b>Description:</b>	For mobile use, can be mounted directly on the enclosure. M12 x 20 fastening screw thread.
<b>Color:</b>	Black with gray running surface
<b>Suitable for Model No.:</b>	Standfuß 6106.200 Standfuß 6106.300
<b>Mounting tip:</b>	When mounting on a TS base/plinth, the base/plinth adapter is required
<b>Supply includes:</b>	4 twin castors, 2 x with, 2 x without locks. Assembly components

## Product features

<b>Suitable for:</b>	Enclosure type: TS Enclosure type: SE Enclosure type: PC Enclosure type: TP pedestals Enclosure type: IW Enclosure type: Data Rack Enclosure type: Chiller
<b>Thread:</b>	Type: M12 x 20
<b>Floor clearance:</b>	85 mm (3.3 ")
<b>Load capacity:</b>	static (max. per component): 750 N (750 N)
<b>Packaging unit:</b>	1 pc(s).

<b>Weight/packaging unit:</b>	1.32 kg (2.9 lb.)
<b>EAN:</b>	4028177206007
<b>Customs tariff number:</b>	83024900
<b>ETIM 6.0:</b>	EC002621
<b>ETIM 5.0:</b>	EC002621
<b>eCl@ss 8.0/8.1:</b>	27189262
<b>eCl@ss 7.0/7.1:</b>	27182003
<b>eCl@ss 6.0/6.1:</b>	27182003
<b>eCl@ss 5.1/5.1.4:</b>	27189251
<b>Product description (long):</b>	CP Twin castors, je 2 with/without lock, static load per castor 75 kg