

Rittal – The System.

Faster – better – everywhere.

▶ Command panel housing with door Stainless steel – CP 6539.010

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Command panel housing with door Stainless steel – CP 6539.010

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material:	Housing and door: Stainless steel 1.4301 (AISI 304) Handle strips: Plastic approved for use with foodstuffs, dyed blue
Surface finish:	Brushed, grain 240
Color:	Handle strips: Similar to RAL 5002
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 12
Supply includes:	Housing of all-round solid construction Cut-out and reinforcement for support arm system CP 40 stainless steel Fastener with guide plate Door with sealing frame and side handle strips Lock: 3 mm double-bit
Note:	The support arm connection and door catch may be swapped over by rotating the enclosure Matching mounting plates from compact enclosures AE may be used 3 mm double-bit lock insert may be exchanged for 41 mm lock inserts, plastic handles and T handles, type C
Note on Model No.:	Compatible mounting plate 5050.436

Product features

Dimensions:	Height: 400 mm (16 ") Width: 600 mm (24 ")
--------------------	---

Depth: 150 mm (5.9 ")

Packaging unit:	1 pc(s).
Weight/packaging unit:	12.1 kg (26.7 lb.)
EAN:	4028177220393
Customs tariff number:	94032080
ETIM 6.0:	EC002504
ETIM 5.0:	EC002504
eCl@ss 8.0/8.1:	27180505
eCl@ss 7.0/7.1:	27180505
eCl@ss 6.0/6.1:	27180505
eCl@ss 5.1/5.1.4:	27180505
Product description (long):	CP Command panel housing with door, WHD: 600x400x150 mm, Stainless steel 1.4301
Approvals	
Approvals:	CSA TÜV UL
Declarations:	Declaration of conformity