

Rittal – The System.

Faster – better – everywhere.

▶ TS System Chassis 17 x 73 mm – TS 8612.160

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS System Chassis 17 x 73 mm – TS 8612.160

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Description: Variable, with 5 rows of holes for universal skeleton structures or partial assembly. Simply position in the TS holes and secure.

Material: Carbon steel

Surface finish: Zinc-plated

Mounting tip: The rail for interior installation is required when installing in CM, TP

Supply includes: Assembly screws

Product features

Suitable for: Width/depth: 600 mm

Dimensions: Length: 540 mm (21 ")

Installation options: On the vertical TS enclosure profile: on the outer mounting level, all-round, at the same height
For SE, may additionally be mounted on the top horizontal section in the depth
In CM and TP via rails for interior installation: in depth, for outer mounting level

Packaging unit: 4 pc(s).

Weight/packaging unit: 2.45 kg (5.4 lb.)

EAN: 4028177212152

Customs tariff number:	73269098
ETIM 6.0:	EC002625
ETIM 5.0:	EC002625
eCl@ss 8.0/8.1:	27189234
eCl@ss 7.0/7.1:	23159101
eCl@ss 6.0/6.1:	23159101
eCl@ss 5.1/5.1.4:	27189250
Product description (long):	TS TS punched section with mounting flange, 17 x 73 mm, for outer mounting level: W/D: 600 mm, L: 540 mm
Approvals	
Certificates:	EAC